State of Idaho
Department of Water Resources

Water Right License

Water Right No. 96-13899

Priority: December 02, 2022

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

DALE CLEVELAND 1995 ELLIOT BAY RD SAGLE ID 83860-8247

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 02, 2022, and has submitted Proof of Beneficial Use on January 08, 2024. An examination confirms water is diverted from:

Source : LAKE PEND OREILLE **Tributary:** PEND OREILLE RIVER

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
DOMESTIC	1 /1 to 12/31	0.04 CFS	1.2 AF

Location of Point(s) of Diversion
LAKE PEND OREILLE L2(SW¼ NE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17			X L2														

Conditions of Approval

1. Place of use is located within Lot 1, Walstons Lake Lots 3rd Addition Subdivision.
2. Domestic use is for 1 home.
3. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
4. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 1st day of February, 2024.

PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

Attachment to Water Right

96-13899

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

N

Form 42-217 Rev. 6/22

RECEIVED
JAN 08 2024
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	C117618
Receipted By	KM
Date Receipted	1.8.24

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-13899 Name of Permit Holder(s) DALE CLEVELAND

Telephone No. 208-255-3855 Email _____

Mailing Address 1995 Elliot Bay Rd City Sagle State ID Zip 83860

2. Source of Water LAKE Pend Oreille If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) 1 Irrigation (No. acres) _____ Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Submersible pump ~~3/4~~ 1 inch LINE / pipe

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required?	Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☐	Ground water level data, pumping information, or other diversion data
☐	☐	☐	Mitigation plan
☐	☐	☐	Lockable controlling works
☐	☑	☐	Measuring device
☐	☐	☐	Fish screen
☐	☐	☐	Other requirements of the water right permit _____
	☐	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50.00 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Dale Cleveland Telephone No. 208-255-3855 Email _____

Mailing Address 1995 Elliot Bay Rd City Sagle State ID Zip 83860

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Dale A. Cleveland — DALE A. CLEVELAND — 12/27/23

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 96-13899

Priority: December 02, 2022 **Maximum Diversion Rate:** 0.04 CFS

This is to certify that

DALE CLEVELAND ELLIOT BAY RD SAGLE ID 83860

has applied for a permit to appropriate water from:

Source : LAKE PEND OREILLE **Tributary:** PEND OREILLE RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use	Period of Use	Rate of Diversion
DOMESTIC	1 /1 to 12/31	0.04 CFS

Location of Point(s) of Diversion

LAKE PEND OREILLE L2 (SW¼ NE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17			X L2														

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **February 01, 2024.**
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Place of use is located within Lot 1, Walstons Lake Lots Third Addition Subdivision.
5. Domestic use is for 1 home.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
7. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 26 day of January, 2023.

LUKE BATES
Interim Water Rights Supervisor

SCANNED
JAN 30 2023

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

96-13899

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion

N

SCANNED
JAN 3 0 2023

87292

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho
No. 96-13899

1. **Applicants**
Dale Cleveland
elliot bay rd
sagle, ID 83860
2082553855
dalecleveland@hotmail.com

2. **Representatives**
Submitter is one of the applicants

3. **Source of Water Supply**
Source : LAKE PEND ORIELLE tributary to LAKE PEND ORIELLE

4. **Location of Point(s) of Diversion**

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	LAKE PEND ORIELLE	LAKE PEND ORIELLE		56N	01E	17	2	/SW/NE	BONNER

5. **Water will be used for the following purposes:**

Purposes	Season	Rate	Volume	Description
DOMESTIC	01/01 to 12/31	0.05 cfs	0.00 afa	domestic

6. **Total quantity to be appropriated is (a)** 0.05 cfs **and/or** 0 afa

7. **Proposed Diverting Works:**
POD No :1
Description: pump

8. **Description of Place Of Use:**

DOMESTIC							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
56N	01E	17	SW	NE	BONNER	2	

9. **Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.**
none

10. **Land Ownership**
- **Who owns the land to be irrigated or place of use?** Applicant
- **Who owns the land at the point of diversion?** Applicant does not own

11. **Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.**
comleted

12. **Time required for completion of works and application of water to proposed beneficial use is** 1 years **(minimum is 1 year).**

T114771 12/2/22 $100.00 DA

SCANNED
DEC 29 2022

State of Idaho
Department of Water Resources

Application For Permit

96-13899



0 0.035 0.07 0.14 Miles

- Point of Diversion
- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters

SCANNED
DEC 2 9 2022

Prepared By: Web User

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

February 01, 2024

DALE CLEVELAND
1995 ELLIOT BAY RD
SAGLE ID 83860-8247

RE: License No. 96-13899

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Jean Hersley

for
Phill Hummer
Water Rights Section Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on February 02, 2024, I served a true and correct copy of Water Right License No. 96-13899 by U.S. Mail, postage prepaid, to the following:

DALE CLEVELAND (Current Owner)
1995 ELLIOT BAY RD
SAGLE ID 83860-8247

Jean Hersley
Technical Records Specialist 2

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 96-13899
Exam Date: 01/16/2024

1. Current Owner:
DALE CLEVELAND ELLIOT BAY RD SAGLE ID 83860

2. . Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? _X___Y ____N

a. ____ Irrigation of 5 acres or less
b. ____ Storage of up to 14.6 AF for stockwater purposes only
c. __X__ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
d. ____ Other < >

3. **SOURCE:**
LAKE PEND OREILLE

Tributary
PEND OREILLE RIVER

Method of Determination: application and permit

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: ___NA

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
LAKE PEND OREILLE L2 (SW¼ NE¼), Sec. 17, Twp 56N, Rge 01E, B.M. BONNER County

Method of Determination: application, permit, ArcMap

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	01E	17			X L2														

Method of Determination: application, permit, Arcmap and Bonner County

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

Aerial Photo Attached (required for irrigation of 10+ acres).

Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) =

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 =

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ =

2. Volume Calculations for Other Uses: 1.2 af for in-house domestic and up to ½ acre of irrigation per administrative application processing memo # 22.

G. NARRATIVE/REMARKS/COMMENTS: Statement of Completion received January 8, 2024, with a $50 filing fee. Proof due February 1, 2024. ArcMap and Bonner County show dwelling on property and list permit holder as current owner. POU is Lot 1 of Walstons Lake Lots 3rd Addition Subdivision. Fish screen has been installed per statement of completion. Remove condition 029.

The POU shape for claim 96-9387 overlaps this property but it is not appurtenant to this property.

Have conditions of permit approval been met? _x_ Yes ____ No

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
DOMESTIC	1 /1 to 12/31	0.04 CFS	1.2 AF
	Totals:	0.04 CFS	1.2 AF

2. Recommended Amendments


____ Change P.D. as reflected above ____ Add P.D. as reflected above _x_ None

____ Change P.U. as reflected above ____ Add P.U. as reflected above _x_ None


I. AUTHENTICATION Jean Hersley -

Field Examiner's Name Jean Hersley Date 1-16-24

Reviewer PH Date 2/1/24



ArcMap shows dwelling on property built in 2015 and lists permit holders as current owners.



Bonner County shows dwelling on property and lists permit holders as current owners.

Beneficial Use Proof Evaluation

Permit Number: 96-13899 Reviewer: AVeibell Review Date: 1/8/2024

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 1/8/2024
4) Proof Due Date: 2/1/2024
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -24
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- Yes
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs


T114771

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

322 E FRONT ST
PO BOX 83720
BOISE ID 83720-0098

USPS CERTIFIED MAIL



9214 8901 9403 8340 2294 77

DALE CLEVELAND
1995 ELLIOT BAY RD
SAGLE ID 83860-8247

96-13899

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

November 30, 2023

DALE CLEVELAND
1995 ELLIOT BAY RD
SAGLE ID 83860

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-13899

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **February 01, 2024**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell
Technical Records Specialist

Enclosure(s)

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

January 27, 2023

DALE CLEVELAND
ELLIOT BAY RD
SAGLE ID 83860

RE: Permit No. 96-13899

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
JAN 30 2023

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Rights Supervisor

Enclosure(s)

SCANNED
JAN 30 2023

CERTIFICATE OF SERVICE

I hereby certify that on January 27, 2023, I served a true and correct copy of Permit to Appropriate Water No. 96-13899 by U.S. Mail, postage prepaid, to the following:

DALE CLEVELAND (Current Owner)
ELLIOT BAY RD
SAGLE ID 83860

Tammy Alleman
Administrative Assistant 1

SCANNED
JAN 30 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
JAN 30 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
JAN 3 0 2023

MEMORANDUM

January 25, 2023

Water Permit: 96-13899

Author: LBates LB 1/25/23

Subject: Diversion rate reduction

During permit approval processing, the applicant's domestic diversion rate as applied equaling 0.05 cfs for 1 home was reduced.

Reduction to 0.04 cfs conforms with department standard diversion rate for 1 home as per Administrator's Memorandum, Application Processing Memorandum No.22 - Definition of "Domestic".

SCANNED

JAN 3 0 2023

RECEIVED
JAN 17 2022
IDWR/NORTH

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Bonner)

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 5th day of January, 2023, and ending on the 12th day of January, 2023

Italia Jimenez

State of Idaho, county of Bonner ss.
On this 12th day of January, in the year of 2023 before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

My Commission Expires 8/29/23

KATRINA GEORGE
NOTARY
PUBLIC
STATE OF IDAHO

SCANNED
JAN 30 2023

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-12301
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

96-12323
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

96-13184
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

96-13185
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

96-13401
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

96-13643
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

96-13758
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

96-13868
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

96-13899
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

96-14045
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

96-14071
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

96-14087
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director
Legal#4787
AD#4181
January 5, 12, 2023

SCANNED
JAN 3 0 2023

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W.R. # 96 - 13899 APPLICATION ID # 87242 ENT. YB BCA Ya OK to Publish MK

INITIAL REVIEW BY YB DATE 12/5/2022

APPLICANT: Dale Cleveland

ITEM	REQUIRED INFORMATION
1.	(✓) Name and Address
2.	(✓) Source
3.	(✓) Point of Diversion & County
4.	(✓) Quantity
5.	(✓) Nature of Proposed Use
6.	(✓) Period of Use
7.	(✓) Total Quantity
8.	(✓) Description of diverting works
9.	(✓) Time required for b/u
10.	(✓) Proposed use
11.	(✓) Place of use or acres irrigated
12	(✓) Other water Rights
13	(✓) Ownership
14	(✓) Map
15.	(✓) Signature
16	(✓) Fee (Amt, receipt, acknowledgement) T 114 771

*** Send info sheet Y ( ) N ( )

PROCESSING

(Yes)(No) PRIORITY DATE 12/2/2022

___ ✓ (Include Moratorium Remark)
___ ✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af)

ADVERTISE IN Bonner County

Newspaper: Bonner County Daily Bee

Dates scheduled for publication 1-5-23 & 1-12-23

Affidavit of Publication received: 1-17-23

Dates actually published: 1-5-23 & 1-12-23

Application published correctly Yes ✓ No ___

If not, action taken: ___

Final Date for Protest: January 23, 2023

Protests Received Yes ___ No ✓

LETTERS SENT REQUESTING:

( ) Dam Information ( ) Fish Information
( ) Power Information ( ) Other: ___

INFORMATION RECEIVED:

( ) Dam Information ( ) Fish Information
( ) Power Information ( ) Other: ___

ADDITIONAL INFORMATION

(Yes)(No)

✓ ___ Shape File Created Date Verified 12/5/2022 By: YB
___ ___ Field check: by ___
___ ___ Field report attached
___ ___ Analysis Supp. Attached (>5cfs/500af)
___ ___ Water delivered by water master? Water District # ___ IDL, DEQ, FTG, WB

GROUNDWATER SECTION

WD Permit No.'s	Tag #	Type	Fees	Receipt No.	Upgrade Needed?
___	___	Dom ___ Non-Dom ___	Paid $___	___	Y ( ) N ( )
___	___	Dom ___ Non-Dom ___	Paid $___	___	Y ( ) N ( )
___	___	Dom ___ Non-Dom ___	Paid $___	___	Y ( ) N ( )

___ ___ Groundwater management area
___ ___ Critical ground water area
___ ___ Well Drilling Permit required
___ ___ Well Drilling Application and Fees received
___ ___ Well Drilling Application approved?

Remarks: ___

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No) Final order response date ___/___/___

___ ___ Notice of pending void order issued
___ ___ Further information required from applicant ___

✓ * Reduce Diversion Rate at time of Permit approval to 0.01cfs Dept Standard

___ ___ Measuring device required
___ ___ Measuring port required
___ ___ Special conditions: ✓ X60 LOT 1, Walstons Lake Lots 3rd addition Sub
___ ___ Special conditions of approval supplement and/or cover letter attached: ___

Approval Recommended by: [signature] Date 1/25/2023 Sr. Agent Initial JB Interim Supervisor

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

December 28, 2022

DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860

RE: Application for Permit No. 96-13899

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 1/5/2023 and 1/12/2023. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

SCANNED
DEC 29 2022

From: Alleman, Tammy
To: Chantilly Higbee; Horsmon,Merritt; Anna Moody; IWRB Water Use Reviews; "Mike Ahmer"
Subject: Request for Comments for WR#96-13899
Date: Wednesday, December 28, 2022 3:17:00 PM
Attachments: 96-13899 Application for Permit.pdf
image001.png

IDL DEQ IDFG WRB

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at:
http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is January 23, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, December 28, 2022 11:30 AM
To: bcdblegals@cdapress.com
Subject: Legal Notice for Bonner County Daily Bee
Attachments: Legal Notice 96-12301, 96-12323, 96-13184, 96-13185, 96-13401, 96-13643, 96-13758, 96-13868, 96-13899, 96-14045, 96-14071, 96-14087.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **January 5th & January 12th, 2023** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **January 23, 2022.** Your cooperation is appreciated.

Sincerely,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-12301
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

96-12323
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

96-13184
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

96-13185
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

96-13401
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH

SCANNED
DEC 29 2022

Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

96-13643
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

96-13758
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

96-13868
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

96-13899
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

SCANNED
DEC 29 2022

96-14045
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

96-14071
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

96-14087
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 1/5/2023 and 1/12/2023

SCANNED
DEC 2 9 2022

Bates, Luke

From: Bates, Luke
Sent: Monday, December 5, 2022 8:54 AM
To: dale cleveland
Subject: RE: IDWR app for permit 96-13899
Attachments: 15. IDL encroachment permit.pdf

Mr. Cleveland,
Likely just an error in our online system – no big deal I will use this map; the 40 ft variance is ok for application for permit as the legal description is still the same regardless of pump location within your parcel's shoreline.

Due to your application incorporating a pump and pipeline in Lake Pend Oreille, Idaho Department of Lands may require you to file an encroachment permit through their agency for the intake pipe. I have attached a copy of the encroachment permit and PG1 provides IDL contact information. You may want to initiate contact with IDL now, but you may choose to wait for them to send you their letter which will occur during the advertising period. The encroachment permit is separate from Idaho Dept of Resource requirements and processes.

Thank you,
Luke Bates
Sr. Water Resource Agent
Northern Region
P: 208-762-2817

IDAHO DEPARTMENT OF
WATER RESOURCES
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

From: dale cleveland <daleclevelandd@hotmail.com>
Sent: Monday, December 5, 2022 8:48 AM
To: Bates, Luke <Luke.Bates@idwr.idaho.gov>
Subject: RE: IDWR app for permit 96-13899

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hi Luke, reviewed the map. Yes that's the same one I used. Not sure what happened.

Sent from my Verizon, Samsung Galaxy smartphone

-------- Original message --------
From: "Bates, Luke" <Luke.Bates@idwr.idaho.gov>
Date: 12/5/22 8:36 AM (GMT-08:00)

SCANNED
DEC 19 2022

To: daleclevelandhotmail.com
Subject: IDWR app for permit 96-13899

Mr. Cleveland,
Good morning. IDWR has received your application for permit and during initial review the map would not pull up in our database; I have created a map, please see attached, and request that you review it and reply to this email with the following statement (IF CORREC):

- I AGREE WITH THE MAP PRODUCT PROVIDED WHICH ILLUSTRATES MY PARCEL RP0048000001AA LOCATED AT 1995 ELLIOT BAY ROAD, & THE POD/POU ARE ACCURATE FOR MY APPLICATION FOR PERMIT.

Please note POD = Point of diversion, most likely located in the approximate location of your dock.

Thank you for your consideration of this request,

Luke Bates
Sr. Water Resource Agent
Northern Region
P: 208-762-2817

IDAHO DEPARTMENT OF
WATER RESOURCES
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

SCANNED
DEC 2 9 2022