**State of Idaho**
**Department of Water Resources**

# Water Right License

**Water Right No. 96-13184**

**Priority**: December 08, 2022

**Maximum Diversion Rate:** 0.02 CFS
**Maximum Diversion Volume:** 1.5 AF

It is hereby certified that:

STEPHEN REED 254 CALLEN CRABB RD SAGLE ID 83860 AND/OR
HEATHER REED 254 CALLEN CRABB RD SAGLE ID 83860

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 23, 2022, and has submitted Proof of Beneficial Use on January 22, 2024. An examination confirms water is diverted from:

**Source :** GROUND WATER

| Beneficial Use | Period of Use | Rate of Diversion | Annual Volume |
|---|---|---|---|
| IRRIGATION | 04/01 to 10/31 | 0.02 CFS | 1.5 AF |

**Location of Point(s) of Diversion**
GROUND WATER SE¼ SE¼, Sec. 13, Twp 56N, Rge 02W, B.M. BONNER County

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE | | | | NW | | | | SW | | | | SE | | | | Totals |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 56N | 02W | 13 | | | | | | | | | | | | | | | | 0.5 | 0.5 |

Total Acres: 0.5

**Conditions of Approval**

1. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.5 afa at the field headgate for irrigation of the place of use.
2. Point of diversion is located within Lot 12; Emerald Valley Estates Unit 2 Subdivision.
3. Place of use is located within Lot 12; Emerald Valley Estates Unit 2 Subdivision.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 19th day of April, 2024.

PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

# Attachment to Water Right

96-13184

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.




0 0.035 0.07 0.14 Miles

Place Of Use Boundary
Townships
PLS Sections
Quarter Quarters
Point of Diversion
State Outline

N

Form 42-217 Rev. 6/22

RECEIVED
JAN 22 2024
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

# STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

| FOR OFFICE USE ONLY | |
|---|---|
| Amt. of Fee $ | 50.00 |
| Receipt No. | C117670 |
| Receipted By | KM |
| Date Receipted | 1.22.24 |

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

**1.** Permit No. 96-13184 Name of Permit Holder(s) Stephen & Heather Reed

Telephone No. 208-946-8489 Email heatherreed49@gmail.com

Mailing Address 254 Callen Crabb Rd City Eagle State Id Zip 83860

**2.** Source of Water _____ If Ground Water (well), Date Drilled mo. 11 / yr. 2004

Drilling Permit/Tag No. 0039639 Drilling Company's Name Bob Pitts & Sons

**3.** Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) 5 Stockwater (No. and stock type) _____

Other _____

**4.** Total diversion rate or volume (storage only) for which proof is submitted 0.10 cfs OR _____ af

*If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.*

**5.** Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Well to pump - hose - sprinkler

**6.** Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

| Required? Yes | No | (If "Yes", attach required data, evidence of compliance, or evidence of installation) |
|---|---|---|
| ☐ | ☐ | ☑ Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☑ Mitigation plan |
| ☐ | ☐ | ☑ Lockable controlling works |
| ☐ | ☐ | ☑ Measuring device |
| ☐ | ☐ | ☑ Fish screen |
| ☐ | ☐ | ☑ Other requirements of the water right permit _____ |
| | ☐ | ☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

**7.** Fee Enclosed $ 50 or ☐ CWRE field report attached or ☐ No fee required

*See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.*

**8.** Person to contact to accompany a Department representative during the field examination of the water system:

Name: Heather Reed Telephone No. 208-946-8489 Email heatherreed49@gmail.com

Mailing Address 254 Callen Crabb Rd City Eagle State Id Zip 83860

**The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.**

| Heather Reed | Heather Reed | 1-15-24 |
|---|---|---|
| SIGNATURE OF PERMIT HOLDER* | PRINTED NAME AND TITLE | DATE |

*Attach power of attorney if completing on behalf of permit holder.

State of Idaho
Department of Water Resources

# Permit to Appropriate Water

**NO. 96-13184**

**Priority**: December 08, 2022 **Maximum Diversion Rate:** 0.10 CFS

This is to certify that

STEPHEN REED 254 CALLEN CRABB RD SAGLE ID 83860

AND / OR

HEATHER REED 254 CALLEN CRABB RD SAGLE ID 83860

have applied for a permit to appropriate water from:

**Source :** GROUND WATER

and a permit is APPROVED for development of water as follows:

| **Beneficial Use** | **Period of Use** | **Rate of Diversion** |
|---|---|---|
| IRRIGATION | 04/01 to 10/31 | 0.10 CFS |

**Location of Point(s) of Diversion**

GROUND WATER SE¼, SE¼, Sec. 13, Twp 56N, Rge 02W, B.M., BONNER County

**Place of Use:** IRRIGATION

| Twp | Rng | Sec | NE | | | | NW | | | | SW | | | | SE | | | | Totals |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 56N | 02W | 13 | | | | | | | | | | | | | | | | 5.0 | 5.0 |

Right Acre Limit: 5.0
Total Acres: 5.0

**Conditions of Approval:**

1. Proof of application of water to beneficial use shall be submitted on or before **March 01, 2024.**
2. Subject to all prior water rights.
3. This right does not grant any right-of-way or easement across the land of another.
4. Right holder shall comply with the drilling permit requirements of Idaho Code § 42-235 and applicable Well Construction Rules of the Department.
5. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
6. Point of diversion is located within; Lot 12; Emerald Valley Estates Unit 2 subdivision.
7. Place of use is located within; Lot 12; Emerald Valley Estates Unit 2 subdivision.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 22 day of February, 2023.

LUKE BATES
Interim Water Rights Supervisor


SCANNED
FEB 2 8 2023

State of Idaho
Department of Water Resources

# Attachment to Permit to Appropriate Water

96-13184

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.




0 0.035 0.07 0.14 Miles

- Place Of Use Boundary
- PLS Sections
- Quarter Quarters
- Point of Diversion
- Taxlots

N

Tax parcel information provided by Bonner County.

SCANNED
FEB 2 8 2023

RECEIVED
Dec 08 2022
DEPARTMENT OF
WATER RESOURCES

RECEIVED
APR 22 2022
IDWR / NORTH

RECEIVED
MAY 23 2022
IDWR / NORTH

87946

FORM 282 Rev 10/16

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 96-13184

# APPLICATION FOR PERMIT

**To appropriate the public waters of the State of Idaho**

1. Name of applicant(s) Stephen & Heather Reed Phone 208-946-8489
   Name connector (check one): ☐ and ☐ or ☐ and/or
   Mailing address 241 Fallen Crabb Rd City Eagle
   State Id ZIP 83616 Email heatherreed49@gmail.com
2. Name of representative, if any _____ Phone _____
   Mailing address _____ City _____
   State _____ ZIP _____ Email _____
   a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
      ☐ Send original correspondence to the applicant and copies to the representative.
   b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
      ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply ground water which is a tributary of _____
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | ¼ | ¼ ¼ | ¼ | County | Source | Local name or tag # |
|---|---|---|---|---|---|---|---|---|---|
| 56N | 02W | 13 | | | NE SE | SE | Bonner | groundwater | 0039639 |
| | | | | | SE | 10-21-22 HR | | | |
| | | | | | | | | | |
| | | | | | | | | | |

5. Water will be used for the following purposes: Irrigation
   Amount 0.10 (cfs or acre-feet per year) for [illegible] purposes from 1-1 to 12-31 (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
6. Total quantity to be appropriated is (a) 0.10 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
   a. Describe type and size of devices used to divert water from the source. Existing Drilled well connected to one home & Sprinkler system for irrigation
   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
   c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
   d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
   e. If well is already drilled, when? 11-23-04; drilling firm Bob Pitts & Sons; well was drilled for (well owner) _____; Drilling Permit No. _____.

---

**For Department Use**

Received by JA Date 4-22-22 Time _____ Preliminary check by _____
Fee $ 100.00 Receipted by JA Receipt No. N039048 Date 4-22-22

SCANNED
DEC 29 2022

FORM 202 Rev 09/16

RECEIVED
APR 22 2022
IDWR / NORTH

RECEIVED
MAY 23 2022
IDWR / NORTH

87046

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 96-13184

# APPLICATION FOR PERMIT

**To appropriate the public waters of the State of Idaho**

1. Name of applicant(s) Stephen & Heather Reed Phone 208-946-8489
   Name connector (check one): ☐ and ☐ or ☐ and/or
   Mailing address 254 Callon Crabb Rd City Sagle
   State Id ZIP 83860 Email heatherreed49@gmail.com
2. Name of representative, if any _____ Phone _____
   Mailing address _____ City _____
   State _____ ZIP _____ Email _____
   a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
      ☐ Send original correspondence to the applicant and copies to the representative.
   b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
      ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply ground water which is a tributary of _____
4. Location of point(s) of diversion:

| Twp | Rge | Sec | Govt Lot | ¼ | ¼ | ¼ | County | Source | Local name or tag # |
|---|---|---|---|---|---|---|---|---|---|
| 56N | 02W | 13 | | | NE | SE | Bonner | groundwater | 0039639 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

5. Water will be used for the following purposes: Irrigation
   Amount 0.10 (cfs or acre-feet per year) for [illegible] purposes from 1-1 to 12-31 (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

SUPERSEDED

6. Total quantity to be appropriated is (a) 0.10 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
   a. Describe type and size of devices used to divert water from the source. Existing Drilled well connected to one home & Sprinkler system for irrigation
   b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
   c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
   d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
   e. If well is already drilled, when? 11-23-04; drilling firm Bob Pitts & Sons; well was drilled for (well owner) _____; Drilling Permit No. _____.

**For Department Use**

Received by JA Date 4-22-22 Time _____ Preliminary check by _____
Fee $ 100.00 Receipted by JA Receipt No. N039048 Date 4-22-22

SCANNED
DEC 29 2022

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. _____
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
   d. Domestic; show number of households 1 (.5 acres on garden irrigation)
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

| TWP | RGE | SEC | NE | | | | NW | | | | SW | | | | SE | | | | TOTALS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 56N | 02W | 13 | | | | | | | | | | | | | | | | 5 | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |

Total number of acres to be irrigated: 5

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? _____

11. a. Who owns the property at the point of diversion? Self
   b. Who owns the land to be irrigated or place of use? Self
   c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form and provide additional explanation for any of the items above. Attach additional pages if necessary. irrigation - 1" pipe w/ sprinkler for grass for animals

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

**The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.**

Heather Reed and/or
Signature of Applicant

Heather Reed
Print Name (and title, if applicable)


Stephen Reed
Signature of Applicant

Stephen Reed
Print Name (and title, if applicable)

SCANNED
DEC 29 2022

State of Idaho
Department of Water Resources

# Application For Permit




0 0.0375 0.075 0.15 Miles

Townships
PLS Sections
Quarter Quarters
Taxlots

X = well (point of Diversion)

= Place of Use

N

Tax parcel information provided by Bonner County.

SCANNED
DEC 19 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 24, 2024

STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE ID 83860

RE: License No. 96-13184

**ISSUANCE OF LICENSE**

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

*Phill Hummer*

Phill Hummer
Water Rights Section Manager

Enclosure(s)

## CERTIFICATE OF SERVICE

I hereby certify that on April 24, 2024, I served a true and correct copy of Water Right License No. 96-13184 by U.S. Mail, postage prepaid, to the following:

HEATHER REED (Current Owner)
254 CALLEN CRABB RD
SAGLE ID 83860

STEPHEN REED (Current Owner)
254 CALLEN CRABB RD
SAGLE ID 83860

Debra Mansfield
Technical Records Specialist 1

# EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

## PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

## EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

## REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

## ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

## CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

## FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

## APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Permit No: 96-13184 Page 1

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
**IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT**

## A. GENERAL INFORMATION

Exam Date: 1/31/2024

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y ____N
   a. X Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____ Other < >

2. Current Owner: Stephen and/or Heather Reed
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain: N/A

3. Beneficial Use Fees have been paid: X Y ____N Receipt No: C117670

4. Source: Groundwater
   Tributary: N/A

Method of Determination: GIS and the permit holders Statement of Completion for Proof of Beneficial Use.
Change in Source: ____Y X N

## B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

| Water Right No. | Source | Purpose of Use | Basis |
|---|---|---|---|
| N/A | | | |
| | | | |

Comments: There are no water rights directly overlapping the place of use. There is a stockwater right, 96-4439, adjacent east of the place of use.

2. Other water rights with the same point of diversion: X No Overlap

| Water Right No. | Source | Purpose of Use | Basis |
|---|---|---|---|
| N/A | | | |
| | | | |

Comments: N/A

## C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

| Source | Govt. Lot | ¼ | ¼ | ¼ | Sec. | Twp. | Rge. | | County |
|---|---|---|---|---|---|---|---|---|---|
| Groundwater | | | SE | SE | 13 | 56N | 02W | B.M. | Bonner |
| | | | | | | | | B.M. | |
| | | | | | | | | B.M. | |

Method of Determination: GIS, Tax Parcel Data and Well Log.

Change in POD? ___Y X N Amendment Required? ____Y X N

2. Place of Use: Irrigation

| TWP | RGE | Sec | NE | | | | NW | | | | SW | | | | SE | | | | Totals |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | |
| 56N | 02W | 13 | | | | | | | | | | | | | | | | 0.5 | 0.5 |
| | | Lot # | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | Total Acres = | | | 0.5 |

Method of Determination: GIS, Tax Parcel Data, and 2023 Bonner County Aerial Imagery.

Change in POU? ____Y __X__N Amendment Required? ____Y __X__N

___ Delivery System Diagram Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

_X__ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

| 3. Diversion Id No.* | Motor Make | HP | Motor Serial No. | Pump Make | Pump Serial No. or Discharge Size |
|---|---|---|---|---|---|
| D0039639 | | | | | |

**Code to correspond with No. on map and aerial photo*

**D. FLOW MEASUREMENTS**

| 1. Measurement Equipment | Type | Make | Model No. | Serial No. | Size | Calib. Date |
|---|---|---|---|---|---|---|
| N/A | | | | | | |
| | | | | | | |

2. Measurement Comments: The permit holder did not provide pump horsepower. Therefore, a diversion rate calculation is not possible.

**E. FLOW CALCULATIONS** ___Additional Computation Sheets Attached

Measured Method: Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. According to Administrative Processing Memo #17 the standard diversion rate/acre for the irrigation of 5 acres or less is 0.03 cfs/acre, 0.5 acres * 0.03 cfs/acre = 0.015 or 0.02 cfs rounded. The permit authorized a diversion rate of 0.1 cfs. I am recommending a 0.02 cfs diversion rate.

**F. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = (0.5 acres) * (3.0 af/acre) = 1.5 af

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = (0.02 cfs) *(214 days) *(1.9835 af/day) = 8.5 af

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 1.5 af

**G. PURPOSE OF USE**

Irrigation __X__Y ____N # Stock____N/A_____ Domestic # of Homes ___N/A___

Change in Purpose of Use? ____Y __X__N

Method of Determination: GIS, Tax Parcel Data, and 2023 Bonner County Aerial Imagery.

**H. NARRATIVE/REMARKS/COMMENTS**

This permit qualifies for an in-office examination. According to Tax Parcel Data the property was developed in 2005. The permit authorized the irrigation of 5 acres. 2023 Bonner County Aerial Imagery indicated and confirmed 0.5 acres of irrigation occurred within the place of use. The Well Log, provided through Department records, indicated the well was sealed from 0-30 ft. Currently the standard set in the IDAPA Well Construction Standards is 38 ft from surface level. However, the required sealing depth prior to 2009 was 18 ft from surface level. According to the Well Log the well associated with this permit was drilled in 2004 and would be in compliance with the IDAPA Well Construction Standards.

Since the permit holder did not provide a pump horsepower a diversion rate calculation was not possible. The standards set in Administrative Processing Memo #17 were used to determine a diversion rate recommendation. All of the conditions have been met and development of beneficial use was confirmed within authorization on the permit. Therefore, I am recommending a 0.02 cfs diversion rate and 1.5 af diversion volume.

Conditions X59 and X60 should remain on the license. Condition R66 should be changed to X31 because irrigation was confirmed to be less than 1 acre. Condition 046 should be removed because the permit holder complied with the drilling permit requirements of Idaho Code §42-235 and applicable Well Construction Rules of the Department. Condition 004 should be removed because there are no legal access concerns to the point of diversion or place of use. All other conditions should be removed as standard with licensing.

Have conditions of permit approval been met? __X__Yes ____No

**I. RECOMMENDATIONS**

1. Recommended Amounts:

| BENEFICIAL USE | PERIOD OF USE | | DIVERSION RATE | ANNUAL VOLUME |
|---|---|---|---|---|
| Irrigation | 04/01-10/31 | | 0.02 CFS | 1.5 AF |
| | | Totals: | 0.02 CFS | 1.5 AF |

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above __X_None

___Change P.U. as reflected above ___Add P.U. as reflected above __X_None

**J. AUTHENTICATION**


**Field Examiner: Skyler Cheever – Water Resource Agent**

Field Examiner's _____ Date 1/31/2024

Reviewer _____ Date 4/19/24

Field Exam Map

Map showing the authorized point of diversion (yellow point) and irrigated place of use (orange outline).



2023 Bonner County Aerial Imagery

Imagery indicated and confirmed 0.5 acres of irrigation occurred within the development period.

96-13184 Irrigation Map




1/30/2024

**Road Centerlines**
- Primary
- Secondary
- Local; Ramp

Parcels
World Boundaries and Places
World Imagery
Low Resolution 15m Imagery
High Resolution 60cm Imagery
High Resolution 30cm Imagery
Citations
60cm Resolution Metadata

1:2,204
0 0.015 0.03 0.06 mi
0 0.02 0.04 0.08 km
Esri, HERE, Garmin, (c) OpenStreetMap

Form 238-7
6/02

# IDAHO DEPARTMENT OF WATER RESOURCES
# WELL DRILLER'S REPORT

| Office Use Only |
|---|
| Well ID No. |
| Inspected by |
| Twp ____ Rge ____ Sec ____ |
| ____ 1/4 ____ 1/4 ____ 1/4 |
| Lat: : : Long: : : |

**1. WELL TAG NO.** D 0039639
DRILLING PERMIT NO. 826197
Water Right or Injection Well No.

**2. OWNER:**
Name Bert & Karen Wallis
Address 1651 Sagle Rd
City Sagle State Id. Zip 83860

**3. LOCATION OF WELL by legal description:**
You must provide address or Lot, Blk, Sub. or Directions to well.
Twp. 56 North ☒ or South ☐
Rge. 2 East ☐ or West ☒
Sec. 13, ____ 1/4 (10 acres) SE 1/4 (40 acres) SE 1/4 (160 acres)
Gov't Lot ____ County Bonner
Lat: : : Long: : :
Address of Well Site Callen Crabb Rd
City Sagle
(Give at least name of road + Distance to Road or Landmark)
Lt. ____ Blk. ____ Sub. Name ____

**4. USE:**
☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other ____

**5. TYPE OF WORK** check all that apply (Replacement etc.)
☒ New Well ☐ Modify ☐ Abandonment ☐ Other ____

**6. DRILL METHOD:**
☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other ____

**7. SEALING PROCEDURES**

| Seal Material | From | To | Weight / Volume | Seal Placement Method |
|---|---|---|---|---|
| Bentonite | 0 | 30 | 250 | Overbore |

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 205
Was drive shoe seal tested? ☐ Y ☒ N How? ____

**8. CASING/LINER:**

| Diameter | From | To | Gauge | Material | Casing | Liner | Welded | Threaded |
|---|---|---|---|---|---|---|---|---|
| 6 | +1 | 205 | 250 | Steel | ☒ | ☐ | ☒ | ☐ |
| | | | | | ☐ | ☐ | ☐ | ☐ |
| | | | | | ☐ | ☐ | ☐ | ☐ |

Length of Headpipe ____ Length of Tailpipe ____
Packer ☐ Y ☒ N Type ____

**9. PERFORATIONS/SCREENS PACKER TYPE**
Perforation Method ~
Screen Type & Method of Installation ~

| From | To | Slot Size | Number | Diameter | Material | Casing | Liner |
|---|---|---|---|---|---|---|---|
| | | | | | | ☐ | ☐ |
| | | | | | | ☐ | ☐ |
| | | | | | | ☐ | ☐ |

**10. FILTER PACK**

| Filter Material | From | To | Weight / Volume | Placement Method |
|---|---|---|---|---|
| ~ | | | | |
| | | | | |

**11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:**
180 ft. below ground Artesian pressure ~ lb.
Depth flow encountered 195 ft. Describe access port or control devices:
Well Seal

56 N 2W 13

**12. WELL TESTS:**
☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

| Yield gal./min. | Drawdown | Pumping Level | Time |
|---|---|---|---|
| 12 | 20 | 205 | 5hr |
| | | | |
| | | | |

Water Temp. 42 Bottom hole temp. ____
Water Quality test or comments: ____
Depth first Water Encounter 195

**13. LITHOLOGIC LOG:** (Describe repairs or abandonment)

| Bore Dia. | From | To | Remarks: Lithology, Water Quality & Temperature | Water Y | Water N |
|---|---|---|---|---|---|
| 8 | 0 | 1 | Top Soil | | X |
| 8 | 1 | 6 | clay | | Y |
| 8 | 6 | 20 | Clay Gravel | | Y |
| 8 | 20 | 30 | Blue Clay Gravel | | X |
| 8 | 30 | 170 | Blue Clay Gravel | | Y |
| 6 | 170 | 195 | Brown clay Gravel | | Y |
| 6 | 195 | 205 | Gravel | X | |

RECEIVED
DEC 08 2004
IDWR/North

Completed Depth 205 (Measurable)
Date: Started 11-17-04 Completed 11-22-04

**14. DRILLER'S CERTIFICATION**
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.
Company Name Bob Pitts & Sons Firm No. 235
Principal Driller Dale Pitts Date 11-23-04
and
Driller or Operator II ____ Date ____
Operator I Troy Coey Date 11-23-04
Principal Driller and Rig Operator *Required.*
Operator I must have signature of Driller/Operator II.

FORWARD WHITE COPY TO WATER RESOURCES

# Beneficial Use Proof Evaluation

Permit Number: 96-13184 Reviewer: AVeibell Review Date: 1/22/2024

## Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 1/22/2024
4) Proof Due Date: 3/1/2024
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -39
8) Proof received timely? Yes

## Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
4) Is there a request to waive the required items? No
5) Drilling Permit Number: 0039639
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? Yes
8) Is proof accepted? Yes

## Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

## Receipt IDs


N039048

## Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

322 E FRONT ST
PO BOX 83720
BOISE ID 83720-0098

USPS CERTIFIED MAIL



9214 8901 9403 8342 9772 53

HEATHER REED
STEPHEN REED
254 CALLEN CRABB RD
SAGLE ID 83860-8617

96-13184, 96-13185

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little  Director Mathew Weaver

December 29, 2023

HEATHER REED
STEPHEN REED
254 CALLEN CRABB RD
SAGLE ID 83860

**NOTICE: STATEMENT OF COMPLETION DUE**

RE: Permit No. 96-13184, 96-13185

**IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.**

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **March 01, 2024**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell

Amanda Veibell
Technical Records Specialist

Enclosure(s)

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

February 27, 2023

STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE ID 83860

RE: Permit No. 96-13184

**Permit Approval Notice**

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
FEB 2 8 2023

**Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.**

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Rights Supervisor

Enclosure(s)



SCANNED
FEB 2 8 2023

## CERTIFICATE OF SERVICE

I hereby certify that on February 27, 2023, I served a true and correct copy of Permit to Appropriate Water No. 96-13184 by U.S. Mail, postage prepaid, to the following:

STEPHEN REED (Current Owner)
254 CALLEN CRABB RD
SAGLE ID 83860

HEATHER REED (Current Owner)
254 CALLEN CRABB RD
SAGLE ID 83860

Tammy Alleman
Administrative Assistant 1



SCANNED
FEB 2 8 2023

# EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

## PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

## EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

## REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

## ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.



SCANNED
FEB 7 8 2023

## CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

## FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

## APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



SCANNED
FEB 2 8 2023

RECEIVED
JAN 17 2022
IDWR/NORTH

# AFFIDAVIT OF PUBLICATION

STATE OF IDAHO )
) ss.
County of Bonner )

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 5th day of January, 2023, and ending on the 12th day of January, 2023

Italia Jimenez

State of Idaho, county of Bonner ss.
On this 12th day of January, in the year of 2023 before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

**My Commission Expires 8/29/23**

SCANNED
FEB 28 2023

## LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**96-12301**
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

**96-12323**
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

**96-13184**
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

**96-13185**
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

**96-13401**
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

**96-13643**
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

**96-13758**
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

**96-13868**
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

**96-13899**
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

**96-14045**
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

**96-14071**
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

**96-14087**
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director
Legal#4787
AD#4181
January 5, 12, 2023

SCANNED
FEB 2 8 2023

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

93

W.R. # 96 - 13184 APPLICATION ID # 87046 ENT. _____ BCA SA OK to Publish _____

INITIAL REVIEW

APPLICANT: REED, Stephen and REED, Heather BY: dm DATE 10/13/2022

| ITEM | REQUIRED INFORMATION |
|---|---|
| 1. | (✓) Name and Address |
| 2. | (✓) Source |
| 3. | (✓) Point of Diversion & County |
| 4. | (✓) Quantity |
| 5. | (✓) Nature of Proposed Use |
| 6. | (✓) Period of Use |
| 7. | (✓) Total Quantity |
| 8. | (✓) Description of diverting works |
| 9. | (✓) Time required for b/u |
| 10. | (✓) Proposed use |
| 11. | (✓) Place of use or acres irrigated |
| 12. | ( ) Other water Rights Claim 96-11739 |
| 13. | (✓) Ownership |
| 14. | (✓) Map |
| 15. | (✓) Signature |
| 16. | (✓) Fee (Amt. receipt, acknowledgement) |

*** Send info sheet Y ( ) N (✓)

**ADDITIONAL INFORMATION**

(Yes)(No)

✓ ___ Shape File Created Date 10/13/22 By: dm

___ ___ Field check by _____

___ ___ Field report attached

___ ___ Analysis Supp Attached (>5cfs/500af)

___ ___ Water delivered by water master? Water District # _____

**PROCESSING**

(Yes)(No)

PRIORITY DATE: 05/23/2022

___ ✓ (Include Moratorium Remark)

___ ✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

Newspaper: Bonner County Daily Bee

Dates scheduled for publication 1-5-23 & 1-12-23

Affidavit of Publication received: 1-17-23

Dates actually published 1-5-23 & 1-12-23

Application published correctly Yes X No ____

If not, action taken _____

Final Date for Protest: January 23, 2023

Protests Received Yes ____ No X

**LETTERS SENT REQUESTING**

( ) Dam Information ( ) Fish Information

( ) Power Information (✓) Other: E-mail well upgrade fee

**INFORMATION RECEIVED**

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: _____

**GROUNDWATER SECTION**

| WD Permit No.'s | Tag # | Type | Fees | Receipt No | Upgrade Needed? |
|---|---|---|---|---|---|
| | D0039639 | Dom ___ Non-Dom ___ | Paid $ 75 | NP16597 | Y (✓) N ( ) |
| | | Dom ___ Non-Dom ___ | Paid $ | | Y ( ) N ( ) |
| | | Dom ___ Non-Dom ___ | Paid $ | | Y ( ) N ( ) |

___ ✓ Groundwater management area

___ ✓ Critical ground water area

___ ✓ Well Drilling Permit required

✓ ___ Well Drilling Application and Fees received

___ NA Well Drilling Application approved?

Remarks _____

**FINAL REGIONAL PROCESSING/REVIEW**

(Yes)(No)

___ ___ Notice of pending void order issued. Final order response date ____/____/____

___ ___ Further information required from applicant _____

___ ___ Measuring device required

___ ___ Measuring port required

___ ___ Special conditions _____

___ ___ Special conditions of approval supplement and/or cover letter attached _____

Approval Recommended by: _____ dm Date 02/17/2023 Sr. Agent initial _____ Watkins Supervisor

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

December 28, 2022

STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860

RE: Application for Permit No. 96-13184 & 96-13185

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 1/5/2023 and 1/12/2023. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

SCANNED
DEC 29 2022

**From:** Alleman, Tammy
**To:** Chantilly Higbee; Horsmon,Merritt; Anna Moody; IWRB Water Use Reviews
**Subject:** Request for Comments for WR#96-13185
**Date:** Wednesday, December 28, 2022 3:08:00 PM
**Attachments:** 96-13185 Application for Permit.pdf
image001.png

---

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at:
http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is January 23, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

**Tammy Alleman | Administrative Assistant**
**Idaho Department of Water Resources**
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

## Alleman, Tammy

**From:** Alleman, Tammy
**Sent:** Wednesday, December 28, 2022 11:30 AM
**To:** bcdblegals@cdapress.com
**Subject:** Legal Notice for Bonner County Daily Bee
**Attachments:** Legal Notice 96-12301, 96-12323, 96-13184, 96-13185, 96-13401, 96-13643, 96-13758, 96-13868, 96-13899, 96-14045, 96-14071, 96-14087.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **January 5th & January 12th, 2023** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

**Please send a proof once you have the article ready for print for our review.**

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **January 23, 2022.** Your cooperation is appreciated.

Sincerely,

IDAHO DEPARTMENT OF WATER RESOURCES

**Tammy Alleman | Administrative Assistant**
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

**96-12301**
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

**96-12323**
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

**96-13184**
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

**96-13185**
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

**96-13401**
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH

SCANNED
DEC 2 9 2022

Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

**96-13643**
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

**96-13758**
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

**96-13868**
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

**96-13899**
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

SCANNED
DEC 2 9 2022

**96-14045**
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

**96-14071**
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

**96-14087**
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 1/5/2023 and 1/12/2023

SCANNED
DEC 2 9 2022

# MEMORANDUM

December 13, 2022

Application for Permit: 96-13184

Author: smaxey

Subject: PRIORITY DATE 12/8/2022

---

ORIGINAL APPLICATION AND APPLICATION MAP, RECEIVED 4/22/2022, WAS UNACCEPTABLE FOR FILING. CHANGES WERE MADE ON ORIGINAL APPLICATION FORM IN DARKER BLUE PEN COLOR, AND ON IDWR MAP LABELED BY APPLICANT, THAT WAS RECEIVED 5/23/2022. APPLICANT CLARIFIED LINE 4 WITH INITIALED AND DATED CHANGE (POINT OF DIVERSION LEGAL DESCRIPTION) VIA E-MAIL ON 10/21/22. APPLICANT SENT INITIALED AND DATED CHANGE (POINT OF DIVERSION LEGAL DESCRIPTION) TO FILE@IDWR.IDAHO.GOV ON 12/8/2022.

SCANNED
DEC 29 2022

## Maxey, Shaun

**From:** Heather Reed <heatherreed49@gmail.com>
**Sent:** Thursday, December 8, 2022 10:22 AM
**To:** Maxey, Shaun
**Subject:** Re: Stephen & Heather Reed (96-13184)

**CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.**

I need to resend you the info I had already sent you? I'm confused?

Sent from my iPhone

On Dec 8, 2022, at 10:19 AM, Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov> wrote:

Mrs. Reed:

The pen and ink, initialed, information you sent to me on October 21, 2022 addresses the error in the Point of Diversion for Application 96-13184 . Please forward , this message and the-PFF mail attachment, in your 10/21/22 message to me, to the following address at our State Office in Boise: file@idwr.idaho.gov

Thanks,

Shaun Maxey
IDWR (208) 762.2816

**From:** Heather Reed <heatherreed49@gmail.com>
**Sent:** Friday, October 21, 2022 11:37 AM
**To:** Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov>
**Subject:** Stephen & Heather Reed

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Sent from my iPhone



SCANNED
DEC 29 2022

## Maxey, Shaun

**From:** Maxey, Shaun
**Sent:** Tuesday, October 18, 2022 2:50 PM
**To:** HEATHERREED49@GMAIL.COM
**Subject:** Idaho Application for Permit 96-13184 (correct legal description for well)
**Attachments:** 96-13184 REED APP.pdf

Ms. Reed:

Your Application for use of your well (D0039639) to irrigate five acres has been assigned ID number 96-13184. A copy of your Application is attached.

The legal description shown on the Application map for your well must agree with the legal description shown on Page 1, Line 4 of the Application. Both ¼ columns that you have filled in must read '…**SE…**' in order for this line to be in agreement with the map. IDWR personnel are prohibited from making changes to your Application.

Please print the attachment, cross out the '…**NE…**' currently shown on Page 1, Line 4, and replace it with a '…**SE…'** Please initial and date this change and return the corrected Application and Application Map , via U.S. mail to the address shown below, or via e-mail to the following address: file@idwr.idaho.gov

Thanks,

Shaun Maxey

IDAHO DEPARTMENT OF WATER RESOURCES

**Shaun M. Maxey | Sr. Water Resource Agent**
**Idaho Department of Water Resources**
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

# MEMORANDUM

October 13, 2022

Application for Permit: 96-13184

Author: smaxey

Subject: DOMESTIC USE

---

LINES 7(A) AND 8(D) OF APPLICATION 96-13184 CONTAIN REFERENCES TO DOMESTIC USE. LINE 5 0F APPLICATION INDICATES ONLY IRRIGATION USE.

APPLICANTS HAVE SUBMITTED ADJUDICATION CLAIM 96-11739, FOR DOMESTIC AND STOCKWATER, USING SAME WELL (POINT OF DIVERSION) SHOWN IN APPLICATION 96-13184.

SCANNED
DEC 2 9 2022

## Maxey, Shaun

**From:** Maxey, Shaun
**Sent:** Thursday, October 13, 2022 9:45 AM
**To:** HEATHERREED49@GMAIL.COM
**Subject:** Idaho Application for Permit 96-13184 (irrigation use from well)

Ms. Reed:

Your Application for use of your well (D0039639) to irrigate five acres has been assigned ID number 96-13184.

Please give me a call at your convenience about a $125 well upgrade fee, if we have not already discussed this, that is associated with the irrigation use of your well.

Thanks,

Shaun Maxey

IDAHO DEPARTMENT OF WATER RESOURCES

**Shaun M. Maxey |Sr. Water Resource Agent**
**Idaho Department of Water Resources**
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800



SCANNED
DEC 29 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 22, 2022

****Time Sensitive Response Required****

Steven Reed or Heather Reed
254 Callen Crabb RD
Sagle, ID 83860

Re: Application for Permit Unacceptable for Filing (Rule 35 Application Requirements)

Dear Applicants:

Idaho Department of Water Resources (IDWR) Northern Region received an incomplete Application for Permit from you on April 22, 2022 for ground water irrigation use (well). IDWR personnel are prohibited from making changes to your Application. Your original Application is enclosed. The Application is **unacceptable for filing because it contains incomplete address information, no map with legal descriptions, and is missing or has incorrect information on lines 3, 7(a), and 8(d).**

**Please phone me at (208) 762.2816 to review your Application or schedule an appointment to correct your Application.**

Your corrected and complete **Application must be received no later than May 23, 2022.** IDWR will be required to take steps to terminate your Application, if no response is received, pursuant to Idaho Code § 42-204.

Respectfully,

Shaun M. Maxey
Sr. Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures
Original Application for use in making corrections

SCANNED
DEC 29 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 22, 2022

****Time Sensitive Response Required****

Steven Reed or Heather Reed
254 Callen Crabb RD
Sagle, ID 83860

Re: Application for Permit Unacceptable for Filing (Rule 35 Application Requirements)

Dear Applicants:

Idaho Department of Water Resources (IDWR) Northern Region received an unsigned Application for Permit from you on April 22, 2022 for stockwater use. IDWR personnel are prohibited from making changes to your Application. Your original Application is enclosed. The Application is **unacceptable for filing because it is unsigned, contains no map with legal descriptions, and is missing or has incorrect information on lines 3, 7(a), and 8(d).**

**Please phone me at (208) 762.2816 to review your Application or schedule an appointment to correct your Application.**

Your corrected and complete **Application must be received no later than May 23, 2022.** IDWR will be required to take steps to terminate your Application, if no response is received, pursuant to Idaho Code § 42-204.

Respectfully,

Shaun M. Maxey

Shaun M. Maxey
Sr. Water Resource Agent
Idaho Department of Water Resources, Northern Region

Enclosures
Original Application for use in making corrections

4 & 9 legal description
8(d) App is OK.
7(a) App is OK.