State of Idaho
Department of Water Resources

Water Right License

Water Right No. 96-13281

Priority: October 18, 2022 **Maximum Diversion Rate:** 0.01 CFS

It is hereby certified that:

BRIAN CARNEY 10947 N ACOMA DR SPOKANE WA 99208-9098 AND
WENDY CARNEY 10947 N ACOMA DR SPOKANE WA 99208-9098

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 18, 2022, and has submitted Proof of Beneficial Use on February 12, 2024. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.01 CFS

Location of Point(s) of Diversion
PEND OREILLE RIVER NE¼ SW¼, Sec. 3, Twp 55N, Rge 04W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	04W	3									0.2 L2								0.2

Total Acres: 0.2

Conditions of Approval

1. Place of use is located within Lot 2; Mountain View Lots Subdivision.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.
3. Water shall not be diverted under this right when flows in the Pend Oreille River are below minimum flow amounts as defined by Right 96-8730. The right holder shall be responsible for monitoring the daily flow of the Pend Oreille River using real-time data and shall cease diverting water when flows in the Pend Oreille River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Pend Oreille River gauging station, No.12395500, may be used for purposes of determining the daily flow amounts.
4. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 15th day of April, 2024.

PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

Attachment to Water Right

96-13281

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W

55N



0 200 400 Feet

- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

N

Form 47-217F Rev. 6-22

RECEIVED
FEB 12 2024
DEPARTMENT OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	C117753
Receipted By	KM
Date Receipted	2.12.24

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-13281 Name of Permit Holder(s) BRIAN & WENDY CARNEY

Telephone No. 509-939-2596 Email BCARNEY@COCHRANECO.COM

Mailing Address 10947 N. ALOMA DR. City SPOKANE State WA Zip 99208

2. Source of Water PEND OREILLE RIVER If Ground Water (well), Date Drilled mo. _____ / yr. _____

Drilling Permit/Tag No. _____ Drilling Company's Name _____

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) _____ Irrigation (No. acres) .50 Stockwater (No. and stock type) _____

Other _____

4. Total diversion rate or volume (storage only) for which proof is submitted .003 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

PUMP PULL to GRASS SPRINKLERS on demand. Only irrigate June, July, august small sections of grass.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☐	☑ Ground water level data, pumping information, or other diversion data
☐	☐	☑ Mitigation plan
☐	☐	☑ Lockable controlling works
☐	☐	☑ Measuring device
☐	☐	☑ Fish screen
☐	☐	☑ Other requirements of the water right permit _____
	☐	☑ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: BRIAN CARNEY Telephone No. 509-939-2596 Email BCARNEY@COCHRANECO.COM

Mailing Address 10947 N. ALOMA DR. City SPOKANE State WA Zip 99208

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

SIGNATURE OF PERMIT HOLDER*	PRINTED NAME AND TITLE	DATE
	BRIAN CARNEY	2-5-24

*Attach power of attorney if completing on behalf of permit holder.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 96-13281

Priority: October 18, 2022 **Maximum Diversion Rate:** 0.03 CFS

This is to certify that

BRIAN CARNEY 10947 N ACOMA DR SPOKANE WA 99208-9098 AND
WENDY CARNEY 10947 N ACOMA DR SPOKANE WA 99208-9098

has applied for a permit to appropriate water from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use	**Period of Use**	**Rate of Diversion**
IRRIGATION	04/01 to 10/31	0.03 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER NE¼ SW¼, Sec. 3, Twp 55N, Rge 04W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	04W	3									0.5 L2								0.5

Total Acres: 0.5

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2024.**
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Place of use is located within Lot 2; Mountain View Lots Subdivision.
5. This right when combined with all other rights shall provide no more than 0.03 cfs nor more than 1.5 afa at the field headgate for irrigation of the place of use.
6. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 29 day of March, 2023.

LUKE BATES
Interim Water Rights Supervisor

SCANNED
MAR 30 2023

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

96-13281

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



SCANNED
MAR 30 2023

FOR: 417 MOUNTAIN ESTATES DR.
PRIEST RIVER ID.
83856

RECEIVED
OCT 18 2022
IDWR / NORTH

87070

RECEIVED
OCT 14 2022
IDWR/NORTH

FORM 42-248 (Rev. 2-16)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 96-13281

1. Name of applicant(s) BRIAN CARNEY & WENDY CARNEY Phone 509-939-2596
Name connector (check one): ☐ and ☐ or ☐ and/or
Mailing address 10947 N. ALOMA DR. City SPOKANE
State WA ZIP 99208 Email BCARNEY@COCHRANE CO.COM

2. Name of representative, if any _____ Phone _____
Mailing address _____ City _____
State _____ ZIP _____ Email _____

a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.

b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.

3. Source of water supply PEND OREILLE RIVER which is a tributary of PEND OREILLE LAKE

4. Location of point(s) of diversion: PE 10/19/22

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
55N	4W	3	#2	SE	NE SW	SW	BONNER	PEND OREILLE RIVER	

PE 10/19/22 DK 10-19-22

5. Water will be used for the following purposes:
Amount .20 cfs (cfs or acre-feet per year) for IRRIGATION purposes from APRIL 1 to NOV 1 (both dates inclusive) 04-01 10-31
Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
Amount _____ (cfs or acre-feet per year) for _____ PE 10/19/22 purposes from _____ to _____ (both dates inclusive)

PE 10/19/22

6. Total quantity to be appropriated is (a) .03 cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).

7. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source. 1/2 HP SUBMERSIBLE MOUNT PUMP 110 VOLT 14" 200 PSI POLY DITCH 3' DEEP

b. Height of storage dam NONE feet; active reservoir capacity NONE acre-feet; total reservoir capacity NONE acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is — inches; proposed depth of well is — feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No

e. If well is already drilled, when? —; drilling firm —;
well was drilled for (well owner) —; Drilling Permit No. _____.

For Department Use

Received by YA Date 10-14-22 Time _____ Preliminary check by _____
Fee $ 10000 Receipted by YA Receipt No. N041456 Date 10-[illegible]-22
14

SCANNED
NOV 02 2022

RECEIVED
OCT 18 2022
IDWR / NORTH

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. _____
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
   d. Domestic; show number of households _____
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5SN	4W	3									0.5		D				D		~~1/2 Acre~~ 0.5
											GL2	✓					✓		✓
													✓						

Total number of acres to be irrigated: ~~1/2 Acre~~ 0.5 ✓

10/18/22

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE

11. a. Who owns the property at the point of diversion? BRIAN CARNEY
    b. Who owns the land to be irrigated or place of use? BRIAN CARNEY
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. THIS IS A SINGLE FAMILY DWELLING ON A 100FT WIDE LOT. WE WILL BE IRRIGATING AN AREA APPROX 100' x 60' ES ALL.

10/18/22

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

BRIAN CARNEY
Print Name (and title, if applicable)

Wendy Carney
Signature of Applicant

WENDY CARNEY
Print Name (and title, if applicable)

SCANNED
NOV 02 2022

RECEIVED
OCT 18 2022
IDWR / NORTH

State of Idaho
Department of Water Resources

Appplication For Permit



0 0.0125 0.025 0.05 Miles

Place Of Use Boundary
PLS Sections
Quarter Quarters
Taxlots

X = Point of Diversion
□ = Place of Use

N

Tax parcel information provided by Bonner County.


Prepared bu Shaun Maxey, IDWR

SCANNED
NOV 02 2022

State of Idaho
Department of Water Resources

Appplication For Permit

RECEIVED
OCT 18 2022
IDWR / NORTH



0 0.0125 0.025 0.05 Miles

Place Of Use Boundary
PLS Sections
Quarter Quarters
Taxlots

bc 10-19-22

N

Tax parcel information provided by Bonner County.

Prepared bu Shaun Maxey, IDWR

SCANNED
NOV 02 2022

FOR: 417 MOUNTAIN ESTATES DR.
PRIEST RIVER ID
83856

FORM 42 Rev. 9/16

RECEIVED
OCT 14 2022
IDWR/NORTH

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. _____

1. Name of applicant(s) BRIAN CARNEY & WENDY CARNEY Phone 509-939-2594
   Name connector (check one): ☐ and ☐ or ☐ and/or
   Mailing address 10947 N. ALOMA DR. City SPOKANE
   State WA ZIP 99208 Email BCARNEY@COCHRANE.CO.COM
2. Name of representative, if any _____ Phone _____
   Mailing address _____ City _____
   State _____ ZIP _____ Email _____
   a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
      ☐ Send original correspondence to the applicant and copies to the representative.
   b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
      ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply PEND OREILLE RIVER which is a tributary of PEND OREILLE LAKE
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
55N	4W	3	#2	SE	SW		BONNER	PEND OREILLE RIVER	

5. Water will be used for the following purposes:
   Amount .20 (cfs or acre-feet per year) for IRRIGATION purposes from APRIL 1 to NOV 1 (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
6. Total quantity to be appropriated is (a) _____ cubic feet per second (cfs) and/or (b) _____ acre-feet per year (af).
7. Proposed diverting works:
   a. Describe type and size of devices used to divert water from the source. ½ HP SURFACE MOUNT PUMP 110 VOLT 14" 200 PSI POLY DITCH 3' DEEP
   b. Height of storage dam NONE feet; active reservoir capacity NONE acre-feet; total reservoir capacity NONE acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No
   c. Proposed well diameter is — inches; proposed depth of well is — feet.
   d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
   e. If well is already drilled, when? —; drilling firm —; well was drilled for (well owner) —; Drilling Permit No. _____.

For Department Use

Received by JA Date 10-14-22 Time _____ Preliminary check by _____
Fee $ 1000 Receipted by JA Receipt No. N041456 Date 10-14-22

SCANNED
NOV 02 2022

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. _____
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; must complete and attach the Municipal Water Right Application Checklist.
   d. Domestic; show number of households _____
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5SN	4W	3											D				D		1/2 ACRE

Total number of acres to be irrigated: 1/2 ACRE

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE

11. a. Who owns the property at the point of diversion? BRIAN CARNEY
    b. Who owns the land to be irrigated or place of use? BRIAN CARNEY
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. THIS IS A SINGLE FAMILY DWELLING ON A 100ft WIDE LOT. WE WILL BE IRRIGATING AN AREA APPROX 100' x 60' ES ALL.

13. Time required for completion of works and application of water to proposed beneficial use is ____ years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

X _____
Signature of Applicant

BRIAN CARNEY
Print Name (and title, if applicable)


Wendy Carney
Signature of Applicant

WENDY CARNEY
Print Name (and title, if applicable)

RECEIVED
NOV 02 2022

PROPOSED PROJECT - PLACE RIPAP
IN: PEND OREILLE RIVER
NEAR: LACLEDE, BONNER COUNTY, IDAHO
APPLICANT : BRIAN CARNEY
DATE: May 27, 2005
Sheet 1 of 2
Sep. 19. 2006 4:06PM Cochrane & Company No. 8932 P. 13
PROJECT
NORMAL POOL ELEVATION 2062
PEND OREILLE RIVER
HOODOO VALLEY
Thama
Borrow Pits
Mile 97
Mile 100
SCALE 1:24000
CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
, and published by the Geological Survey
and USC&GS
otogrammetric methods from aerial
n 1966. Field checked 1968
ion. 1927 North American datum
based on Idaho coordinate system,

NOV 0 2 2022




RECEIVED
NOV 03 2004
BOISE COUNTY
PLANNING & DEPARTMENT

p.5
(208) 265-0981
Jerry & Sharon Martin
Mar 06 07 02:23p


TO BE USED FOR
POSES AND THE
ESPONSIBLE FOR
S HEREIN CONTAINED

COUNTY




T55N,R4W SEC. 03

SCALE
R.W.S.
0 100 200
SCALE





3	2	1
10	11	12
15	14	13
22	23	24
27	26	25
34	35	36

DRAWN BY	R.W.S.	
	DATE	CHECK BY



PEND D' OREILLE RIVER


RIVER
PEND OREILLE
HODOO VALLEY
SCALE 1:24000
CONTOUR INTERVAL 40 FEET
DOTTED LINES REPRESENT 20-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL
and published by the Geological Survey
and USGS



SEP-13-2004 FRI 08:40 AM IDL MICH FAX 208 768 1507 P. 05

NOV 0 2 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 16, 2024

BRIAN CARNEY
WENDY CARNEY
10947 N ACOMA DR
SPOKANE WA 99208-9098

RE: License No. 96-13281

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer

Phill Hummer
Water Rights Section Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on April 16, 2024, I served a true and correct copy of Water Right License No. 96-13281 by U.S. Mail, postage prepaid, to the following:

BRIAN CARNEY (Current Owner)
10947 N ACOMA DR
SPOKANE WA 99208-9098

WENDY CARNEY (Current Owner)
10947 N ACOMA DR
SPOKANE WA 99208-9098

Debra Mansfield
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 02/23/2024

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? _X_Y ____N
   a. _X_ Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less.
   d. ____ Other < >

2. Current Owner: **BRIAN & WENDY CARNEY**
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain:

3. Beneficial Use Fees have been paid: _X_Y ____N Receipt No: C117753

4. Source: **PEND OREILLE RIVER** Tributary: **COLUMBIA RIVER**

Method of Determination: Bonner County Maps, GIS, and Tax Lot Data.
Change in Source: ____Y __X_N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _X_ No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-2202	PEND OREILLE RIVER	IRRIGATION	LICENSE
96-8782	PEND OREILLE RIVER	DOMESTIC	LICENSE

Comments: Right 96-2202 is a surface water right for the irrigation of 20 acres within a place of use (POU) GIS shapefile that is the entire NESW of section 3, overlapping the permit POU. However, the current right owner, Ernest Bauer, does not own any parcels in the NESW. The property likely appurtenant to right 96-2202 is a 28-acre parcel owned by Susan Bauer, located in the adjacent parcel south of the permit POU. The domestic right 96-8782 is not claimed or owned by the permit holder. Any overlap seems unlikely as the permit holder is listed as the owner of the parcel appurtenant to the permit POU.

2. Other water rights with the same point of diversion: _X_ NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: There are no rights sharing the permit point of diversion (POD).

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Pend Oreille River	2		NE	SW	3	55N	04W	B.M.	BONNER

Method of Determination: GIS and Tax lot data.

Change in POD? ___Y _X_N Amendment Required? ____Y _X_N

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	04W	3									0.2								0.2
		Lot #									2								
																Total Acres =			0.2

Method of Determination: Bonner County Maps, GIS, and Tax Lot Data.

Change in POU? ____Y __X_N Amendment Required? ____Y __X_N

_X_Delivery System Diagram Description Attached (required). Indicate all major components and distances between components.

Indicate weir size/pipe as applicable:

_X_ Aerial Photo Attached (required for irrigation of 10+ acres).
__ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Pump Model	Pump Make	Pump Serial No. or Discharge Size
Screened inlet in River	Unknown	2	Unknown	Unknown.	Unknown

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA

2. Measurement Comments: The permit holder stated the system operates on a 2 Hp pump. A maximum head of about 30 ft was estimated to the licensed POU using the DRG map.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measured Method:

A theoretical calculation and Administrative Memo #17 were used to determine a reasonable rate of diversion.

Q = (2 Hp)(8.8)(0.80 efficiency)/(30 ft lift) + (2.31)*(45 psi) = 0.11cfs

Specifications

Flow	2.6 - 3.09 GPM (9.8 - 11.7 LPM) (based on pressure)
Inlet	3/4" (1.9 cm) Female NPT
Max Throw	46 ft (14 m) @ 60 PSI (4.1 BAR)
Nozzle Trajectory	25 degrees
Nozzles Included	3.0 GPM (11.4 LPM) pre-installed, pre-set at 180 degrees
Operating Pressure	25 - 65 PSI
Pattern	Adjustable or Full Circle
Pop-up Height	5" (127 mm)
Spacing	25 - 46 ft (7.6 - 14m)

Table 1- Toro popup sprinkler specifications.

4 Toro popup heads maximum in a zone- 3 GPM ea. X 4 heads= **12 GPM** or approximately **0.03cfs**

Theoretical Calculation= 0.11cfs
Permit allowed = 0.03cfs
B.U. Limit= 0.01cfs
Recommendation= 0.01cfs

Comments:

Approximately 0.2 acre of irrigation was measured via GIS aerial imagery. The system was described by and permit holder as a 2 Hp electric pump, which conveys water to in-ground sprinkler system with 5 zones (3-4 Toro pop-up sprinkler heads per zone) throughout the POU. The typical toro popup head uses 2.6 - 3 GPM making the maximum output 12 GPM for a zone. The intake to the pump is screened to keep out debris and is removed at the end of the irrigation season.

The theoretical calculation determined approximately 0.11cfs is possible with the 2 Hp pump. Although the use developed is likely higher, according to Administrative Memo #17 up to 0.03cfs per acre is standard for the irrigation of up to 5 acres. The confirmed irrigated POU is approximately 0.2 acres. The minimal reportable rate of 0.01cfs is reasonable for the beneficial use developed. I am recommending a diversion rate of 0.01cfs for the license, as per Administrative Memos #17 & 6..

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

   $V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 0.2-acre x 3.0 AF= 0.6 AF

   $V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = 0.01cfs x 214 days x 1.9835= 4.3 AF

   V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 0.6 AF

Comments:

This permit was issued for irrigation use from a natural steam/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring. However, as the POU is less than 1 acre condition X31 will be carried on the license stating the annual volume as 0.6 AF.

G. PURPOSE OF USE

Irrigation _X_Y ____N # Stock__NA_____ Domestic # of Homes _NA_

Change in Purpose of Use? ____Y _X_N

Method of Determination: Bonner County Maps, GIS, and Tax lot Data

H. NARRATIVE/REMARKS/COMMENTS

This permit for the irrigation of 0.5 acres qualifies for an in-office examination for license. The permit holder submitted the Proof of Beneficial Use, received by IDWR on February 12, 2024, stating in section #3 that the beneficial use was developed for 0.5-acre of irrigation. I was able to confirm approximately 0.2 acres irrigation was developed using aerial imagery (see figures 1 & 2). Ther permit holder indicated in section #6 of the proof of beneficial use that no fish screen was installed at the intake, so I called the permit holder on February 23, 2024, to discuss the documentation submitted. I followed up the call with an email requesting additional information including a map outlining the irrigated area and POD,

I discussed the system with the permit holder and later received an email from him on February 26, 2024, with photos of the system components, a description of the system, and an aerial image identifying the pump/control valves and POD (Figure 3) . The permit holder confirmed that the irrigated area visible in the imagery (0.2 acres) is correct. The system was described by the permit holder as a screened intake (photo 1) from the river to the 2 Hp pump (photo 2) and control valves. There are valves for 5 zones with 3-4 sprinklers per zone, only 1 zone is run at any given time. There are a total of 16 sprinklers throughout the POU, all are Toro pop-up sprinkler heads (Photo 3). The permit holder stated that they set the system to water for 15-20 minutes 3x per week using the controller on the side of the house (Photo 4).

After reviewing the permit holder's response to the information request an area of approximately 0.2 acres is confirmed for irrigation. A theoretical calculation confirmed that the pump can provide the 0.03cfs rate on the permit. However, the permit POU area is approximately 0.2-acre. I am recommending the license be issued with a reported rate of 0.01cfs, as per Administrative Memos 17 & 6.. As the diversion is from streamflow the volume was not reported on the license (IDAPA Rules 37.03.02.35. 01j.viii). However, as the irrigated area is less than 1 acre the license will carry condition X31, stating the annual volume allowed is 0.6 AF.

I am recommending the license be issued with a rate of 0.01cfs and conditions X60, 004, 227 and X31. Condition 029 was removed at licensing as the permit holder confirmed there is a screen installed at the intake and no comments were received from IDFG regarding the permit. As the permit POD is within the reach of MSF right 96-8730 for the Pend Oreille River, condition 227 was added at licensing, as per current guidance. Currently no water district is to established a plan for the handling of this minimum stream flow, the Department tries to make right holders aware of any potential issues.

Have conditions of permit approval been met? _X_Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE	ANNUAL VOLUME
IRRIGATION	04/01 TO 10/31	0.01 CFS	
	Totals:	0.01 CFS	

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above _X_None

___Change P.U. as reflected above ___Add P.U. as reflected above _X_None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource Agent

Field Examiner's Bob Howe Date 4/12/24

Reviewer PA Date 4/15/24




Figure 1- Bonner County GIS- imagery of the measured irrigated POU.




Figure 2- GIS 2022- image of the permit parcel, boundaries indicated by green lines. The yellow boundary indicates the irrigated areas.




Figure 3- Aerial image emailed from permit holder-system diagram providing intake and pumphouse locations.



Photo 1- Intake screen and intake line.



Photo 2 – Pump and Control valves (5 visible valves).



Photo 3- Sprinkler heads used throughout the POU.



Photo 4- Irrigation Controller.

Howe, Bob

From: Brian Carney <bcarney@cochraneco.com>
Sent: Monday, February 26, 2024 6:42 PM
To: Howe, Bob
Subject: RE: Additional Information Requested- Permit 96-13281

CAUTION: **This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.**

Bob,

Thank you for the email.

We have a pump in the each under the circle lid. It's a 2 horse pump. The line goes straight out from there and sits under the dock. There is a screen on the end of the line to keep sediment out and I suppose fish from entering. It is an on demand under ground pressure system with toro heads. There are I believe 5 zones and a total of 16 heads. We only water the grass 15 to 20 minutes a zone 3 to 4 days a week June, July, August. I believe your calculation is correct at about .02 acres.

Brian

From: Howe, Bob <Bob.Howe@idwr.idaho.gov>
Sent: Friday, February 23, 2024 10:48 AM
To: Brian Carney <bcarney@cochraneco.com>
Subject: Additional Information Requested- Permit 96-13281

Dear Brian & Wendy Carney,

The Department received the Proof of Beneficial Use you submitted for permit #96-13281. I am currently reviewing the permit eligibility for an in-office examination for licensing. In-office examination expedites the licensing process by using information and documentation submitted by the permit holder(s) and GIS aerial images to process the examination without the need for a field examination to be scheduled and conducted at a later time. The permit issued provided a scope for the development of future uses. The purpose of the examination is to record the details of the use that has been developed.

After reviewing your Proof of Beneficial Use, there are a few items in need of further information or clarification.

(1) The aerial imagery indicates approximately 0.2 acres of lawn is irrigated (the irrigated area is rounded to the tenths place); other areas appear to be gravel, driveway, and structures (see attached image). On section #3 of the Statement of Completion you stated that the extent of the irrigation use developed is 0.5 acres. I have attached an aerial image outlining the GIS measurement of the arable land within the parcel. I have also attached a second Bonner County GIS image of the Parcel without irrigated areas identified. Please respond to this email confirming if the area identified is correct. If it is not accurate please submit a system diagram outlining any irrigated areas (you may draw the irrigated area outline on one of the attached images, or one of your own).

(2) Please provide a sketch of the system diagram from the point of diversion to delivery for the irrigation occurring. Making sure to identify the **boundary of the area(s) irrigated**, **sprinklers**, **water lines** (including dia. and type, for example ½" poly pipe), the **pump** details (such as Hp, Make, etc.) and location. This can be drawn on one of the images I have attached to this email, or you may use your own. Then attach the diagram to an email with any additional information regarding the system and/or that would be helpful in describing the system diagram.

(3) On your permit condition # 4 requires that you comply with all Idaho Fish and Game requirements, including those requiring fish screens at the intake. On Section #6 of your Statement of Completion you did not indicate that you have installed a fish screen. Is a fish screen installed at this time? If so, please confirm if a fish screen or foot valve is installed on the system diagram email.

Feel free to reach out to me with any questions or concerns regarding the items requested. If I am unavailable any of my team members should be able to assist you if you provide your permit # 96-13281. It is important that you **respond to this request within 14 days** by email and/or phone, in order to pursue this method to expedite your licensing process.

Thank you for your time and attention in this matter.

Best Regards,

Bob Howe

IDAHO DEPARTMENT OF
WATER RESOURCES
Bob Howe | Water Resource Agent
322 E Front St, PO Box 83720, Boise, ID 83720
(208) 287-4800 | www.idwr.idaho.gov

This email message and any files transmitted with it are confidential and intended solely for the addressee(s) mentioned above. If you have received this message in error, please notify the sender and immediately delete this message from your email system. Unencrypted email transmission is not guaranteed to be secure or error-free as information may be intercepted or corrupted during transmission. Although reasonable precautions have been taken to ensure no viruses are present in this email, the sender cannot accept responsibility for any loss or damage arising from the use of this email or any files transmitted with it.

Beneficial Use Proof Evaluation

Permit Number: 96-13281 Reviewer: AVeibell Review Date: 2/12/2024

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 2/12/2024
4) Proof Due Date: 4/1/2024
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -49
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Land
96-15939
3.52/133.33

Receipt IDs

N041456

Comments

Proof deemed acceptable. Gave file to water right agent for right agent will enter the proof made date in AdHoc at the time of licensing.

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

January 31, 2024

BRIAN CARNEY
WENDY CARNEY
10947 N ACOMA DR
SPOKANE WA 99208-9098

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-13281

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2024**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell

Amanda Veibell
Technical Records Specialist

Enclosure(s)

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little Director Gary Spackman

March 29, 2023

WENDY CARNEY
BRIAN CARNEY
10947 N ACOMA DR
SPOKANE WA 99208-9098

RE: Permit No. 96-13281

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
MAR 30 2023

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Rights Supervisor

Enclosure(s)

SCANNED
MAR 30 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 29, 2023, I served a true and correct copy of Permit to Appropriate Water No. 96-13281 by U.S. Mail, postage prepaid, to the following:

WENDY CARNEY (Current Owner)
10947 N ACOMA DR
SPOKANE WA 99208-9098

BRIAN CARNEY (Current Owner)
10947 N ACOMA DR
SPOKANE WA 99208-9098

Tammy Alleman
Administrative Assistant 1

SCANNED
MAR 30 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
MAR 30 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
MAR 30 2023

AFFIDAVIT OF PUBLICATION

RECEIVED
NOV 14 2022
IDWR / NORTH

STATE OF IDAHO)
) ss.
County of Bonner)

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 2nd day of November, 2022, and ending on the 9th day of November, 2022

Italia Jimenez

State of Idaho, county of Bonner ss.
On this 11th day of November, in the year of 2022 before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

My Commission Expires 8/29/23

KATRINA GEORGE NOTARY PUBLIC COMM. NO. 56871 STATE OF IDAHO

LEGAL NOTICE
The following application(s) have been filed to appropriate the public waters of the State of Idaho:
96-11715
SHAWN AUSTIN
8920 S PLACITA RANCHO DE LA VIS
VAIL, AZ 85641-2483
Point of Diversion SENE
S26 T55N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.06 CFS
Date Filed: 06-20-2022
Place Of Use: DOMESTIC
T55N R04W S26
SENE, NESE

96-11989
THOMAS BARNHART
PO BOX 1010
ATHOL, ID 83801-1010
Point of Diversion L1(SWNW)
S3 T55N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 07-18-2022
Place Of Use: DOMESTIC
T55N R04W S3 SWNW
L1(NWSW),L1(SWNW),

SCANNED
MAR 30 2023

96-12056
HOLLY JANHSEN
515 EAST CEDAR LN
PRIEST RIVER, ID 83856-8729
Point of Diversion L4(NESE)
S28 T56N R05W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 07-28-2022
Place Of Use: IRRIGATION
T56N R05W S28 L4(NESE)
Total Acres: 0.7

96-12215
HERBERT JANHSEN
515 EAST CEDAR LN
PRIEST RIVER, ID 83856
Point of Diversion SWNE
S26 T56N R05W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-10-2022
Place Of Use: IRRIGATION
T56N R05W S26
NWSE,L3(SWNE)
Total Acres: 1

96-13094
THOMAS BARNHART
PO BOX 1010
ATHOL, ID 83801-1010
Point of Diversion SWNW
S3 T55N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.09 CFS
Date Filed: 10-17-2022
Place Of Use: IRRIGATION
T55N R04W S3
L1(NWSW), L1(SWNW)
Total Acres: 3

96-13281
BRIAN CARNEY
WENDY CARNEY
10947 N ACOMA DR
SPOKANE, WA 99208-9098
Point of Diversion NESW
S3 T55N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 10-18-2022
Place Of Use: IRRIGATION
T55N R04W S3 L2(NESW)
Total Acres: 0.5

97-8833
542 WARREN BEACH LLC
PO BOX 883
LIBERTY LAKE, WA 99019-0883
Point of Diversion L2(SWSE)
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 06-16-2022
Place Of Use: IRRIGATION
T59N R04W S9 L2(SWSE)
Total Acres: 0.8

97-8834
542 WARREN BEACH LLC
PO BOX 883
LIBERTY LAKE, WA 99019-0883
Point of Diversion L2(SWSE)
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.01 CFS
Date Filed: 06-16-2022
Place Of Use: IRRIGATION
T59N R04W S9 L2(SWSE)
Total Acres: 0.2

97-8844
DERRICK PARKER
2414 S MAGNOLIA ST
SPOKANE, WA 99203-3826
Point of Diversion L2(NWNE)
S3 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-17-2022
Place Of Use: DOMESTIC
T59N R04W S3
L2(NWNE),L2(NENW)

97-8883
PATRICIA ANDERSON
956 RESER RD
WALLA WALLA, WA 99362-9070
Point of Diversion NENE
S16 T61N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-23-2022
Place Of Use: DOMESTIC
T61N R04W S16
L1(NENE), NENE

97-8888
KMK, LLC
PO BOX 2772
BOISE, ID 83701
Point of Diversion SESE
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
04/1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 06-23-2022
Place Of Use: DOMESTIC
T59N R04W S9 SESE

97-8896
VALENCIA WETLAND MANAGEMENT LLC
PO BOX 1449
PRIEST RIVER, ID 83856-1449
Point of Diversion L3(NWSW)
S19 T56N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.04 CFS
Use: IRRIGATION
4 /1 to 10/31 0.16 CFS
Total Diversion: 0.16 CFS
Date Filed: 06-25-2022
Place Of Use: DOMESTIC,IRRIGATION
T56N R04W S19
L2(SWNW), SENW
Total Acres: 8.2

97-9022
BEAVER LAKE LLC
PO BOX 55
PRIEST RIVER, ID 83856-0055
Point of Diversion SENE
S3 T56N R04W
BONNER County
Source SANBORN CREEK
Tributary PRIEST RIVER
Use: FIRE PROTECTION
1 /1 to 12/31 7 AF
Use: WILDLIFE
1 /1 to 12/31 7 AF
Total Diversion: 7 AF
Date Filed: 06-30-2022
Place Of Use: FIRE PROTECTION,WILDLIFE
T56N R04W S3 SENE

97-9065
DELISA STEIN
15073 N NIXON LOOP
RATHDRUM, ID 83858-8284
Point of Diversion NENW
S18 T56N R05W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-30-2022
Place Of Use: DOMESTIC
T56N R05W S18 NENW

97-9586
FRANK O NEILL
BARBARA O NEILL
5412 S QUAIL RIDGE CIR
SPOKANE, WA 99223-6391
Point of Diversion SESW
S6 T60N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 10-05-2022
Place Of Use: DOMESTIC
T60N R04W S6
SESW,L11(SESW)

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 11/21/2022. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director
Legal#4659
AD#568870
November 2, 9, 2022

SCANNED
MAR 30 2023

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W.R. # 96 - 13281 APPLICATION ID # 87070 ENT. _____ BCA SA OK to Publish MR

INITIAL REVIEW

APPLICANT: CARNEY, Brian and CARNEY, Wendy BY: tm DATE: 10 / 18 / 2022

ITEM	REQUIRED INFORMATION
1.	(✓) Name and Address
2.	(✓) Source
3.	(✓) Point of Diversion & County
4.	(✓) Quantity
	(✓) Nature of Proposed Use
	(✓) Period of Use
5.	(✓) Total Quantity
6.	(✓) Description of diverting works
7.	(✓) Time required for b/u
8.	(✓) Proposed use
9.	(✓) Place of use or acres irrigated
10.	(✓) Other water Rights
11.	(✓) Ownership
12.	(✓) Map 10/18/22
	(✓) Signature
	(✓) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y( ) N(✓)

ADDITIONAL INFORMATION

(Yes)(No)

- ✓ ___ **Shape File Created** Date 10/18/22 By: tm
- ___ ___ Field check: by _____
- ___ ___ Field report attached
- ___ ___ Analysis Supp. attached(>5cfs/500af)
- ___ ___ Water delivered by water master? Water District # _____

PROCESSING

(Yes)(No) **PRIORITY DATE:** 10 / 18 / 2022

- ___ ✓ (Include Moratorium Remark)
- ___ ✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

Newspaper: BCDB Priest River Version

Dates scheduled for publication 11-2-22 & 11-9-22

Affidavit of Publication received: 11-14-22

Dates actually published: 11-2-22 & 11-9-22

Application published correctly. Yes Y No ____

If not, action taken: _____

Final Date for Protest: November 21, 2022

Protests Received: Yes ____ No Y

LETTERS SENT REQUESTING: IDOL, IDFG, IDEQ, Board

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: _____

INFORMATION RECEIVED:

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: _____

GROUNDWATER SECTION

WD Permit No.'s:	Tag #	Type:	Fees	Receipt No.	Upgrade Needed?
_____	_____	Dom.___ Non-Dom.___	Paid $_____	_____	Y( ) N( )
_____	_____	Dom.___ Non-Dom.___	Paid $_____	_____	Y( ) N( )
_____	_____	Dom.___ Non-Dom.___	Paid $_____	_____	Y( ) N( )

___ ___ Groundwater management area Pend Oreille River tributary to

___ ___ Critical ground water area Columbia River

___ ___ Well Drilling Permit required

___ ___ Well Drilling Application and Fees received

___ ___ Well Drilling Application approved?

Remarks: _____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

___ ___ Notice of pending void order issued. Final order response date: ____/____/____

___ ___ Further information required from applicant _____

___ ___ Measuring device required

___ ___ Measuring port required

___ ___ Special conditions: x31 .5cc = 1.5cf

___ ___ Special conditions of approval supplement and/or cover letter attached: _____

Approval Recommended by: _____ Date: 3 / 29 / 23 Sr. Agent initial JB Interim Supervisor

Maxey, Shaun

From: Brian Carney <bcarney@cochraneco.com>
Sent: Tuesday, October 18, 2022 12:18 PM
To: Maxey, Shaun
Subject: RE: Carney corrected (Map Point of Diversion)
Attachments: 96-XXXX CARNEY NEW APP MAP.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

I want the attached color map showing the POD '**X**' and Place of Use to be attached to my corrected Application.

Brian Carney | Executive Vice President
Cochrane & Company
P. 509-462-1118
F. 509-838-1710
E. bcarney@cochraneco.com
W. http://www.cochraneco.com

>> Our Policy Is You

From: Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov>
Sent: Tuesday, October 18, 2022 12:13 PM
To: Brian Carney <bcarney@cochraneco.com>
Subject: RE: Carney corrected (Map Point of Diversion)

Mr. Carney:

Thanks for your rapid response with the corrections to your Application. Unfortunately, the black and white map attachment you sent is so dark that the '**X**' showing the Point of Diversion (POD) in the Pend Oreille River is not visible when the map is printed.. Please resend me this map if you can adjust the setting so that the '**X**' is visible or reply to this e-mail indicating you want the attached color map showing the POD '**X**' and Place of Use to be attached to your corrected Application.

Thanks,

Shaun Maxey
IDWR (208) 762.2816

From: Brian Carney <bcarney@cochraneco.com>
Sent: Tuesday, October 18, 2022 8:49 AM
To: Maxey, Shaun <Shaun.Maxey@idwr.idaho.gov>
Cc: IDWR File <file@idwr.idaho.gov>
Subject: Carney corrected

RECEIVED
NOV 02 2022

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Shaun,

Please see attached corrected and initialed.

If I missed anything , please do not hesitate to ask.

Brian Carney | Executive Vice President
Cochrane & Company
P. 509-462-1118
F. 509-838-1710
E. bcarney@cochraneco.com
W. http://www.cochraneco.com

>> Our Policy Is You
This email message and any files transmitted with it are confidential and intended solely for the addressee(s) mentioned above. If you have received this message in error, please notify the sender and immediately delete this message from your email system. Unencrypted email transmission is not guaranteed to be secure or error-free as information may be intercepted or corrupted during transmission. Although reasonable precautions have been taken to ensure no viruses are present in this email, the sender cannot accept responsibility for any loss or damage arising from the use of this email or any files transmitted with it.
This email message and any files transmitted with it are confidential and intended solely for the addressee(s) mentioned above. If you have received this message in error, please notify the sender and immediately delete this message from your email system. Unencrypted email transmission is not guaranteed to be secure or error-free as information may be intercepted or corrupted during transmission. Although reasonable precautions have been taken to ensure no viruses are present in this email, the sender cannot accept responsibility for any loss or damage arising from the use of this email or any files transmitted with it.

Maxey, Shaun

From: Brian Carney <bcarney@cochraneco.com>
Sent: Tuesday, October 18, 2022 8:49 AM
To: Maxey, Shaun
Cc: IDWR File
Subject: Carney corrected
Attachments: scan.pdf

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Shaun,

Please see attached corrected and initialed.

If I missed anything , please do not hesitate to ask.

Brian Carney | Executive Vice President
Cochrane & Company
P. 509-462-1118
F. 509-838-1710
E. bcarney@cochraneco.com
W. http://www.cochraneco.com

>> Our Policy Is You
This email message and any files transmitted with it are confidential and intended solely for the addressee(s) mentioned above. If you have received this message in error, please notify the sender and immediately delete this message from your email system. Unencrypted email transmission is not guaranteed to be secure or error-free as information may be intercepted or corrupted during transmission. Although reasonable precautions have been taken to ensure no viruses are present in this email, the sender cannot accept responsibility for any loss or damage arising from the use of this email or any files transmitted with it.

NOV 0 2 2022

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

October 28, 2022

BRIAN CARNEY
WENDY CARNEY
10947 N ACOMA DR
SPOKANE, WA 99208-9098

RE: Application for Permit No. 96-13281

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE, PRIEST RIVER VERSION on 11/2/2022 and 11/9/2022. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Natalie Steading

Natalie Steading
Technical Records Specialist

CC:
IDAHO DEPT OF LANDS
PO BOX 83720
BOISE, ID 83720-0050

NOV 02 2022

Steading, Natalie

From: Steading, Natalie
Sent: Friday, October 28, 2022 3:54 PM
To: Anna Moody; Chantilly Higbee; Horsmon,Merritt; Mike Ahmer; IWRB Water Use Reviews
Cc: Alleman, Tammy
Subject: 96-13281 Request for comments
Attachments: APPLICATION FOR PERMIT 96-13281.pdf

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is November 21, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

Natalie Steading
Idaho Dept. of Water Resources, Northern
7600 N Mineral Drive, Ste 100
Coeur d'Alene ID 83815
Ph: (208) 762-2800
Fax: (208)762-2819

NOV 02 2022

Steading, Natalie

From: Steading, Natalie
Sent: Thursday, October 27, 2022 4:30 PM
To: bcdblegals@cdapress.com
Cc: Alleman, Tammy
Subject: 96-11715, 96-11989, 96-12056, 96-12215, 96-13281,96-13094, 97-8833, 97-8834, 97-8844, 97-8883, 97-8888,97-8896, 97-9022, 97-9065, 97-9586
Attachments: tmp99DB.docx

Hello,

Please publish the enclosed legal notice in the **Bonner County Daily Bee, Priest River Version** on the dates indicated **November 2rd & November 9th 2022** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **November 21st, 2022.** Your cooperation is appreciated.

Sincerely,

Natalie Steading
Idaho Dept. of Water Resources, Northern
7600 N Mineral Drive, Ste 100
Coeur d'Alene ID 83815
Ph: (208) 762-2800
Fax: (208)762-2819

SCANNED
NOV 02 2022

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-11715
SHAWN AUSTIN
8920 S PLACITA RANCHO DE LA VIS
VAIL, AZ 85641-2483
Point of Diversion SENE
S26 T55N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.06 CFS
Date Filed: 06-20-2022
Place Of Use: DOMESTIC
T55N R04W S26
SENE, NESE

96-11989
THOMAS BARNHART
PO BOX 1010
ATHOL, ID 83801-1010
Point of Diversion L1(SWNW)
S3 T55N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 07-18-2022
Place Of Use: DOMESTIC
T55N R04W S3
L1(NWSW),L1(SWNW),SWNW

96-12056
HOLLY JANHSEN
515 EAST CEDAR LN
PRIEST RIVER, ID 83856-8729
Point of Diversion L4(NESE)
S28 T56N R05W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 07-28-2022
Place Of Use: IRRIGATION
T56N R05W S28 L4(NESE)
Total Acres: 0.7

96-12215
HERBERT JANHSEN
515 EAST CEDAR LN
PRIEST RIVER, ID 83856
Point of Diversion SWNE
S26 T56N R05W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-10-2022
Place Of Use: IRRIGATION
T56N R05W S26
NWSE,L3(SWNE)
Total Acres: 1

96-13094
THOMAS BARNHART

SCANNED
NOV 0 2 2022

PO BOX 1010
ATHOL, ID 83801-1010
Point of Diversion SWNW
S3 T55N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.09 CFS
Date Filed: 10-17-2022
Place Of Use: IRRIGATION
T55N R04W S3
L1(NWSW), L1(SWNW)
Total Acres: 3

96-13281
BRIAN CARNEY
WENDY CARNEY
10947 N ACOMA DR
SPOKANE, WA 99208-9098
Point of Diversion NESW
S3 T55N R04W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 10-18-2022
Place Of Use: IRRIGATION
T55N R04W S3 L2(NESW)
Total Acres: 0.5

97-8833
542 WARREN BEACH LLC
PO BOX 883
LIBERTY LAKE, WA 99019-0883
Point of Diversion L2(SWSE)
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 06-16-2022
Place Of Use: IRRIGATION
T59N R04W S9 L2(SWSE)
Total Acres: 0.8

97-8834
542 WARREN BEACH LLC
PO BOX 883
LIBERTY LAKE, WA 99019-0883
Point of Diversion L2(SWSE)
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.01 CFS
Date Filed: 06-16-2022
Place Of Use: IRRIGATION
T59N R04W S9 L2(SWSE)
Total Acres: 0.2

97-8844
DERRICK PARKER

SCANNED
NOV 02 2022

2414 S MAGNOLIA ST
SPOKANE, WA 99203-3826
Point of Diversion L2(NWNE)
S3 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-17-2022
Place Of Use: DOMESTIC
T59N R04W S3
L2(NWNE),L2(NENW)

97-8883
PATRICIA ANDERSON
956 RESER RD
WALLA WALLA, WA 99362-9070
Point of Diversion NENE
S16 T61N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-23-2022
Place Of Use: DOMESTIC
T61N R04W S16
L1(NENE), NENE

97-8888
KMK, LLC
PO BOX 2772
BOISE, ID 83701
Point of Diversion SESE
S9 T59N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
04/1 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 06-23-2022
Place Of Use: DOMESTIC
T59N R04W S9 SESE

97-8896
VALENCIA WETLAND MANAGEMENT LLC
PO BOX 1449
PRIEST RIVER, ID 83856-1449
Point of Diversion L3(NWSW)
S19 T56N R04W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31 0.04 CFS
Use: IRRIGATION
4 /1 to 10/31 0.16 CFS
Total Diversion: 0.16 CFS
Date Filed: 06-25-2022
Place Of Use: DOMESTIC,IRRIGATION
T56N R04W S19
L2(SWNW), SENW
Total Acres: 8.2

97-9022
BEAVER LAKE LLC
PO BOX 55

RECEIVED
NOV 0 2 2022

PRIEST RIVER, ID 83856-0055
Point of Diversion SENE
S3 T56N R04W
BONNER County
Source SANBORN CREEK
Tributary PRIEST RIVER
Use: FIRE PROTECTION
1 /1 to 12/31 7 AF
Use: WILDLIFE
1 /1 to 12/31 7 AF
Total Diversion: 7 AF
Date Filed: 06-30-2022
Place Of Use: FIRE PROTECTION,WILDLIFE
T56N R04W S3 SENE

97-9065
DELISA STEIN
15073 N NIXON LOOP
RATHDRUM, ID 83858-8284
Point of Diversion NENW
S18 T56N R05W
BONNER County
Source GROUND WATER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 06-30-2022
Place Of Use: DOMESTIC
T56N R05W S18 NENW

97-9586
FRANK O NEILL
BARBARA O NEILL
5412 S QUAIL RIDGE CIR
SPOKANE, WA 99223-6391
Point of Diversion SESW
S6 T60N R04W
BONNER County
Source PRIEST LAKE
Tributary PRIEST RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 10-05-2022
Place Of Use: DOMESTIC
T60N R04W S6
SESW,L11(SESW)

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 11/21/2022. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 11/2/2022 and 11/9/2022

SCANNED
NOV 0 2 2022