

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-11430

Priority: May 24, 2022

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 1.2 AF

It is hereby certified that:

CYNTHIA J KENDOLL 196 SITKA DR
PO BOX 502 CLARK FORK ID 83811
GERALD A KENDOLL 196 SITKA DR
PO BOX 502 CLARK FORK ID 83811

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 24, 2022, and has submitted Proof of Beneficial Use on June 16, 2023. An examination confirms water is diverted from:

Source : GROUND WATER

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Annual Volume

1.2 AF

Location of Point(s) of Diversion

GROUND WATER NW¼ SE¼, Sec. 27, Twp 56N, Rge 02E, B.M. BONNER County


Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02E	27														X			

Conditions of Approval

- Domestic use is for 1 home with a shop.
- The irrigation occurring under this domestic use shall not exceed 1/2 acre.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.


Signed this 9th day of APRIL, 2024.

CODY PARKER

Water Rights Supervisor

State of Idaho
Department of Water Resources
Attachment to Water Right
96-11430

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



RECEIVED

JUN 16 2023

DEPARTMENT OF
WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ _____

Receipt No. _____

Received By _____

Date Received _____

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 9611430 Name of Permit Holder(s) Gerald Kendall, Cynthia Kendall
Telephone No. 971-701-7372 Email jcniles@teleport.com
Mailing Address P.O. Box 502 City Clark Fork State ID Zip 83811

2. Source of Water ground water If Ground Water (well), Date Drilled mo. 07 / yr. 2020
Drilling Permit/Tag No. D0084856 Drilling Company's Name Horsley Drilling

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) 1/2 Stockwater (No. and stock type) _____
Other Shop

4. Total diversion rate or volume (storage only) for which proof is submitted 0.04 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

well pump, pipe to home for water use.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | | |
|--------------------------|--------------------------|-------------------------------------|---|
| ☐ | ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☐ | ☒ | Mitigation plan |
| ☐ | ☐ | ☒ | Lockable controlling works |
| ☐ | ☐ | ☒ | Measuring device |
| ☐ | ☐ | ☒ | Fish screen |
| ☐ | ☐ | ☒ | Other requirements of the water right permit _____ |
| ☐ | ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ NA or ☐ CWRE field report attached or ☒ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Gerald Kendall Telephone No. 971-701-7372 Email jcniles@teleport.com
Mailing Address P.O. Box 502 City Clark Fork State ID Zip 83811

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Gerald A. Kendall Gerald A. Kendall 6/13/2023
SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 12, 2024

CYNTHIA J KENDOLL
GERALD A KENDOLL
196 SITKA DR
PO BOX 502
CLARK FORK ID 83811

RE: License No. **96-11430**

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4910.

Sincerely,

Cody Parker

Cody Parker
Water Rights Supervisor

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on April 12, 2024, I served a true and correct copy of Water Right License No. 96-11430 by U.S. Mail, postage prepaid, to the following:

CYNTHIA J KENDOLL (Current Owner)
196 SITKA DR
PO BOX 502
CLARK FORK ID 83811

GERALD A KENDOLL (Current Owner)
196 SITKA DR
PO BOX 502
CLARK FORK ID 83811



Debra Mansfield
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATIONExam Date: 7/3/2023

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? X Y N
- Irrigation of 5 acres or less
 - Storage of up to 14.6 AF for stockwater purposes only
 - X Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
 - Other:
2. Current Owner:
- Owner of Record Correct? X Y N
- Address of Record Correct? X Y N
- If No Explain:
3. Beneficial Use Fees have been paid: X Y N Receipt No: No fee required
4. Source: Ground Water Tributary: N/A

Method of Determination: GIS ArcMap Tools, Well Driller's Report, Aerial Imagery
Change in Source: Y X N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
None			

Comments: N/A

2. Other water rights with the same point of diversion: X No Overlap

Water Right No.	Source	Purpose of Use	Basis
None			

Comments: N/A**C. DIVERSION AND DELIVERY SYSTEM**

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
GROUND WATER		NW	SE		27	56N	02E	B.M.	BONNER

Method of Determination: GIS ArcMap Tools, Taxlot data, Well Driller's ReportChange in POD? Y X N Amendment Required? Y X N

2. Place of Use: DOMESTIC

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
56N	02E	27														D			
		Lot #																	

Method of Determination: GIS ArcMap Tools, Aerial Imagery, Taxlot DataChange in POU? Y X N Amendment Required? Y X N

3. Diversion System Information:

Description:

 Delivery System Diagram Attached. (mark all major components and distances between components) X Aerial Photo Attached (required) Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Tag ID D0084856	N/A	N/A	N/A	N/A	N/A

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurement Comments: No measurement is required as this license exam falls within the criteria for an in-house exam.

E. FLOW CALCULATIONS

 Additional Computation Sheets AttachedComments: A rate of 0.04 cfs was applied to this permit and license as is standard for one household domestic uses. This is outlined in Application Processing Memo No. 22.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation: N/AV = (Acres Irrigated) x (Irrigation Requirement) = _____
I.R.V = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = _____
D.R.V = Smaller of V_{I.R.} and V_{D.R.} = _____2. Volume Calculations for Other Uses: The standard volume for a domestic use including irrigation is 1.2 af as outlined in Application Processing Memo No. 22.

Comments:

G. PURPOSE OF USE

Irrigation X Y N # Stock Domestic # of Homes 1 Other: N/AChange in Purpose of Use? Y X N

Method of Determination:

If Yes: From Use To Use Amount CFS AFA

H. NARRATIVE/REMARKS/COMMENTS

This permit qualifies for an in-house exam because it is for domestic use. The domestic portion includes one home and a shop plus 0.5 acres of irrigation. The exam was completed on 7/3/2023 by Mackenzie Kienholz. The permit is in the name of

Cynthia Kendoll and Gerald Kendoll. The land pertinent to the POD and the POU is owned by Cynthia J and Gerald A. Kendoll according to current Bonner County taxlot data. No ownership change or change in address is needed.

All of the conditions of the permit have been met. Condition 046 which requires the permit holder to comply with drilling permit requirements and condition 004 which states that, "This right does not grant any right-of-way or easement across the land of another" were not carried over to the license from the permit. Condition 046 is no longer necessary; the well has been drilled. Condition 004 is unnecessary as well because the permit/right holders own the land where the POU and POD are located. A rate of 0.04 cfs and a volume of 1.2 acre-feet was applied to the license which is the standard rate and volume for domestic use including 0.5 acres of irrigation for one household as outlined in Application Processing Memo No. 22. Aerial imagery from 2021 shows a house and an additional building, presumed to be the shop, at the water right POU. Therefore, I am recommending a diversion rate of 0.04 cfs and 1.2 af for this domestic license.

Have conditions of permit approval been met? ☒ Yes ☐ No

I. RECOMMENDATIONS

1. Recommended Amounts:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	1/1 – 12/31	0.04 CFS	1.2 AFA
	<u>Totals:</u>	0.04 CFS	1.2 AFA

2. Recommended Amendments:


☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ None

Other: N/A

J. AUTHENTICATION

Field Examiner's  Date _____

Reviewer  Date 04-09-2024

Imagery




Image 1. Imagery from 2021. The pink outline is the permit POU; the pink point is the permit POD.




Image 2. Sentinel imagery dated 7/28/2022. The pink outline is the permit POU; the pink point is the permit POD.

Well Driller's Report

Form 238-7
6/07IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

1. WELL TAG NO. D 0084856

Drilling Permit No. 394891
Water right or injection well # _____

2. OWNER:

Name Jerry and Cynthia Kendall
Address 2035 Holywood Dr. NE
City Salem State OR Zip 97305

3. WELL LOCATION:

Twp 56 North ☒ or South ☐ Rge 02 East ☒ or West ☐
Sec 27 1/4 NW 1/4 SE 1/4Gov't Lot _____ County Bonner
Lat 48 10.2676N (Deg and Decimal minutes)
Long 116 11.3470W (Deg and Decimal minutes)
Address of Well Site Sitka Drive, second lot in(Give at least name of road - Distance to Road or 1/4 section)
City Clark Fork
Lot _____ Blk _____ Sub Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bentonite Chips	0	38	1,100 lbs	Temporary Casing

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner	Threaded	Welded
6"	+2	38	250	Steel	☒	☐	☒
4"	20	740	40	PVC	☐	☒	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 38'

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method Saw CutManufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
640	740	1/8x6	2	4"	PVC	40

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lb or ft ³)	Placement method
NA				

11. FLOWING ARTESIAN:

Flowing Artesian? ☒ Y ☐ N Artesian Pressure (PSIG) _____Describe control device Well Seal

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 95' Static water level (ft) +2Water temp (°F) Cold Bottom hole temp (°F) ColdDescribe access port Well Seal

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Barter	Air	Flowing artesian
NA	8.5 gpm	240	☐	☐	☒	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water
				Y N
12"	0	20	Clay and Cobbles	
10"	20	30	Soft Shale	
10"	30	38	Shale	
6"	38	95	Shale	
6"	95	97	Fracture	
6"	97	265	Shale	
6"	265	268	Fracture	
6"	268	430	Shale	
6"	430	432	Fracture	
6"	432	617	Shale	
6"	617	619	Fracture	
6"	619	680	Shale	
6"	680	685	Fracture	
6"	685	740	Purple Shale	

RECEIVED

JUL 28 2020

IDWR/NORTH

Completed Depth (Measurable) 740'Date Started 07/20/2020 Date Completed 07/24/2020

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Horsley Drilling, Inc. Co. No. 632*Principal Driller C. Mark Horsley Date 07/27/2020*Driller C. Mark Horsley Date 07/27/2020

*Operator I _____ Date _____

Operator II _____ Date _____

* Signature of Principal Driller and rig operator are required

Beneficial Use Proof Evaluation

Permit Number: 96-11430 Reviewer: AVEibell Review Date: 6/16/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 6/16/2023
- 4) Proof Due Date: 7/1/2023
- 5) Days added for weekend due date? 2
- 6) Days added for holiday due date?
- 7) Number of days late: -17
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --No
 - c. Fish Screen -- No
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number: 894891
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? Yes
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? No
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$0.00
- 4) Filing fee submitted: \$0.00
- 5) Remaining fee or (refund): \$0.00

Receipt IDs

N039752

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.



IDAHO DEPARTMENT OF
WATER RESOURCES



322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

April 28, 2023

CYNTHIA J KENDOLL
GERALD A KENDOLL
196 SITKA DRPO BOX 502
CLARK FORK ID 83811

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-11430

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **July 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Water Rights Section

Enclosure(s)



RECEIVED
MAY 01 2023