State of Idaho
Department of Water Resources

Water Right License

Water Right No. 96-13758

Priority: December 19, 2022 **Maximum Diversion Rate:** 0.01 CFS

It is hereby certified that:

RICHARD MASON 2237 GYPSY BAY RD SAGLE ID 83860-9180

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 21, 2022, and has submitted Proof of Beneficial Use on February 28, 2024. An examination confirms water is diverted from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.01 CFS

Location of Point(s) of Diversion
PEND OREILLE RIVER SW¼ SW¼, Sec. 26, Twp 57N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	03W	26											0.2 L5						0.2

Total Acres: 0.2

Conditions of Approval

1. Place of use is located within Lot 12, Blk 2; Gypsy Bay Subdivision.
2. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.
3. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 16th day of April, 2024.

PHILL HUMMER
Water Rights Section Manager

State of Idaho
Department of Water Resources

Attachment to Water Right

96-13758

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 250 500 Feet

- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion
- State Outline

N

Form 42-217 Rev. 6/22

RECEIVED
FEB 28 2024
DEPT. OF WATER RESOURCES

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEMENT OF COMPLETION

FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY	
Amt. of Fee $	50.00
Receipt No.	C117856
Receipted By	KM
Date Receipted	2.28.24

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-13758 Name of Permit Holder(s) RICHARD MASON

Telephone No. (509) 939-2691 Email RPMASON4646@ICLOUD.COM

Mailing Address 2237 GYPSY BAY RD City SAGLE State ID Zip 83860

2. Source of Water PEND OREILLE RIVER If Ground Water (well), Date Drilled mo. NA / yr. NA

Drilling Permit/Tag No. NA Drilling Company's Name NA

3. Extent of use(s) completed **as authorized by the water right permit**:

Domestic (No. households) NA Irrigation (No. acres) 0.4 Stockwater (No. and stock type) NA

Other NA

4. Total diversion rate or volume (storage only) for which proof is submitted 0.02 cfs OR _____ af

If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Pump

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes	No	(If "Yes", attach required data, evidence of compliance, or evidence of installation)
☐	☑	Ground water level data, pumping information, or other diversion data
☐	☑	Mitigation plan
☐	☑	Lockable controlling works
☐	☑	Measuring device
☐	☑	Fish screen
☐	☑	Other requirements of the water right permit _____
	☑	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed $ 50 or ☐ CWRE field report attached or ☐ No fee required

See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: RICHARD MASON Telephone No. (509) 939-2691 Email RPMASON4646@ICLOUD.COM

Mailing Address 2237 GYPSY BAY RD City SAGLE State ID Zip 83860

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

Richard Mason — RICHARD MASON OWNER — 2/23/2024

SIGNATURE OF PERMIT HOLDER* PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

State of Idaho
Department of Water Resources

Permit to Appropriate Water

No. 96-13758

Priority: December 19, 2022 **Maximum Diversion Rate:** 0.02 CFS

This is to certify that

RICHARD MASON 2237 GYPSY BAY RD SAGLE ID 83860-9180

has applied for a permit to appropriate water from:

Source : PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

Beneficial Use	Period of Use	Rate of Diversion
IRRIGATION	04/01 to 10/31	0.02 CFS

Location of Point(s) of Diversion

PEND OREILLE RIVER SW¼ SW¼, Sec. 26, Twp 57N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	03W	26											0.4 L5						0.4

Total Acres: 0.4

Conditions of Approval

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2024.**
2. Subject to all prior water rights.
3. Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game.
4. Place of use is located within Lot 12, Blk 2; Gypsy Bay Subdivision.
5. This right when combined with all other rights shall provide no more than 0.02 cfs nor more than 1.2 afa at the field headgate for irrigation of the place of use.
6. This right does not grant any right-of-way or easement across the land of another.

This permit is issued pursuant to the provisions of Idaho Code § 42-204.

Signed this 29 day of March, 2023.

LUKE BATES
Interim Water Rights Supervisor

SCANNED
MAR 30 2023

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

96-13758

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



SCANNED
MAR 30 2023

RECEIVED
NOV 22 2022

RECEIVED
DEC 19 2022
IDWR / NORTH

FORM 202 Rev. 09/16
RECEIVED
NOV 21 2022
IDWR / NORTH

IDWR/NORTH STATE OF IDAHO 87244
DEPARTMENT OF WATER RESOURCES

Ident. No. 96-13758

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RICHARD MASON Phone (509) 939-2691
   Name connector (check one): ☐ and ☐ or ☐ and/or
   Mailing address 2237 GYPSY BAY RD City SAGLE
   State ID ZIP 83860 Email RPMASON4646@ICLOUD.COM
2. Name of representative, if any N/A. Phone
   Mailing address City
   State ZIP Email
   a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
   ☐ Send original correspondence to the applicant and copies to the representative.
   b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
   ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply PEND OREILLE RIVER which is a tributary of COLUMBIA RIVER
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
57N	03W	26	~~19~~ 11/22/22 RPM	~~30~~	SW	SW	BONNER	Pend Oreille River 11/22/22 RPM	RP00169002012OA

5. Water will be used for the following purposes:

   Amount 0.02 (cfs or acre-feet per year) for IRRIGATION purposes from ~~06~~ 04/01 11/22/22 RPM to 10/31 (both dates inclusive)

   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

6. Total quantity to be appropriated is (a) 0.02 cubic feet per second (cfs) and/or (b) ~~1.2~~ 11/22/22 RPM acre-feet per year (af).
7. Proposed diverting works:
   a. Describe type and size of devices used to divert water from the source. 1.5 hp pump And pipe
   b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate . Application required? ☐ Yes ☐ No
   c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
   d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
   e. If well is already drilled, when? NA; drilling firm NA; well was drilled for (well owner) NA; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee $ 100.00 Receipted by JL Receipt No. N041891 Date 11-21-2022

SCANNED
DEC 29 2022

96-13758

Initial & Date RM 12/15/2022

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. NA
   b. Stockwatering; list number and kind of livestock.
   c. Municipal; must complete and attach the
   d. Domestic; show number of households
   e. Other; describe fully.

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

Initial & Date

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
37N	08W	26											0.4					X	0.4
11/22/22	RM												11/22/22	RM			11/22/22		11/22/22 RM
																	RM		

Total number of acres to be irrigated: 0.4 11/22/22 RM

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE

11. a. Who owns the property at the point of diversion? RICHARD MASON
    b. Who owns the land to be irrigated or place of use? RICHARD MASON
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. IRRIGATION OF LAWN APPROXIMENTLY 100' X 20' 200# AND FLOWER / SCHRUB BEDS APPROXIMENTLY 5' X 70' 350#

I want RM 11/22/22 Initial & Date

13. Time required for completion of works and application of water to proposed beneficial use is 0 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Richard D Mason
Signature of Applicant

Richard D Mason RM 11/22/22
Print Name (and title, if applicable)

Initials & Date with new signature

Richard D Mason 12/15/2022
Signature of Applicant

Richard D Mason 12/15/2022
Print Name (and title, if applicable)

SCANNED
DEC 29 2022

State of Idaho
Department of Water Resources

Application For Permit



PLS Sections
Quarter Quarters
Taxlots

0 0.0075 0.015 0.03 Miles

X = Point of Diversion

□ = Place of Use

N

Tax parcel information provided by Bonner County.

Map prepared by Shaun Maxey, IDWR

SCANNED
DEC 29 2022

RECEIVED
NOV 2 2 2022

FORM 202 Rev. 09/16
RECEIVED
NOV 2 1 2022
IDWR / NORTH

IDWR/NORTH STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 96-13758

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RICHARD MASON Phone (509) 939-2691
   Name connector (check one): ☐ and ☐ or ☐ and/or
   Mailing address 2237 GYPSY BAY RD City SAGLE
   State ID ZIP 83860 Email RPMASON4646@ICLOUD.COM
2. Name of representative, if any N/A. Phone
   Mailing address City
   State ZIP Email
   a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
   ☐ Send original correspondence to the applicant and copies to the representative.
   b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
   ☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply POND ORELLE RIVER which is a tributary of COLUMBIA RIVER
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
57N	03W	26	~~19~~ 11/22/22 RPM	~~SW~~	SW	SW	BONNER	Pend Oreille River 11/22/22 RPM	RP00169002012CA

5. Water will be used for the following purposes:
   Amount 0.02 (cfs or acre-feet per year) for IRRIGATION purposes from ~~06/01~~ 11/22/22 RPM 04/01 to 10/31 (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
   Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)
6. Total quantity to be appropriated is (a) 0.02 cubic feet per second (cfs) and/or (b) ~~1.2~~ 11/22/22-RPM acre-feet per year (af).
7. Proposed diverting works:
   a. Describe type and size of devices used to divert water from the source. 1.5 hp pump And pipe
   b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate application required? ☐ Yes ☐ No
   c. Proposed well diameter is NA inches; proposed depth of well is NA feet.
   d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No
   e. If well is already drilled, when? NA; drilling firm NA; well was drilled for (well owner) NA; Drilling Permit No. _____.

SUPERSEDED

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
Fee $ 100.00 Receipted by IR Receipt No. N041891 Date 11-21-2022

SCANNED
DEC 2 9 2022

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. NA
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; must complete and attach the
   d. Domestic; show number of households _____
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	08W	26											0.4					7	0.4
11/22/22	RPM										11/22/22	RPM					11/22/22		11/22/22 RPM
																	RPM		

Total number of acres to be irrigated: 0.4 11/22/22 RPM

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE

11. a. Who owns the property at the point of diversion? RICHARD MASON
    b. Who owns the land to be irrigated or place of use? RICHARD MASON
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. IRRIGATION OF LAWN APPROXIMATELY 100' X 20' 200' AND FLOWER / SCHRUB BEDS APPROXIMENTLY 5' X 70' 350' RPM 11/22/22

13. Time required for completion of works and application of water to proposed beneficial use is 0 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

SUPERSEDED

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Richard D MASON
Signature of Applicant

Richard D MASON RM 11/22/22
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

SCANNED
DEC 29 2022

FORM 202 Rev. 09/16

RECEIVED

NOV 2 1 2022

IDWR / NORTH

STATE OF IDAHO 87244

DEPARTMENT OF WATER RESOURCES

Ident. No. 96-13758

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) RICHARD MASON Phone (509) 939-2691

Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address 2237 GYPSY BAY RD City SAGLE

State ID ZIP 83860 Email RPMASON4646@ICLOUD.COM

2. Name of representative, if any N/A. Phone

Mailing address City

State ZIP Email

a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.

b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.

3. Source of water supply PEND OREILLE RIVER which is a tributary of COLUMBIA RIVER

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	¼	¼	¼	County	Source	Local name or tag #
57N	05W	26	17	SW	SW	SW	BONNER		RP001690020120A

5. Water will be used for the following purposes:

Amount 0.02 (cfs or acre-feet per year) for IRRIGATION purposes from 06/01 to 10/31 (both dates inclusive)

Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ (cfs or acre-feet per year) for _____ purposes from _____ to _____ (both dates inclusive)

SUPERSEDED

6. Total quantity to be appropriated is (a) 0.02 cubic feet per second (cfs) and/or (b) 1.2 acre-feet per year (af).

7. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. 1.5 hp pump And PIPE

b. Height of storage dam NA feet; active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate . Application required? ☐ Yes ☐ No

c. Proposed well diameter is NA inches; proposed depth of well is NA feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No

e. If well is already drilled, when? NA; drilling firm NA; well was drilled for (well owner) NA; Drilling Permit No.

SCANNED DEC 29 2022

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee $ 100.00 Receipted by JR Receipt No. N041891 Date 11-21-2022

8. Description of proposed uses (if irrigation only, go to item 9):
   a. Hydropower; show total feet of head and proposed capacity in kW. NA
   b. Stockwatering; list number and kind of livestock. _____
   c. Municipal; must complete and attach the
   d. Domestic; show number of households _____
   e. Other; describe fully. _____

9. Description of place of use:
   a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
   b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

SUPERSEDED

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? NONE

11. a. Who owns the property at the point of diversion? RICHARD MASON
    b. Who owns the land to be irrigated or place of use? RICHARD MASON
    c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: NA

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. IRRIGATION OF LAWN APPROXIMENTLY 100' X 70' 200# AND FLOWER / SCHRUB BEDS APPROXIMENTLY 5' X 70' 350#

13. Time required for completion of works and application of water to proposed beneficial use is 0 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Richard Mason
Signature of Applicant

Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

SCANNED
DEC 29 2022

0004991661

STATE OF IDAHO

Office of the secretary of state, Lawerence Denney

ANNUAL REPORT

Idaho Secretary of State
PO Box 83720
Boise, ID 83720-0080
(208) 334-2301
Filing Fee: $0.00

For Office Use Only

-FILED-

File #: 0004991661

Date Filed: 11/12/2022 4:50:43 PM

Entity Name and Mailing Address:

Entity Name:	MASON PEND OREILLE, LLC
The file number of this entity on the records of the Idaho Secretary of State is:	0000369366
Address	10915 S SHERMAN RD SPOKANE, WA 99224-9647

Entity Details:

Entity Status	Active-Existing
This entity is organized under the laws of:	IDAHO
If applicable, the old file number of this entity on the records of the Idaho Secretary of State was:	W120307

The registered agent on record is:

Registered Agent	RICK MASON Registered Agent Physical Address 2237 GYPSY BAY RD SAGLE, ID 83860 Mailing Address

Limited Liability Company Managers and Members

Name	TItle	Business Address
Vickie M Mason	Member	10915 S SHERMAN RD SPOKANE, WA 99224
Shane R Mason	Member	14207-88TH PL N MAPLE GROVE, MN 55369
Shawna M Gaffney	Member	7444 SHENANDOAH LN MAPLE GROVE, MN 55311
Richard P Mason	Manager	10915 S SHERMAN RD SPOKANE, WA 99224

The annual report must be signed by an authorized signer of the entity.

Job Title: Manager

Richard Mason — Sign Here

11/12/2022 — Date

B0754-9606 11/12/2022 4:50 PM Received by Office of the Idaho Secretary of State

SCANNED
DEC 29 2022

Page 1 of 1

MAKE CHECK PAYABLE TO:
BONNER COUNTY TREASURER
& TAX COLLECTOR
1500 Hwy 2 Suite 304
Sandpoint, ID 83864-1793

Phone: (208) 265-1433

IMPORTANT TAX DOCUMENT

29218*90**G50**0.788**1/2*********AUTO5-DIGIT 99204
MASON PEND OREILLE LLC
10915 S SHERMAN RD
SPOKANE WA 99224-9647

Property Location: 2237 GYPSY BAY RD 83860
Legal Description: 26/27/34-57N-3W GYPSY BAY
BLK 2 LOT 12

★★★ IMPORTANT ★★★
PLEASE READ BOTH FRONT AND BACK
★★★ MONTHLY PAYMENTS ARE ACCEPTED ★★★

For information on Bonds visit:
WWW.BONNERCOUNTYID.GOV/TREASURER

TO AVOID LATE CHARGES, PAYMENTS MUST BE
RECEIVED OR POSTMARKED BY THE DUE DATE.

DISCOVER NETWORK | VISA | mastercard | AMERICAN EXPRESS

PAY ONLINE AT: www.bonnercountyid.gov
$1.00 ACH or 2.5% CARD FEE


BONNER COUNTY TAX YEAR 2021

Bill #: 16641
Tax Code Area: 62-0000
Parcel #: RP001690020120A

1st Half Due 12/20/2021		2nd Half Due 6/20/2022		Full 2021 Amount Due	
Tax	$ 4,557.17	Tax	$ 4,557.17	Tax	$ 9,114.34
Late		Late		Late	
Interest		Interest		Interest	
Costs		Costs		Costs	
Total		Total		Total	

Assessed Value	2021	2020
LAND	334,750	
IMPRVMNT	946,365	
TOT MKT	1,281,115	1,019,539
TOT TAX	9,114.34	7,903.78
TOT ACRES	.445	

Distribution of your 2021 Tax



Description	Rate	Amount
A = COUNTY	.002691419	$3,448.02
B = LAKE PO BOND		$0.00
C = LAKE PO SUPL	.001827200	$2,340.84
D = LAKE PO OTHER	.000039430	$50.50
E = CO RD/BRIDGE	.000575609	$737.42
F = P.O. HOSPITAL	.000184821	$236.78
G = AMBULANCE DIST	.000270461	$346.48
H = E BONNER LIB	.000363214	$465.32
I = SAGLE FIRE	.001358618	$1,285.74
DISTRICT TOTAL	**.007310772**	**$8,911.10**
FOREST ASSESSMENT		$15.00
FOREST PRACTICES ACT		$3.24
SOLID WASTE		$185.00
AMOUNT DUE		$9,114.34

Please fold on perforation BEFORE tearing

FOR PROPER CREDIT THIS STUB MUST BE RETURNED WITH PAYMENT
PERSONAL CHECKS ARE SUBJECT TO BANK CLEARANCE.

MASON PEND OREILLE LLC

Tax Year: 2021
Bill #: 16641

1ST HALF | FULL

Amount Due: 4,557.17 | 9,114.34

Make check payable to:
Bonner County
Tax Collector
RP001690020120A
62-0000

LATE
INT
COST
TOTAL

DELINQUENT IF NOT PAID ON OR BEFORE **December 20, 2021**

FOR PROPER CREDIT THIS STUB MUST BE RETURNED WITH PAYMENT
PERSONAL CHECKS ARE SUBJECT TO BANK CLEARANCE.

MASON PEND OREILLE LLC

Tax Year: 2021
Bill #: 16641

2ND HALF

Amount Due: 4,557.17

Make check payable to:
Bonner County
Tax Collector
RP001690020120A
62-0000

LATE
INT
COST
TOTAL

DELINQUENT IF NOT PAID ON OR BEFORE **June 20, 2022**

SCANNED DEC 29 2022
SCANNED DEC 29 2022

29218 1/1

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

April 18, 2024

RICHARD MASON
2237 GYPSY BAY RD
SAGLE ID 83860-9180

RE: License No. 96-13758

ISSUANCE OF LICENSE

Dear Water Right Holder(s):

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact me at (208) 287-4925.

Sincerely,

Phill Hummer

Phill Hummer
Water Rights Section Manager

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on April 18, 2024, I served a true and correct copy of Water Right License No. 96-13758 by U.S. Mail, postage prepaid, to the following:

RICHARD MASON (Current Owner)
2237 GYPSY BAY RD
SAGLE ID 83860-9180

Debra Mansfield
Technical Records Specialist 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
IN-OFFICE REVIEW/BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Exam Date: 03/08/2024

1. Does this qualify for an in-office field exam (IDAPA 37.03.02.035.01.r)? _X_Y ____N
   a. _X_ Irrigation of 5 acres or less
   b. ____ Storage of up to 14.6 AF for stockwater purposes only
   c. ____ Any use other than irrigation or storage, if the combined diversion rate is 0.24 cfs or less
   d. ____Other
2. Current Owner: **RICHARD MASON**
   Owner of Record Correct? _____N
   Address of Record Correct? _____N
   If No Explain:
3. Beneficial Use Fees have been paid: _X_Y ____N Receipt No: C117856
4. Source: **PEND OREILLE RIVER** Tributary: **COLUMBIA RIVER**

Method of Determination: Bonner County Maps, GIS, and Tax Parcel Data
Change in Source: ____Y __X_N

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _X_ No Overlap

Water Right No.	Source	Purpose of Use	Basis
96-8275	Ground Water	Irrigation	License

Comments: Rights 96-9535 (municipal) and 96-8275 (irrigation) have POU areas overlapping the permit POU, but both are groundwater sources. There are no surface water rights overlapping the permit place of use (POU).

2. Other water rights with the same point of diversion: _X_ NO Overlap

Water Right No.	Source	Purpose of Use	Basis
NONE	NA	NA	NA

Comments: There are no rights sharing the permit point of diversion (POD).

C. DIVERSION AND DELIVERY SYSTEM

1. Location of Point(s) of Diversion:

Source	Govt. Lot	¼	¼	¼	Sec.	Twp.	Rge.		County
Screened Intake at the river			SW	SW	26	57N	03W	B.M.	BONNER

Method of Determination: GIS, and Tax Parcel Data.

Change in POD? ___Y _X_N Amendment Required? ____Y _X_N

2. Place of Use: IRRIGATION

TWP	RGE	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N	03W	26											0.2						0.2
		Lot#											5						
																Total Acres =			0.2

Method of Determination: Bonner County Maps, GIS, and Tax Parcel Data

Change in POU? ____Y __X_N Amendment Required? ____Y __X_N

__Delivery System Diagram Attached (required). Indicate all major components and distances between components. Indicate weir size/pipe as applicable:

_X_ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be 1:24,000 or greater.

_X_ Aerial Photo Attached (required for irrigation of 10+ acres).

___ Photo of Diversion and System Attached

3. Diversion Id No.*	Motor Make	HP	Pump Model	Pump Make	Pump Serial No. or Discharge Size
Screened river intake	Unknown	1.5	Unknown	Unknown.	Unknown

**Code to correspond with No. on map and aerial photo*

D. FLOW MEASUREMENTS

1. Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE	NA	NA	NA	NA	NA	NA


2. Measurement Comments: The permit holder stated that the system uses a 1.5 Hp pump to divert water to an inground sprinkler system. A maximum head of about 25ft was estimated to the POU based on the DRG map.

E. FLOW CALCULATIONS ___Additional Computation Sheets Attached

Measured Method:

A theoretical calculation and Administrative Memos #17, and 6 were used to determine a reasonable rate of diversion.

Q = (1.5 Hp)(8.8)(0.80 eff)/(25 ft lift) + (2.31)*(45 psi) = 0.08 cfs



Product Details

- Precipitation rate: .37 to .72 inches per hour (9 to 18 mm/h)
- Radius: 15 to 35 feet (4,6 to 10, 7 m)
- Radius may be reduced up to 35% with Radius Reduction Screw
- Pressure: 25-55 psi (1,7 to 3,8 Bars)
- Flow Rate: .54 to 4.6 gpm (,12 to 1,04 m 3/h)
- 1/2" NPT female bottom threaded inlet
- Reversing Full-and Part-circle adjustment 40 degrees - 360 degrees

Table 1- Standard Rainbird ½" inlet popup sprinkler tech specs.

Typical Rainbird Popup Sprinklers 0.54 to 4.6GPM each x 4 to 5 per zone= 5 gpm (approx. 0.01cfs)
Theoretical Calculation= 0.08cfs
Permit allowed = 0.02cfs
Recommendation= 0.01cfs

Comments:

The full permitted rate of 0.02cfs is possible with the 1 ½ Hp pump. According to Administrative memo #17 up to 0.03cfs per acre is standard for the irrigation of up to 5 acres. Based on minimum output of the largest zones would be 5gpm. I am recommending a diversion rate of 0.01cfs for irrigation of 0.2-acre on the license.

F. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.}$ = (Acres Irrigated) x (Irrigation Requirement) = 0.2-acre x 3 AF= 0.6AF

$V_{D.R.}$ = [Diversion Rate (cfs)] x (Days in Irrigation season) x 1.9835 = 0.01cfs x 214 days x 1.9835= 4.3 AF

V = Smaller of $V_{I.R.}$ and $V_{D.R.}$ = 0.6 AF

Comments:

This permit was issued for irrigation use from a natural steam/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring. However, as the POU is less than 1 acre condition X31 will be carried on the license stating the annual volume as 0.6 AF for the irrigation of 0.2-acre.

G. PURPOSE OF USE

Irrigation _X_Y ____N # Stock__NA_____ Domestic # of Homes _NA__

Change in Purpose of Use? ____Y _X_N

Method of Determination: Bonner County Maps, GIS, and Tax lot Data

H. NARRATIVE/REMARKS/COMMENTS

This permit for the irrigation of 0.4-acre of irrigation qualifies for an in-office examination for license. The permit holder submitted the Proof of Beneficial Use, received by IDWR on February 28, 2024, stating in section #3 that the beneficial use was developed 0.4-acre of irrigation. I was unable to identify the extent of irrigation use within the POU based on the documentation received and imagery (Figures 1-3), so I called the permit holder requesting additional system information and a map of the irrigation POU and the POD. The permit holder responded March 11, 2024, with an emailed description of the areas irrigated and system used within the parcel. Photos were included of the screen submersible pump (Photo 1) and control boxes (photos 2A& 2B). Irrigation was reported by the permit holder in the landscaped beds on the north and south of home, and in the lawn areas on the north and west of home. The total POU area identified by the permit holder is measured at approximately 0.2-acre. The pump was described in a phone conversation as a 1 ½ Hp submersible pump with a screened intake, which is dropped into the water at the end of the dock in the spring and disconnected in the fall. No markings or other information could be found regarding the pump. The in-ground sprinkler system has 8 zones, 2 zones are driplines and 6 zones running 4-5 rainbird popup sprinklers each. No specific information regarding the sprinkler nozzles was provided. However, a technical information search found that rainbird popup sprinklers have a rate of flow ranging from 0.5-4.6 gpm each. Based on a conservative estimate of 5 gpm for the largest zones in the system a rate of 0.01cfs for the irrigation of 0.2-acre seems reasonable.

Administrative memo #17 allows 0.03cfs per acre for the irrigation of up to 5 acres of irrigation, and Administrative Memo #6 requires that the rate be reported to the hundredth place on licenses. I am recommending a rate of 0.01cfs on the license, as per the usage described and current guidance. The license is being recommended for irrigation use from a natural steam/river source. According to the IDAPA Beneficial Use Examination Rules 37.03.02.35. 01j.viii a diversion volume is not required for irrigation if water is diverted from a natural flowing stream/river or spring. However, as the POU is less than 1 acre condition X31 will be carried on the license stating the annual volume as 0.6 AF for the irrigation of 0.2-acre.

I am recommending the license be issued with a combined total rate of 0.01cfs and conditions X60, X31,and 004. Conditions 029 was removed at licensing, as the permit holder confirmed a fish screen is installed at the intake, and no comment was received from Idaho Fish and Game at advertisement.

Have conditions of permit approval been met? _X_Yes ____No

I. RECOMMENDATIONS

1. Recommended Amounts:

BENEFICIAL USE	PERIOD OF USE	DIVERSION RATE	ANNUAL VOLUME
IRRIGATION	04/01 TO 10/31	0.01CFS	0.6 AF (Stated on X31 Only)
	Totals:	0.01CFS	0.6 AF (Stated on X31 Only)

2. Recommended Amendments:

___Change P.D. as reflected above ___Add P.D. as reflected above _X_None

___Change P.U. as reflected above ___Add P.U. as reflected above _X_None

Other: < >

J. AUTHENTICATION- Bob Howe- Water Resource Agent

Field Examiner's _____ Date 4/16/24

Reviewer _____ Date 4/16/24





Photo 1- Screened submersible pump with quick connect fitting.



Photos 2 A & B- Control valves (8 total).



Figure 1-Bonner count Imagery of the parcel (west is top of page).



Figures 2 & 3- Bonner County GIS Imagery of the north (left image) and south (right image) of the POU. Landscaping planters with shrubs are visible on the north and south of home. Lawn is visible on the north and east sides of home.



Figure 4- GIS 2023-NAIP imagery- Irrigated areas are outlined in yellow. POD is indicated by the blue point.

Beneficial Use Proof Evaluation

Permit Number: 96-13758 Reviewer: AVeibell Review Date: 3/1/2024

Acceptability

1) Is the contact on the request the current permit holder? Yes
2) Does the address of record need to be updated? No
3) Proof Submitted Date: 2/28/2024
4) Proof Due Date: 4/1/2024
5) Days added for weekend due date? 0
6) Days added for holiday due date? 0
7) Number of days late: -33
8) Proof received timely? Yes

Analysis

1) Are the water uses correct? Yes
2) Are one of the following items required?
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
3) Are the required items installed? Yes
    a. Measuring Device -- No
    b. Lockable Device --No
    c. Fish Screen -- No
4) Is there a request to waive the required items? No
5) Drilling Permit Number:
6) Is a drilling permit upgrade needed? No
7) Was a well drillers report filed? No
8) Is proof accepted? Yes

Fees

1) Is a licensing exam fee required? Yes
2) Was proof submitted with an exam report from a CWE? No
3) Filing fee due: $50.00
4) Filing fee submitted: $50.00
5) Remaining fee or (refund): $0.00

Receipt IDs

N041891

Comments

Proof deemed acceptable. Gave file to water right agent for in-house license review. Water right agent will enter the proof made date in AdHoc at the time of licensing.

Idaho Department of Water Resources Receipt

Receipt ID: C117856

Payment Amount	$50.00	Date Received	2/28/2024	Region	STATE
Payment Type	Check	Check Number	2353		

Payer MASON, RICHARD P.

Comments STATEMENT OF COMPLETION FOR SUBMITTING PROOF OF BENEFICIAL USE
PERMIT # 96-13758
FOR: RICHARD MASON

Fee Details

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
$50.00	BENEFICIAL USE	56104	0229	21		1155

KY

Signature Line (Department Representative)

IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

January 31, 2024

RICHARD MASON
2237 GYPSY BAY RD
SAGLE ID 83860-9180

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 96-13758

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holder(s):

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **April 01, 2024**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a $50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this department on or before the above proof due date. If neither is received, the department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Amanda Veibell

Amanda Veibell
Technical Records Specialist

Enclosure(s)

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

March 29, 2023

RICHARD MASON
2237 GYPSY BAY RD
SAGLE ID 83860-9180

RE: Permit No. 96-13758

Permit Approval Notice

Dear Permit Holder(s):

The Department of Water Resources ("Department") has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review all the conditions of approval listed on your permit. The conditions include requirements that you must accomplish, such as timely submittal of proof of beneficial use or installation of a measuring device, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district. Failure to comply with the conditions of approval may result in your permit lapsing or being canceled.

The permit is a PRELIMINARY ORDER issued pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

The final step in the water right process is issuance of a water right license. To receive a water right license, you must divert and use water to the full extent intended and submit a *Statement of Completion for Submitting Proof of Beneficial Use* by the date shown in condition no. 1 of your permit. The Department will send you a *Proof Due Notice* approximately 60 days prior to the date listed in condition no. 1 of your permit.

You may also require approvals from other Department programs, such as Ground Water Protection, Safety of Dams, or Stream Channel Protection, to accomplish your proposed development. Please call or visit any Department office or see the Department's website at idwr.idaho.gov for more information about these programs.

SCANNED
MAR 30 2023

Please be advised that Idaho Code § 42-248, requires you or the owner of this water permit to maintain current ownership and address records on file with the Department. Forms to file an assignment of permit and/or a change in the address of the permit owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region Office at (208) 762-2800.

Sincerely,

Luke Bates
Interim Water Rights Supervisor

Enclosure(s)

SCANNED
MAR 30 2023

CERTIFICATE OF SERVICE

I hereby certify that on March 29, 2023, I served a true and correct copy of Permit to Appropriate Water No. 96-13758 by U.S. Mail, postage prepaid, to the following:

RICHARD MASON (Current Owner)
2237 GYPSY BAY RD
SAGLE ID 83860-9180

Tammy Alleman
Administrative Assistant 1

SCANNED
MAR 30 2023

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

SCANNED
MAR 30 2023

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

> Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:
>
> (a) The petition for reconsideration is disposed of; or
> (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

i. A hearing was held,
ii. The final agency action was taken,
iii. The party seeking review of the order resides, or
iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

SCANNED
MAR 30 2023

RECEIVED
JAN 17 2022
IDWR/NORTH

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
County of Bonner)

Italia Jimenez, being first duly sworn on oath, deposes and states:

1. I am a citizen of the United States of America, over the age of 18 years, a resident of Bonner County, Idaho, and am not a party to the proceedings referred to in the attached Legal Notice.
My business address is P.O. Box 159, Sandpoint, Idaho.

2. I am the bookkeeper of the Bonner County Daily Bee, a newspaper of general publication in Bonner County, Idaho;

3. Said newspaper has been continuously and uninterruptedly published in Bonner County, Idaho during a period of 12 months prior to the first publication of said Notice, and thereafter.

4. The attached Notice was published in the regular and entire issue of the Bonner County Daily Bee for a period of 2 consecutive weeks, commencing on the 5th day of January, 2023, and ending on the 12th day of January, 2023

Italia Jimenez

State of Idaho, county of Bonner ss.
On this 12th day of January, in the year of 2023 before me, Katrina George, Notary Public, personally appeared Italia Jimenez known or identified to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he/she (or they) executed the same.

Katrina George
Notary Public
Residing at: Kootenai County

My Commission Expires 8/29/23

KATRINA GEORGE NOTARY PUBLIC STATE OF IDAHO

SCANNED
MAR 30 2023

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-12301
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

96-12323
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

96-13184
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

96-13185
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

96-13401
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

96-13643
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

96-13758
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

96-13868
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

96-13899
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

96-14045
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

96-14071
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

96-14087
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.

GARY SPACKMAN, Director
Legal#4787
AD#4181
January 5, 12, 2023

SCANNED
MAR 30 2023

IDAHO DEPARTMENT OF WATER RESOURCES
APPROPRIATION APPLICATION ANALYSIS SHEET

W.R. # 96 - 13758 APPLICATION ID # 87244 ENT. ____ BCA JB OK to Publish ____

INITIAL REVIEW

APPLICANT: MASON, Richard BY: dm DATE: 12 / 19 / 2022

ITEM	REQUIRED INFORMATION
1	(✓) Name and Address
2	(✓) Source
3	(✓) Point of Diversion & County
4	(✓) Quantity
5	(✓) Nature of Proposed Use
6	(✓) Period of Use
7	(✓) Total Quantity
8	(✓) Description of diverting works
9	(✓) Time required for b/u
10	(✓) Proposed use
11	(✓) Place of use or acres irrigated
12	(✓) Other water Rights
13	(✓) Ownership
14	(✓) Map
15	(✓) Signature
16	(✓) Fee (Amt, receipt, acknowledgement)

*** Send info sheet Y ( ) N (✓)

PROCESSING

(Yes)(No) **PRIORITY DATE:** 12 / 19 / 2022

___ ✓ (Include Moratorium Remark)

___ ✓ Statewide Advertising: (Diversion rate greater than 10 cfs or 1,000 af).

ADVERTISE IN: BONNER County

Newspaper: Bonner County Daily Bee

Dates scheduled for publication 1-5-23 & 1-12-23

Affidavit of Publication received 1-17-23

Dates actually published 1-5-23 & 1-12-23

Application published correctly Yes X No ____

If not, action taken: ____

Final Date for Protest: January 23, 2023

Protests Received Yes ____ No X

IDOL, IDFG, DEQ, WB

LETTERS SENT REQUESTING

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: ____

INFORMATION RECEIVED

( ) Dam Information ( ) Fish Information

( ) Power Information ( ) Other: ____

ADDITIONAL INFORMATION

(Yes)(No)

✓ ___ **Shape File Created** Date 12/19/22 By: dm

___ ___ Field check by ____

___ ___ Field report attached

___ ___ Analysis Supp Attached (>5cfs/500af)

___ ___ Water delivered by water master? Water District # ____

GROUNDWATER SECTION

WD Permit No.'s	Tag #	Type	Fees	Receipt No.	Upgrade Needed?
____	____	Dom ___ Non-Dom ___	Paid $____	____	Y ( ) N ( )
____	____	Dom ___ Non-Dom ___	Paid $____	____	Y ( ) N ( )
____	____	Dom ___ Non-Dom ___	Paid $____	____	Y ( ) N ( )

___ ___ Groundwater management area

___ ___ Critical ground water area

___ ___ Well Drilling Permit required

___ ___ Well Drilling Application and Fees received

___ ___ Well Drilling Application approved?

Pend Oreille River tributary to Columbia River

Remarks: ____

FINAL REGIONAL PROCESSING/REVIEW

(Yes)(No)

___ ___ Notice of pending void order issued. Final order response date: ____/____/____

___ ___ Further information required from applicant ____

___ ___ Measuring device required

___ ___ Measuring port required

___ ___ Special conditions: .02cfs Lt 12, Blk 2 Gypsy Bay Sub X31 .4acX3.0afa = 1.2af.

___ ___ Special conditions of approval supplement and/or cover letter attached: ____

Approval Recommended by: ____ Date 3 / 29 / 23 Sr. Agent initial JB Interim Supervisor

IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

December 28, 2022

RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180

RE: Application for Permit No. 96-13758

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNER COUNTY DAILY BEE on 1/5/2023 and 1/12/2023. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Tammy Alleman
Administrative Assistant

SCANNED
DEC 29 2022

From: Alleman, Tammy
To: Chantilly Higbee; Horsmon,Merritt; Anna Moody; IWRB Water Use Reviews; "Mike Ahmer"
Subject: Request for Comments for WR#96-13758
Date: Wednesday, December 28, 2022 3:14:00 PM
Attachments: 96-13758 Application for Permit.pdf
image001.png

IDL IDFG DEQ WRB

Dear Interested Agencies:

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at:
http://www.idwr.idaho.gov/apps/ExtSearch/WRAJSearch/WRADJSearch.aspx.

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a $25.00 filing fee within 10 days after final publication. The deadline for comments on the applications is January 23, 2022.

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Thank you,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

Alleman, Tammy

From: Alleman, Tammy
Sent: Wednesday, December 28, 2022 11:30 AM
To: bcdblegals@cdapress.com
Subject: Legal Notice for Bonner County Daily Bee
Attachments: Legal Notice 96-12301, 96-12323, 96-13184, 96-13185, 96-13401, 96-13643, 96-13758, 96-13868, 96-13899, 96-14045, 96-14071, 96-14087.docx

Please publish the enclosed legal notice in the **Bonner County Daily Bee** on the dates indicated **January 5th & January 12th, 2023** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **January 23, 2022.** Your cooperation is appreciated.

Sincerely,

IDAHO DEPARTMENT OF WATER RESOURCES

Tammy Alleman | Administrative Assistant
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-12301
FOREST AMBRIDGE
409 CREEKSIDE LANE
SANDPOINT, ID 83864
Point of Diversion SWSE
S21 T57N R02W
BONNER County
Source CHUCK SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-16-2022
Place Of Use: IRRIGATION
T57N R02W S21 SWSE
Total Acres: 1.5

96-12323
FOREST AMBRIDGE
177 NANCY ROAD
SANDPOINT, ID 83864
Point of Diversion L1(NWNW)
S7 T57N R01W
BONNER County
Source BOYER SLOUGH
Tributary LAKE PEND OREILLE
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.05 CFS
Date Filed: 08-17-2022
Place Of Use: IRRIGATION
T57N R01W S7 L1(NWNW)
Total Acres: 1.5

96-13184
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion SESE
S13 T56N R02W
BONNER County
Source GROUND WATER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.1 CFS
Date Filed: 05-23-2022
Place Of Use: IRRIGATION
T56N R02W S13 SESE
Total Acres: 5

96-13185
STEPHEN REED
HEATHER REED
254 CALLEN CRABB RD
SAGLE, ID 83860
Point of Diversion NESE
S13 T56N R02W
BONNER County
Source UNNAMED STREAM
Tributary FRY CREEK
Use: STOCKWATER
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-09-2022
Place Of Use: STOCKWATER
T56N R02W S13 NESE

96-13401
LOUIS MARSHALL
10193 ONTARIO ST
SANDPOINT, ID 83864
Point of Diversion NWNW
S28 T57N R02W
BONNER County
Source CHUCK SLOUGH

SCANNED
DEC 29 2022

Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.08 CFS
Date Filed: 12-02-2022
Place Of Use: IRRIGATION
T57N R02W S28 NWNW
Total Acres: 2.8

96-13643
DONALD STEINKE
595 OSPREY CIR
HOPE, ID 83836-9609
Point of Diversion L1(SWSW)
S13 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 11-08-2022
Place Of Use: DOMESTIC
T56N R01E S13
L1(NWSW),L1(SWSW)

96-13758
RICHARD MASON
2237 GYPSY BAY RD
SAGLE, ID 83860-9180
Point of Diversion SWSW
S26 T57N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.02 CFS
Date Filed: 11-21-2022
Place Of Use: IRRIGATION
T57N R03W S26 L5(SWSW)
Total Acres: 0.4

96-13868
JOHN GIESA
JANIS GIESA
2522 E NORTH ALTAMONT BLVD
SPOKANE, WA 99202
Point of Diversion NWSE
S26 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.04 CFS
Date Filed: 12-01-2022
Place Of Use: DOMESTIC
T57N R01W S26 L2(NWSE)

96-13899
DALE CLEVELAND
ELLIOT BAY RD
SAGLE, ID 83860
Point of Diversion L2(SWNE)
S17 T56N R01E
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
1 /1 to 12/31
Total Diversion: 0.05 CFS
Date Filed: 12-02-2022
Place Of Use: DOMESTIC
T56N R01E S17 L2(SWNE)

SCANNED
DEC 29 2022

96-14045
COLE BRODMAN
9803 NE 13TH ST
BELLEVUE, WA 98004
Point of Diversion L3(NWSE)
S7 T57N R01W
BONNER County
Source LAKE PEND OREILLE
Tributary PEND OREILLE RIVER
Use: DOMESTIC
01/01 to 12/31
Total Diversion: 0.02 CFS
Date Filed: 12-08-2022
Place Of Use: DOMESTIC
T57N R01W S7 L3(NWSE)

96-14071
ALEX MAY
1914 E 25TH AVE
SPOKANE, WA 99203
Point of Diversion L3(SWSE)
S29 T57N R01W
BONNER County
Source LAKE PEND ORIELLE
Tributary PEND OREILLE RIVER
Use: IRRIGATION
4 /1 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 12-13-2022
Place Of Use: IRRIGATION
T57N R01W S29 L3(SWSE)
Total Acres: 0.3

96-14087
ROBERT JONES
BARBARA JONES
17025 N SADDLE HILL RD
COLBERT, WA 99005-9364
Point of Diversion SESE
S30 T56N R03W
BONNER County
Source PEND OREILLE RIVER
Tributary COLUMBIA RIVER
Use: IRRIGATION
04/01 to 10/31
Total Diversion: 0.03 CFS
Date Filed: 11-18-2022
Place Of Use: IRRIGATION
T56N R03W S30 L7(SESE)
Total Acres: 0.5

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see https://idwr.idaho.gov/apps/ExtSearch/WRApplicationResults/. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of $25.00 for each application on or before 1/23/2023. The protestant must also send a copy of the protest to the applicant.
GARY SPACKMAN, Director Published on 1/5/2023 and 1/12/2023

SCANNED
DEC 29 2022

MEMORANDUM

December 20, 2022

Application for Permit: 96-13758

Author: smaxey

Subject: Place Of Use Clarification

APPLICANT INITALED AND DATED CORRECTIONS TO THE IRRIGATION PLACE OF USE LEGAL DESCRIPTION ON LINE 9 OF APPLICATION 96-13758 ON 11/22/2022. THE CORRECTIONS LEFT OUT THE GOVERNMENT LOT (LOT 5) PORTION OF THE FULL LEGAL DESCRIPTION (T54N R03W S.26 L5 (SW SW). THE CORRECT GOVERNMENT LOT NUMBER (LOT 5) IS DISPLAYED ON THE APPLICATION MAP. IDWR NORTHERN ADMINISTRATIVELY ADDED THE MISSING GOVT LOT DESIGNATION TO THE APPLICATION PLACE OF USE LEGAL DESCRIPTION ON 12/20/2022 BEFORE PUBLICATION OF LEGAL NOTICES. THE APPLICANT WILL BE NOTIFIED OF THE ADDITION OF THE GOVT LOT NUMBER.

SCANNED
DEC 29 2022

Maxey, Shaun

From: Maxey, Shaun
Sent: Tuesday, December 20, 2022 10:33 AM
To: RPMASON4646@ICLOD.COM
Subject: Addition of Govt Lot Designation (Lot 5) to legal notice for Application 96-13758

Mr. Mason:

The government lot designation that is shown on your Application Map (Lot 5) will be added to upcoming newspaper legal notices for your Application.

You will get a letter notifying you of the scheduled publication dates.

Thanks,

Shaun Maxey

IDAHO DEPARTMENT OF WATER RESOURCES

Shaun M. Maxey | Sr. Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

MEMORANDUM

December 19, 2022

Application for Permit: 96-13758

Author: smaxey

Subject: PRIORITY DATE 12/19/22

INITIAL APPLICATION RECEIVED UNACCEPTABLE FOR FIING 11/21/22 WITH NO MAP, NO INFORMATION ON LINE 9, AND INCORRECT INFORMATION ON LINE 13. APPLICANT CONTACTED VIA E-MAIL 11/21/22 WITH CORRECTION INFORMATION. PARTLY CORRECTED APPLICATION RECEIVED 11/22/22 STILL MISSING CORRECT LINE 13 PERIOD OF YEARS. APPLICATION ACCEPTABLE FOR FILING RECEIVED 12/19/22.

SCANNED
DEC 29 2022

Maxey, Shaun

From: Maxey, Shaun
Sent: Thursday, December 15, 2022 9:32 AM
To: Rick Mason
Subject: FW: Idaho Application for Permit 96-13758 (correction to Page 2, Line 13 of Application)
Attachments: 96-13758 MASON Pg. 2 Corrections.pdf; 96-13758 MASON 1.22.22 APP To Correct.pdf

Mr. Mason:

I mistakenly sent two copies of the same attachment in my e-mail to you yesterday.. Please use the attachment titled '96-13758 MASON 1.22.22 APP to Correct.pdf..' to make the initialed and dated correction to Line 13 of your Application and return it to IDWR.

Thanks,

Shaun Maxey (208) 762.2816

From: Maxey, Shaun
Sent: Wednesday, December 14, 2022 3:40 PM
To: Rick Mason <rpmason4646@icloud.com>
Subject: Idaho Application for Permit 96-13758 (correction to Page 2, Line 13 of Application)

Mr. Mason:

Thanks for the information you provided on November 22, 2022 to correct your Application. Your Application has been assigned ID number 96-13758.

You missed one of the required corrections on Page 2, Line 13, of your 11/22/22 Application. This period of time shown on Line 13 must be at least '...1...' even if you have an existing system installed to divert water from Lake Pend Oreille.

I have attached a example highlighted in yellow showing how to fix this item on your Application. Please use the other attachment (96-13758 Pg. 2 Corrections.pdf) to write in the number of years you want to have showing on Page 2, Line 13, (...1, 2 , 3, 4, or 5...), add in your initials and date, and sign at the bottom of the page.

You can send the copy of your corrected Application 96-13758, via U.S. mail to the address shown below, or via e-mail in PDF format to the following address: file@idwr.idaho.gov

Thanks,

Shaun Maxey

IDAHO DEPARTMENT OF WATER RESOURCES

Shaun M. Maxey | Sr. Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022

Maxey, Shaun

From: Maxey, Shaun
Sent: Monday, November 21, 2022 2:54 PM
To: rpmason4646@icloud.com
Subject: Idaho Application for Permit 96-13758 (corrections to Application and missing Application Map)
Attachments: 96-XXXX MASON PEND OREILLE APP FOR CORRECTION.pdf; 96-XXXX MASON PEND OREILLE APP CORRECTIONS.pdf; 96-XXXX MASON PEND OREILLE IDWR MAP.pdf

Mr. Mason:

Your Application, sent via U.S. mail, to use water from the Pend Oreille River for irrigation has been assigned ID number 96-13758. A photocopy of your Application is attached with an attached annual report from the Idaho Secretary of State for Mason Pend Oreille LLC. I have also attached a copy of your Application showing suggested and required corrections in **red** and an IDWR map.(96-XXXX MASON PEND OREILLE IDWR MAP).

IDWR personnel are prohibited from making changes to your Application. Please print out a copy of your original application (titled 96-XXXX MASON PEND OREILLE APP FOR CORRECTION) and use it to make the initialed and dated corrections that I have indicated in **red,** with **initials and date,** on the attachment titled 96-XXXX MASON PEND OREILLE CORRECTIONS. Please use the attached IDWR map, to label the approximate point that your water line begins in the River and your tax parcel and attach the labeled map to your corrected Application.

Please return the corrected Application and labeled map with your original signature and dated and initialed corrections to our IDWR Northern Region office. Please line out your name , initial and date, and write in '....Mason Pend Oreille LLC LLC...' if you want the LLC to appear as the owner in published legal notices for the Application and indicate that you want the Secretary of State document to be attached to your Application.

Please phone me at (208) 762.2816 if you have questions concerning the required and suggested corrections to your Application.

You can send the copy of your corrected Application, Map, and proof of authority to sign, via U.S. mail to the address shown below, or via e-mail to the following address: file@idwr.idaho.gov

Thanks,

Shaun Maxey

IDAHO DEPARTMENT OF WATER RESOURCES

Shaun M. Maxey | Sr. Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone: (208) 762-2800

SCANNED
DEC 29 2022