

RECEIVED

MAY 19 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50.00Receipt No. C116291Received By KUDate Received 5.19.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 75-14898 Name of Permit Holder(s) Trevan WING Samuel W. WING
Telephone No. 208-940-2529 Email emtb1975@gmail.com
Mailing Address P.O. Box 686 City Salmon State ID Zip 83467
- Source of Water Moose Creek If Ground Water (well), Date Drilled mo. N/A / yr. _____
Drilling Permit/Tag No. N/A Drilling Company's Name N/A
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) 1 Stockwater (No. and stock type) 5 horses
Other Domestic also includes irrigation of lawn which is included in the 1 acre
- Total diversion rate or volume (storage only) for which proof is submitted 0.08 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
See attached page

- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☐ | Other requirements of the water right permit <u>N/A</u> |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

- Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

- Person to contact to accompany a Department representative during the field examination of the water system:

Name: Sam WING Telephone No. 208-303-0022 Email firefighter-636@hotmail.com
Mailing Address PO Box 686 City Salmon State ID Zip 83467

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

[Signature]
SIGNATURE OF PERMIT HOLDER*

Sam WING
PRINTED NAME AND TITLE

5/15/23
DATE

*Attach power of attorney if completing on behalf of permit holder.

SCANNED

JUN 12 2023

ADDITIONAL PAGE FOR PERMIT # 75-14898


#5. At the diversion point (Moose Creek) there is a fish screen that was fabricated by the Salmon Fish and Game Screen Shop (picture E). Connected to the fish screen is a 1 ¼ inch suction hose to the Myers 1 horse pump (model # HJ100S-01) (picture D). From the pump a short piece of 1 ¼ inch hose connects to the main line (picture F). Also connected from the pump is the power cord that connects to the gray power box (picture F). The power is fed by a mobile CAT generator (model # RP12000E) (picture C). The breaker/power box (picture B) plugs into the generator. The breaker/power box has a lock on it at all times. The water then flows through 1 ½ inch poly main line to the 4 frost frees (picture G) that are fed by 1 inch poly off the main line. Rainbird sprinklers/or a hose are attached to the frost frees that irrigate the 1-acre piece of land outlined on map, stock water and water for domestic use.

SCANNED

JUN 12 2023

Statement of Completion Map (Permit 75-14898)

23N20E



Point of Diversion



Place of Use



Township/Range



Sections

QQ



Parcels

SCANNED

JUN 12 2023





SCANNED
04/12/2023

SUM-K3

MYERS

Motor# C48AB64A03

CSA 108

PENTEK

Pump Model No.
HJ100S-01

Circle/Codigo
001H18N

0050

UL778
CSA 108

LR47D13



CSA ENC 2

HP 1	KW	115/230 V
3450RPM	1PH 60 Hz	KVAL

MaxLoad Amps 18.6/9.3	S.F. 1.5
THERMALLY PROTECTED	CET40ABM

Insulation Class B	Ambient Temp 40 °C	Time Rating CONT.
--------------------	--------------------	-------------------


MFG# 6979209

Record pump model number prior to motor replacement.
 Réservez le numéro de modèle de la pompe avant de remplacer le moteur.
 Anote el número del modelo de la bomba antes de cambiar el motor.

*Motor prewired 230 Volt.

*Le moteur est câblé pour le courant 230 Volts

*El motor está precableado para 230 Volts



GRD GREEN (GROUND)
 HIGH VOLTAGE (H) LOW VOLTAGE (L)
 USE COPPER WIRE ONLY
 INSTALL MOTOR WITH WIRING
 ACCORDANCE WITH FIELD WIRING

Manufacturer Approved for
Indoor and Outdoor Use

*Approuvé par le fabricant pour
usage à l'intérieur ou à l'extérieur

*Aprobado por el fabricante para
uso en interiores y exteriores

SCANNED

JUN 12 2023







F

SCANNED
JUL 12 2023



NOT FOR SALE IN CALIFORNIA

MODEL NO:

RP12000E

CAT PART (EPAIII)

502-3699

AC VOLTS

120 / 240

FREQUENCY

60 Hz

AC AMPS

46

PHASE

SINGLE

POWER RUNNING

12000 W

RPM

3600

POWER STARTING

15000 W

POWER FACTOR

1

RATED AT

25 C

INSULATION CLASS

H

ASSEMBLED IN CHINA

www.Cat.com/HomeAndOutdoorPower-Support

WARNING

ADVERTENCIA



Homeline® Load Center / Centro de Carga Homeline®

Catalog No. / No. de Catálogo HOM612L100RB


Series / Serie 002

Rainproof-Type 3R Enclosure / Gabinete Tipo 3R a Prueba de Agua

Mains 100 A. Max. / Línea principal de 100 A como máximo

120 / 240 Vac Max. 1 Ph. 50/60 Hz. / 120/240 V- Máx. 1 fase 50/60 Hz.

See Main or Service Disconnect rating, if installed. / Consulte los valores nominales de la desconexión principal o de acometida, si fue instalada



L = Left, R = Right Handles on Tandem Breakers.

Palancas L=Izquierda, R=Derecha en interruptores en tandem

Close unused circuit breaker openings with filler plates. Order Catalog No. HOMFP. / Cierre con placas de relleno las aberturas sin usar del interruptor automático. Solicite el no. de catálogo HOMFP.

Handle in red-position shows breaker is TRIPPED. To reset, move handle to OFF position then to ON position. / La palanca en posición intermedia indica que se ha disparado el interruptor. Para restablecer el interruptor, mueva la palanca a la posición de ABIERTO (O) y luego a la posición de CERRADO (I).

To disconnect all load conductors from the supply conductors, turn OFF circuit breaker handle(s) marked MAIN or SERVICE DISCONNECT. / Para desconectar todos los conductores de carga de los conductores de alimentación, coloque las palancas de los interruptores automáticos marcados "desconexión principal" o "desconexión de acometida" en posición de abierto (O).

40270-202-06

Made in Mexico

73

Hecho en México

CIRCUIT BREAKER RATING		ORDER PART SEPARATELY	
15A	20A	15A	20A
25A	30A	25A	30A
35A	40A	35A	40A
50A	60A	50A	60A
75A	100A	75A	100A



HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

- Apply appropriate personal protective equipment (PPE) and follow safe electrical work practices. See NFPA 70E.
- This equipment must only be installed and serviced by qualified electrical personnel.
- Turn off all power supplying this equipment before working on or inside equipment.
- Always use a properly rated voltage sensing device to confirm power is off.
- Replace all devices, doors, and covers before turning on power to this equipment.
- Failure to follow these instructions will result in death or serious injury.

40281-205-02

PELIGRO DE DESCARGA ELÉCTRICA, EXPLOSIÓN O DESTELLO POR ARQUEO

- Utilice equipo de protección personal (EPP) apropiado y siga las prácticas de seguridad eléctrica establecidas por la Comisión Consultiva de la norma NFPA 70E.
- Solo personal eléctrico especializado deberá instalar y prestar servicio de mantenimiento a este equipo.
- Desenergice el equipo antes de realizar cualquier trabajo en él.
- Siempre utilice un dispositivo detector de tensión de valor nominal adecuado para confirmar la desenergización del equipo.
- Antes de energizar el equipo, vuelva a colocar todos los dispositivos, las puertas y las tapas.
- El incumplimiento de estas precauciones podrá causar la muerte o lesiones serias.

SCANNED
DA 12 2023

B



G



SCANNED
JUN 12 2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

May 2nd, 2024

TREVAK K. AND SAMUEL W. WING
PO BOX 686
SALMON, ID 83467

RE: Scheduling Field Exam for Water Right Permit No. 75-14898

Dear Permit Holder:

We are planning to conduct water right examinations in the vicinity of the above-referenced permit **from May 20th – May 24th, 2024**. An examination is needed to verify the water use in order to issue a water right license.

The above-referenced permit authorizes **0.08 CFS** from a **Moose Creek** tributary to **Dump Creek** for **Domestic and Stockwater use and the Irrigation of 1.0 acres**. **If you have developed a beneficial use and still own the place of use property, please contact me at your earliest convenience to schedule an examination.**

If you did not develop a beneficial use of water under the permit during the beneficial use period, a license cannot be issued, and the permit should be relinquished. If that use was developed but have ceased using the water and you currently carry no interest in it, please relinquish the permit by submitting the enclosed Relinquishment of Permit form (no fee required).

If you did develop a beneficial use of water under the permit, but you no longer own the place of use property identified in the permit, please submit the enclosed Ownership Change form with the applicable \$25 processing fee or \$100 if the right would be split.

Please contact me within the next thirty (30) days at (208)-287-4913 to either schedule an examination or submit a relinquishment or assignment form. If you no longer own the place of use property and/or do not respond to this letter, the department will work with the current property owner to issue a license or void the permit.

Sincerely,

Skyler Cheever
Water Resource Agent -State Office

Enclosures: Relinquishment of Permit form
Notice in Change of Water Right Ownership form
Water Permit Report and Map



Governor Brad Little

Director Gary Spackman

June 12, 2023

TREVA K WING
SAMUEL W WING
PO BOX 686
SALMON, ID 83467

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 75-14898

Dear Permit Holder(s):

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Eastern Region Office of the Department located in Idaho Falls at (208) 525-7161.

Sincerely,

Amanda Veibell
Technical Records Specialist

Enclosure(s)

SCANNED

JUN 12 2023

Beneficial Use Proof Evaluation

Permit Number: 75-14898 Reviewer: AVeibell Review Date: 5/24/2023

Acceptability

- 1) Is the contact on the request the current permit holder? Yes
- 2) Does the address of record need to be updated? No
- 3) Proof Submitted Date: 5/19/2023
- 4) Proof Due Date: 6/1/2023
- 5) Days added for weekend due date?
- 6) Days added for holiday due date?
- 7) Number of days late: -13
- 8) Proof received timely? Yes

Analysis

- 1) Are the water uses correct? Yes
- 2) Are one of the following items required?
 - a. Measuring Device -- No
 - b. Lockable Device --Yes
 - c. Fish Screen -- No
- 3) Are the required items installed? Yes
 - a. Measuring Device -- No
 - b. Lockable Device --Yes
 - c. Fish Screen -- Yes
- 4) Is there a request to waive the required items? No
- 5) Drilling Permit Number:
- 6) Is a drilling permit upgrade needed? No
- 7) Was a well drillers report filed? No
- 8) Is proof accepted? Yes

Fees

- 1) Is a licensing exam fee required? Yes
- 2) Was proof submitted with an exam report from a CWE? No
- 3) Filing fee due: \$50.00
- 4) Filing fee submitted: ~~\$0.00~~ 50
- 5) Remaining fee or (refund): ~~\$50.00~~ 0

Receipt IDs

C104892

Comments

Proof deemed acceptable.



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little
March 31, 2023

Director Gary Spackman

TREVA K WING
SAMUEL W WING
PO BOX 686
SALMON ID 83467

NOTICE: STATEMENT OF COMPLETION DUE

RE: Permit No. 75-14898

IMPORTANT: A response from you is required to maintain the active status of the referenced water right permit. If no response is received from you, the permit will lapse and your authorization to develop and/or use this water right will be cancelled.

Dear Permit Holders:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before **June 01, 2023**. Please complete and return the enclosed Statement of Completion for Submitting Proof of Beneficial Use (proof) if you have completed the water project authorized by your permit. The proof statement must be accompanied by either the appropriate license examination fee or a field examination report prepared by a certified water right examiner.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Idaho Code § 42-204. If you have been delayed by a government agency or by litigation that brings title to the water in question, an extension of time may be granted if appropriate documentation is provided at the time of filing. An extension request must be accompanied by a \$50.00 filing fee and signed by the appropriate authorized permit holder(s) or authorized representative with a power of attorney.

Either an acceptable proof or an acceptable extension request must be received by this Department on or before the above proof due date. If neither is received, the Department will send you a lapse notice and the permit will no longer be of any force or effect.

Sincerely,

Debbi Judd
Technical Records Specialist

Enclosures



SCANNED
MAR 31 2023