

USE TYPEWRITER OR
BALLPOINT PEN

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Charlie Cole</u> Address <u>Prisel River, Idaho</u> Owner's Permit No. <u>97-28-N-10</u>	7. WATER LEVEL Static water level <u>45</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature _____ °F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other <table border="1" style="width:100%"><tr><th>Discharge G.P.M.</th><th>Drawdown</th><th>Hours Pumped</th></tr><tr><td><u>15</u></td><td><u>5'</u></td><td><u>3h.</u></td></tr></table>	Discharge G.P.M.	Drawdown	Hours Pumped	<u>15</u>	<u>5'</u>	<u>3h.</u>																																														
Discharge G.P.M.	Drawdown	Hours Pumped																																																			
<u>15</u>	<u>5'</u>	<u>3h.</u>																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width:100%"><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr><tr><td><u>6</u></td><td><u>1</u></td><td><u>5</u></td><td><u>clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>5</u></td><td><u>18</u></td><td><u>fine coarse sand</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>18</u></td><td><u>43</u></td><td><u>fine blue sand with clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>43</u></td><td><u>68</u></td><td><u>fine blue sand & clay & gravel</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>68</u></td><td><u>88</u></td><td><u>fine blue sand</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>88</u></td><td><u>90</u></td><td><u>sand, big coarse sand & clay</u></td><td></td><td>☒</td></tr><tr><td></td><td><u>90</u></td><td><u>95</u></td><td><u>coarse sand</u></td><td></td><td>☒</td></tr></table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>6</u>	<u>1</u>	<u>5</u>	<u>clay</u>		☒		<u>5</u>	<u>18</u>	<u>fine coarse sand</u>		☒		<u>18</u>	<u>43</u>	<u>fine blue sand with clay</u>		☒		<u>43</u>	<u>68</u>	<u>fine blue sand & clay & gravel</u>		☒		<u>68</u>	<u>88</u>	<u>fine blue sand</u>		☒		<u>88</u>	<u>90</u>	<u>sand, big coarse sand & clay</u>		☒		<u>90</u>	<u>95</u>	<u>coarse sand</u>		☒
Hole Diam.	Depth		Material	Water																																																	
	From	To		Yes	No																																																
<u>6</u>	<u>1</u>	<u>5</u>	<u>clay</u>		☒																																																
	<u>5</u>	<u>18</u>	<u>fine coarse sand</u>		☒																																																
	<u>18</u>	<u>43</u>	<u>fine blue sand with clay</u>		☒																																																
	<u>43</u>	<u>68</u>	<u>fine blue sand & clay & gravel</u>		☒																																																
	<u>68</u>	<u>88</u>	<u>fine blue sand</u>		☒																																																
	<u>88</u>	<u>90</u>	<u>sand, big coarse sand & clay</u>		☒																																																
	<u>90</u>	<u>95</u>	<u>coarse sand</u>		☒																																																
4. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other																																																					
5. WELL CONSTRUCTION Diameter of hole <u>6</u> inches Total depth <u>95</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width:100%"><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><td><u>1/4</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>95</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%"><tr><th>Number</th><th>From</th><th>To</th></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnson</u> Type <u>telescopic</u> Model No. _____ Diameter <u>6</u> Slot size <u>30</u> Set from <u>90</u> feet to <u>95</u> feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Puddling clay ☐ Well cuttings Sealing procedure used: ☐ Slurry pit ☒ Temporary surface casing ☐ Overbore to seal depth	Thickness	Diameter	From	To	<u>1/4</u> inches	<u>6</u> inches	<u>1</u> feet	<u>95</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																	
Thickness	Diameter	From	To																																																		
<u>1/4</u> inches	<u>6</u> inches	<u>1</u> feet	<u>95</u> feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
_____ inches	_____ inches	_____ feet	_____ feet																																																		
Number	From	To																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
_____ perforations	_____ feet	_____ feet																																																			
6. LOCATION OF WELL Sketch map location must agree with written location. County <u>Bonneville</u> Subdivision Name _____ Lot No. _____ Block No. _____ SE 1/4 NW 1/4 Sec. <u>24</u>, T. <u>36</u> N, R. <u>5</u> E W	10. Work started <u>April 21-78</u> finished <u>April 27-78</u> 11. DRILLERS CERTIFICATION Firm Name <u>Campbell & Sons</u> Firm No. <u>168</u> Address <u>Newport, Wash</u> Date <u>5-30-78</u> Signed by (Firm Official) <u>Carl Campbell</u> and (Operator) <u>John Campbell</u>																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

Other Improvements

Description:	Year Built	Effective Year Built	Base Area	Finished
ADDN	1987 ←	1987		
MISC	2000	2000		
MISC	2000	2000		
LEANTO	2000	2000	224	
MHOME	1973	1973	672	672
MHOME	1973 ←	1973	672	672
POLEBLDG	1987 ←	1987	672	
POLEBLDG	2000 ←	2000	864	

Sentry Dynamics, Inc. and its customers make no representations, warranties or conditions, express or implied, as to the accuracy or completeness of information contained in this report.



Panhandle Health District I

Serving Benewah, Bonner, Boundary, Kootenai, and Shoshone counties of Idaho

SEPTIC DETAILS:

General:

Permit Number: 78-09-58350

Address: 122 RIVER BEND DR PRIEST RIVER, ID 83856

County: BONNER

Parcel Number: RP003830000040A

Section, Township, Range: 24, 56N, 05W

Subdivision: RIVERSIDE TRACTS

Lot: 4

Block:

Acres: 0

Scanned Documents:

File: 78-28-8308.pdf

Old Site Info.:

Permit Application Date:

Applicant Name:

Permit Issue Date: 3/6/1978

Old Permit Number: 8308

New? No

Replacement? No

Field Size:

Existing Dwelling? No

Individual? No

Single Family? No

Multi-Family? No

Site Application Date:

Site Issue Date:

Site Evaluation? No

Permit? No

Site Soil Type:

Large Soil? No

Sewage Approved? No

Sewage Conditions:

Sewage Alternative:

Complex? No

Living Units:

People:

Square Feet:

Bed Size:

Bedrooms:

Bathrooms:

Garbage Disposal? No

Tank Size:

Cement Tank? No

Final Pass? No

Final Employee:

[New Search](#)

[Home](#)

PANHANDLE HEALTH DISTRICT I

PERMIT FEE \$10.00

INDIVIDUAL SEWAGE DISPOSAL INSTALLATION PERMIT

PERMIT NO. 8308 PAID \$1000 CASH ☐ CHECK ☐ NO FEE ☐ DATE 3-6-78
 INSTALLATION FOR (NAME) Charles W. Cole SIZE OF LOT 259.74 FT. X 86.75 FT.
 FULL DESCRIPTION OF PROPERTY Lot 4 Riverside Tracts, Water Front 67.85
Length 259.74 Width 86.75
 ADDRESS OF INSTALLATION Priest River - East side of River - 1/4 mile no. of Highway 2
 NO. LIVING UNITS 1 BEDROOMS 2 BATHS 1 PEOPLE SERVED 3 OTHER Summer Home
 SEPTIC TANK 1000 GALS. DISTANCE TO DWELLING FOUNDATION 5' plus WELL ☐ WATER LINE ☐
 SURFACE WATER 50+ TYPE OF TANK: CEMENT ☒ METAL ☐ OTHER ☐
 DISPOSAL AREA: DRAINFIELD 150 ABSORPTION BED ☐ OTHER ☐ DIMENSIONS ☐
 PERK RATE ☐ MIN/IN. SOIL PROFILE ☐
 DISTANCE: PROPERTY LINES:
 FRONT 67.85 FT. BACK 86.75 FT. SIDE 259.74 FT. DWELLING FOUNDATION 180 FT.
 WELL ☐ FT. SURFACE WATER 237' FT. SEPTIC TANK 5' plus FT. NEIGHBOR'S WELL ☐ FT.
 DEPTH TO GROUND WATER ☐ FT. WELL LOG. YES ☐ NO ☐

I UNDERSTAND THAT THIS PERMIT IS NON-TRANSFERABLE AND IS VALID FOR ONLY 90 DAYS FROM THE DATE OF APPLICATION. DRAIN-FIELD MUST NOT EXCEED 3 FEET IN DEPTH.


APPLICANT'S SIGNATURE Charles W. Cole APPLICANT IS: OWNER ☒ CONTRACTOR ☐ OTHER ☐
 MAILING ADDRESS Rt. 1 Box 428 Priest River PHONE NO. 448-1627

REMARKS:



COPY TO: Fm. HA ☐ Fed. HA ☐ VA ☐ OTHER ☐

PLAN SUBMITTED ☐ APPROVED 3-21-78 DISAPPROVED ☐
 Date Date Date
 PERMIT ISSUED BY Bob Camp REMARKS ☐

VICINITY MAP
(Show How To Get There From This Office)



PLOT PLAN
(Show House, Other Buildings, Proposed Sewage Layout, Wells, Water Lines, Roads, Streams, Lakes and Distances Between).



THIS OFFICE MUST BE NOTIFIED FOR FINAL INSPECTION BEFORE COVERING SYSTEM!

INSPECTION. SYSTEM COVERED ☐ APPROVED ☐ NOT APPROVED ☐
 Date Date Date
 SELECTED BY ☐ INSTALLED BY ☒ DATE ☐
 Name Name Name
 REMARKS ☐

REFERENCE: RULES AND REGULATIONS FOR INDIVIDUAL AND SUBSURFACE SEWAGE DISPOSAL SYSTEMS
 Idaho Department of Health, Environmental Improvement Division, August 1971

RECEIVED
APR 17 1978
RECEIVED

Field	Value
ACRES	0.5
ADDRESS1	3790 LIGHTNING RIDGE WAY
ADDRESS2	
CITY	SIMI VALLEY
COUNTY	Bonner
ID	15698526
LEGAL1	24-56N-5W RIVERSIDE TRACTS LOT 4 1973 TAMARACK 12 X 56 RP
LEGAL2	<null>
LEGAL3	<null>
LEGAL4	<null>
LEGAL5	<null>
LEGAL6	<null>
OWNER	TOHILL TRUST; TOHILL, KEVIN P & KRISTI D TRUSTEES
P_ADDRESS	122 RIVER BEND DR
P_ZIPCODE	83856
PIN	RP003830000040A
SOURCE	<null>
STATE	CA
SUB_NAME	RIVERSIDE TRACTS
UPDATED	6/17/2023
YEAR_BUILT	1987
ZIPCODE	93063