

RECEIVED

SEP 10 2024

DEPARTMENT OF
WATER RESOURCESNOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/4/2024

Water right number: 97-8334

PAMELA A JOHANSON

PO BOX 275

COOLIN ID 83821-0275

Telephone Number: (208) 443-2678

CARL M JOHANSON

PO BOX 275

COOLIN ID 83821-0275

Telephone Number: (208) 443-2678

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

9/10/24

SIGNATURE:

Pamela A. Johanson

Please print your name:

PAMELA A. JOHANSON

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800