

RECEIVED
FEB 13 2024
IDWR / NORTH

STATE OF IDAHO 88777
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT .
To appropriate the public waters of the State of Idaho
No. 98-8124

1. Applicants

Dave & Susan Crandall
377 Amber Ln
Bonners Ferry, ID 83805
208-217-1704
crands@yahoo.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER			64N	02E	3	2	/NW/NE	BOUNDARY

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
DOMESTIC	01/01 to 12/31	0.04 cfs	0.00 afa	Irrigation of Lawn & Garden up to 0.5 acre. Shop interior use. Home interior household use

6. Total quantity to be appropriated is (a) 0.04 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1
Description: Well
Drill Date :4/7/2004
Metal Tag :D0033410
Drilled By :Minden Water Wells
Drilled For :John T Day
Drilling Permit :D0033410
GeothermalWater :False

8. Description of Place Of Use:

DOMESTIC							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
65N	02E	34	SW	SE	BOUNDARY		
65N	02E	34	SE	SE	BOUNDARY		
64N	02E	3	NW	NE	BOUNDARY	2	
64N	02E	3	NE	NE	BOUNDARY	1	

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.
None

10. Land Ownership

- Who owns the land to be irrigated or place of use? Applicant
- Who owns the land at the point of diversion? Applicant

12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

Hose bibs and underground lines are in place. Water hoses and portable sprinklers will be used. Some final grading and grass seed planting will be done. This application was started from the "clone" option and I can't find a way to change the well driller's information. Please change to Universal Drilling, 9-14-2015, Tag #0069520.


13. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum is 1 year).

10000

T117778

2/13/2024

State of Idaho
Department of Water Resources
Application For Permit
98-8124



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Lat 48° 56' 04" N
Long 116° 11' 01" W

1. WELL TAG NO. D 00069520

Drilling Permit No. 877259

Water right or injection well # _____

2. OWNER: Dave Crandall

Name Dave Crandall

Address 327 Amber Lane

City Boonas Ferry State Id Zip 83805

3. WELL LOCATION:

Twp. 64 North ☒ or South ☐ Rge. 02 East ☒ or West ☐

Sec. 3 1/4 NW 1/4 NE 1/4

Gov't Lot _____ County Boundary

Lat. 48.9341 (Deg. and Decimal minutes)

Long. -116.1836 (Deg. and Decimal minutes)

Address of Well Site 327 Amber Lane

City Boonas Ferry

Lot. _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method/procedure
<u>Bentonite</u>	<u>0</u>	<u>38</u>	<u>19 Bags</u>	<u>Pour</u>

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Linear	Threaded	Welded
<u>6 5/8</u>	<u>-2</u>	<u>74</u>	<u>.25</u>	<u>Steel</u>	☐	☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 74

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☒ N Method _____

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number	Diameter (nominal)	Material	Gauge or Schedule
-----------	---------	-----------	--------	--------------------	----------	-------------------

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft)	Placement method
-----------------	-----------	---------	----------------------	------------------

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device Well cap

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 35 Static water level (ft) 28

Water temp. (°F) 75 Bottom hole temp. (°F) 45

Describe access port Well cap

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)
<u>72</u>	<u>60</u>	<u>1 Hour</u>

Test method:

Pump	Bailer	Air	Flowing artesian
☐	☐	☒	☐

Water quality test or comments: good

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
<u>10</u>	<u>0</u>	<u>38</u>	<u>Seal pipe</u>		
<u>6</u>	<u>0</u>	<u>40</u>	<u>CoBBle, silt, gravel clay</u>		<u>X</u>
<u>6</u>	<u>40</u>	<u>55</u>	<u>gravel, clay, water</u>	<u>X</u>	
<u>6</u>	<u>55</u>	<u>60</u>	<u>gravel sand water thick</u>	<u>X</u>	
<u>6</u>	<u>60</u>	<u>74</u>	<u>gravel sand water 60 gpm</u>	<u>X</u>	

RECEIVED

OCT 23 2015

IDWR / NORTH

Completed Depth (Measurable): 74

Date Started: 7-14-15

Date Completed: 9-14-15

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Universal Drilling Co. No. 650

*Principal Driller [Signature] Date 9-15-15

*Driller [Signature] Date 9-15-15

*Operator II Austin Hille Date 9-15-15

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763

Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

February 28, 2024

DAVE & SUSAN CRANDALL
377 AMBER LN
BONNERS FERRY, ID 83805

RE: Application for Permit No. 98-8124

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNERS FERRY HERALD on 3/7/2024 and 3/14/2024. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Micki Bowman
Administrative Assistant I

Bowman, Micki

From: Bowman, Micki
Sent: Wednesday, February 28, 2024 4:33 PM
To: BFHLegals@bonnersferryherald.com
Subject: Legal Notice for Bonners Ferry Herald
Attachments: Legal Notice.docx

Please publish the enclosed legal notice in the **Bonners Ferry Herald** on the dates indicated **March 7 & March 14, 2024** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **March 25, 2024**. Your cooperation is appreciated.

Micki Bowman | Administrative Assistant 1
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2807



The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-8126

RICHARDSON REVOCABLE TRUST

135 SOLOMON LAKE RD

MOYIE SPRINGS, ID 83845-6006

Point of Diversion NWNW

S32 T63N R03E

BOUNDARY County

Source SKIN CREEK

Tributary MOYIE RIVER

Point of Diversion NWNW S32 T63N R03E

BOUNDARY County

Source SKIN CREEK

Tributary MOYIE RIVER

Use: DOMESTIC

01/01 to 12/31 0.11 CFS

Use: IRRIGATION

04/15 to 10/31 0.2 CFS

Use: DIVERSION TO STORAGE

01/01 to 12/31 0.6 CFS

Use: FIRE PROTECTION STORAGE

01/01 to 12/31 5.2 AF

Use: IRRIGATION STORAGE

01/01 to 12/31 30 AF

Use: IRRIGATION FROM STORAGE

04/15 to 10/31 30 AF

Use: STOCKWATER STORAGE

01/01 to 12/31 0.3 AF

Use: STOCKWATER FROM STORAGE

01/01 to 12/31 0.3 AF

Use: DOMESTIC STORAGE

01/01 to 12/31 3.6 AF

Use: DOMESTIC FROM STORAGE

01/01 to 12/31 3.6 AF

Use: AESTHETIC

01/01 to 12/31 0.6 CFS

Use: STOCKWATER

01/01 to 12/31 0.02 CFS

Total Diversion: 0.93 CFS

Date Filed: 02-07-2024

Place Of Use: AESTHETIC, DOMESTIC, DOMESTIC FROM STORAGE, DOMESTIC STORAGE, FIRE PROTECTION

STORAGE, IRRIGATION, IRRIGATION FROM STORAGE, IRRIGATION STORAGE, STOCKWATER, STOCKWATER FROM STORAGE, STOCKWATER STORAGE

T63N R03E S32 NWNW

Total Acres: 10

98-8124

DAVE & SUSAN CRANDALL

377 AMBER LN

BONNERS FERRY, ID 83805

Point of Diversion L2(NWNE)

S3 T64N R02E

BOUNDARY County

Source GROUND WATER

Use: DOMESTIC

1 /1 to 12/31 0.04 CFS

Total Diversion: 0.04 CFS

Date Filed: 02-13-2024

Place Of Use: DOMESTIC

T64N R02E S3

L1(NENE), L2(NWNE)

Place Of Use: DOMESTIC

T65N R02E S34

SWSE, SESE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D'ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 3/25/2024. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director Published on 3/7/2024 and 3/14/2024