

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-17144

Priority: March 08, 2016

Maximum Diversion Rate: 0.11 CFS

Maximum Diversion Volume: 4.8 AF

It is hereby certified that:

KOOTENAI COUNTY FIRE & RESCUE 1590 E SELTICE WAY POST FALLS ID 83854-9531

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated March 08, 2016, and has submitted Proof of Beneficial Use on February 08, 2021. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	03/15 to 11/15	0.03 CFS	2.4 AF
INDUSTRIAL	01/01 to 12/31	0.11 CFS	2.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.4 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ SE¼, Sec. 6, Twp 50N, Rge 04W, B.M. KOOTENAI County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	6													0.8				0.8

Total Acres: 0.8

Place of Use: INDUSTRIAL

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	6													X				

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
50N	04W	6													X				

Conditions of Approval

- Domestic use is for 1 fire station. Irrigation of lawn, garden and landscaping associated with the fire station is authorized under the irrigation component of this right.
- This right when combined with all other rights shall provide no more than 0.03 cfs nor more than 2.4 afa at the field headgate for irrigation of the place of use.
- Industrial water use is for fire suppression training events.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 95-17144

4. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of the RPGWMA management plan approved by the director, including its conservation goals.
5. When notified by the Department, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works.
6. When notified by the Department, the right holder shall record the quantity of water diverted and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code, and/or the management plan for the Rathdrum Prairie Ground Water Management Area.
7. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 21st day of May, 20 24



CHACE BELL
Water Rights Supervisor

State of Idaho
Department of Water Resources
Attachment to Water Right License
95-17144

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles



State of Idaho
Department of Water Resources
Attachment to Water Right License
95-17144

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W

50N



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles



State of Idaho
Department of Water Resources
Attachment to Water Right License
95-17144

This map depicts the INDUSTRIAL place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

04W



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters

0 0.035 0.07 0.14 Miles





Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov
Governor Brad Little Director Mathew Weaver

May 22, 2024

KOOTENAI COUNTY FIRE & RESCUE
1590 E SELTICE WAY
POST FALLS ID 83854-9531

RE: License No. 95-17144

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region office at (208)762-2800.

Sincerely,

A handwritten signature in blue ink that reads "Chace Bell".

Chace Bell
Water Rights Supervisor

Enclosures

CERTIFICATE OF SERVICE

I hereby certify that on May 22, 2024, I served a true and correct copy of Water Right License No. 95-17144 by U.S. Mail, postage prepaid, to the following:

KOOTENAI COUNTY FIRE & RESCUE (Current Owner)
1590 E SELTICE WAY
POST FALLS ID 83854-9531



Micki Bowman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Bates, Luke

From: Bates, Luke
Sent: Wednesday, March 23, 2022 6:55 AM
To: 'Todd English'
Subject: RE: IDWR water permit 95-17144

Todd,

Good morning. Thank you for meeting with me yesterday to conduct a brief field exam for the water system at your site.

As we spoke, determining the annual volume for Industrial beneficial use is the one that will take additional consideration. Typically, IDWR leans on the applicant to supply data illustrating the industrial use over the course of a year, in this case I recommend the following:

- Consider training schedules, break them down to the busiest week or month time period.
- Metrics that can be used are # of trucks filled with known capacity in gallons, duration of time in minutes or hours used when open porting water from the single point fire hose attachment, # of times the 20k tanker is filled annually.

Aim/average on the high side to ensure a buffer. Once we get a sense of the weekly/monthly training events we can derive an annual volume "average".

Note: this doesn't count active fire suppression, as that is an exempt use and any/all water available can be sourced.

I will put a calendar reminder to reach out around April 22nd if I don't hear from you prior.

Thank you Sir,

Luke Bates
Water Resource Agent
Northern Region
P: 208-762-2817

Idaho Department of Water Resources
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763

From: Todd English <tenglish@kootenaifire.com>
Sent: Thursday, March 17, 2022 4:20 PM
To: Bates, Luke <Luke.Bates@idwr.idaho.gov>
Subject: FW: IDWR water permit 95-17144

Luke,

I got your voicemail message and just left you a voicemail about the 22nd. My work schedule is Monday thru Thursday 6am to 3:30pm so it would be great to schedule the exam during those times and if needed I can stay later.

It is exciting times here and there are some significant changes to our plans here at the Maintenance & Training Campus.

Bates, Luke

From: Bates, Luke
Sent: Thursday, March 24, 2022 12:09 PM
To: 'chris@unitedcrown.com'
Subject: IDWR request for information
Attachments: Kootenai Co. Fire & Rescue 2 pump 1 well doc.pdf

Good afternoon Chris,

I had the pleasure of conducting a field examination for Kootenai County Fire & Rescue at one of their training sites located at 5271 E Seltice Way.

Mr. Todd English, Logistics Manager, provided me with a copy of their well pump(s) install invoice. It shows 2ea 7.5 hp 45GPM domestic pumps and motors being installed.

I was hoping you could assist me with a performance curve for this type of system. Actually, two curves, one with a single motor operating & one for two operating simultaneously.

The well D-Tag D007335 is an 8" cased well drilled to 225 ft.

I can stop by next week sometime or we can exchange data by email, whichever is more convenient for you.

Thank you in advance for your consideration of this request. I will be off Friday – Monday, back in office on Tuesday 29th.

v/r,

Luke Bates
Water Resource Agent
Northern Region
P: 208-762-2817

Idaho Department of Water Resources
7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763