

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9674

Priority: September 18, 2017

Maximum Diversion Rate: 0.01 CFS

Maximum Diversion Volume: 0.9 AF

It is hereby certified that:

ROGER D GRIFFIN 1881 FISH CREEK RD COCOLALLA ID 83813-9750 AND/OR
AVICE MARIE GRIFFIN 1881 FISH CREEK RD COCOLALLA ID 83813-9750

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 18, 2017, and has submitted Proof of Beneficial Use on October 31, 2022. An examination confirms water is diverted from:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.01 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.01 CFS	0.6 AF

Location of Point(s) of Diversion

GROUND WATER SW¼ SE¼, Sec. 14, Twp 55N, Rge 03W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	03W	14															0.1		0.1

Total Acres: 0.1

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	03W	14															X		

Conditions of Approval

- Domestic use is for 1 home. Irrigation of lawn, garden and landscaping associated with the home is authorized under the irrigation component of this right.
- This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.3 afa at the field headgate for irrigation of the place of use.
- This right does not grant any right-of-way or easement across the land of another.

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 96-9674

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 22nd day of May, 2024.

Chace Bell
CHACE BELL
Water Rights Supervisor



State of Idaho
Department of Water Resources
Attachment to Water Right
96-9674

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03W



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



State of Idaho
Department of Water Resources
Attachment to Water Right
96-9674

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

03W



0 0.025 0.05 0.1 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion





IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763

Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

May 23, 2024

ROGER D GRIFFIN
AVICE MARIE GRIFFIN
1881 FISH CREEK RD
COCOLALLA ID 83813-9750

RE: License No. 96-9674

ISSUANCE OF LICENSE

Dear Water Right Holders:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov

If you have any questions concerning the enclosed information, please contact the Northern Region office at (208)762-2800.

Sincerely,

Chace Bell
Water Rights Supervisor

Enclosures

CERTIFICATE OF SERVICE

I hereby certify that on May 23, 2024, I served a true and correct copy of Water Right License No. 96-9674 by U.S. Mail, postage prepaid, to the following:

ROGER D GRIFFIN (Current Owner)
1881 FISH CREEK RD
COCOLALLA ID 83813-9750

AVICE MARIE GRIFFIN (Current Owner)
1881 FISH CREEK RD
COCOLALLA ID 83813-9750



Micki Bowman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

RE: IDWR water permit 96-9674 request for information



Dennis Ployhar <building4u@outlook.com>
To: Bates, Luke



Reply



Reply All



Forward



Thu 11/2/2023 6:14 PM

You replied to this message on 11/3/2023 6:33 AM.



Well pump_Grundfos 3SQF-3.JPG 162 KB

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Hi Luke,
All I have is JPG

Dennis

Mountain Haven Custom Homes
2839 N White Pines Dr
Coeur d'Alene ID 83815
208-765-3110 Ext 1

GRUNDFOS SQFLEX SUBMERSIBLE

This is the ultimate submersible pump for water lifts of up to 820 feet. They can be directly powered by solar or run on an inverter, a generator, a battery, the utility grid, or any combination of these sources. 48-300v DC and 90-240v AC can be used to run these pumps. (max draw: 8.4 amps). These pumps will operate at 230V, 50 Hz.

Eleven pump models can deliver from 4.5 GPM at 820 feet to 80 GPM at 10 feet of head with a 1.4 kilowatt solar array or less. Helical rotor pumps for high head applications will fit in a 3" or larger well and centrifugal pumps for low head applications fit in a 4" or larger well. The SQFlex has built-in protection from dry-running, overload and overheating. PLEASE request spec sheets.

The SQFlex pump can run on a solar array starting at 129 watts and 30 volts however 120 volts required for full output at any given array wattage. 2 wire + ground connections with no AC or DC polarity issues. Two year warranty.

Optional Controls

The CU200 interface box communicates with the pump and monitors operating conditions. 5 watts. Built-in diagnostics indicate faults and dry-run conditions as well as a display of operating status and power consumption. Input terminals for Reverse logic float level switch. On board on/off switch.

The IO50 is a simple control box with cable terminations and a manual on/off switch. It is a great interface between a solar array and the pump to allow turning off the high voltage array when working on the pump.

The IO101 is an interface for using AC backup or a solar array. A 120v AC automatic transfer switch disconnects the solar array when AC power from a generator, utility connection, or inverter is present. When AC power stops, it automatically reconnects the array. Has on-off switch.



[Home](#) / [Products](#) / [Water Pumps](#)

Grundfos SQ Flex Submersible Pump - 3SQF-2



Item Code: P-3SQF-2-KIT

Model #: N/A

\$2,296.00

ADD TO CART

QTY:

0

OR

ADD TO PROJECT LIST

Details

Model 3 SQF-2 is designed for flow up to 2.8 gallons per minute and lifts of up to 395 feet. Maximum power used is 420 watts. It can be directly powered by solar or wind or can be run on an inverter, a generator, a battery bank or the utility grid, or any combination of these sources. Virtually any source of power, 30-300 VDC and 90-240 VAC can be used to run the pump, and with the name Grundfos on it, you know it is built to last and is maintenance-free. The 2.9" diameter body will fit into a 3" or larger well. Helical rotor pump for the most efficient high head applications. Will not tolerate sandy water due to the tight internal tolerances of the helical rotor. The SQFlex has built-in protection from dry-running, overload and overheating.

The SQFlex pump can run on a solar array starting at 129 watts. The array must have an operating voltage over 30 volts. The array can be made with any combination of 3 or more 12 volt nominal modules in series. Higher voltages will optimize pump performance and minimize wire size needed. 24 month warranty is standard with option to extend to 5 year warranty if desired.

Optional Controls:

The CU200 interface box communicates with the pump and monitors operating conditions. Built-in diagnostics indicate faults and low water shut off, display operating status, power consumption and float switch input.

The Float Switch interfaces with the CU200 control to turn off the pump when a tank is full.

The IO50 and IO100 are simple control boxes with cable terminations and a manual on/off switch. It is a great interface between a solar array and the pump to allow you to turn off the high voltage array when working on the pump.

The IO101 is an interface for using AC backup on a solar pump. An automatic transfer switch disconnects the solar array when AC power from a generator, utility connection or inverter is present. When AC power stops, it automatically reconnects the array to let the sun continue pumping.

You can use several controls if you need more features than one control can provide.

Bates, Luke

From: Bates, Luke
Sent: Thursday, November 2, 2023 1:59 PM
To: BUILDING4U@OUTLOOK.COM
Cc: DR.AVICEMARIE@DSLEXTREME.COM
Subject: IDWR water permit 96-9674 request for information

Dennis,

Good afternoon. Thank you for speaking with me today regarding a water permit No. 96-9674 owned by Avice Marie Griffing, for a home you constructed at 1881 Fish Creek Rd, Cocolalla ID.

I met with Avice earlier this year on June 22nd to conduct the beneficial use field examination. As part of the exam, I collect water system information to assist me in pursuit of licensing the permit.

Unfortunately, I was unable to confirm the well pump motor installed in the groundwater well. Perhaps it is a VFD pump & motor for which the relay control box is not labeled like many I observe during inspections.

I would appreciate any documentation related to the pump and motor installed in the GW well D0076054. PDF docs are most helpful as I can add them to the water right file.

Thank you in advance for your assistance,

Luke Bates

Sr. Water Resource Agent

Northern Region

P: 208-762-2817



IDAHO DEPARTMENT OF
WATER RESOURCES

7600 N. Mineral Dr., Suite 100
Coeur D'Alene, ID 83815-7763