

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 94-7426

Priority: September 28, 2007

Maximum Diversion Rate: 1.23 CFS

Maximum Diversion Volume: 197.7 AF

It is hereby certified that:

GOLF LLC 701 BUNKER AVE APT 113 KELLOGG ID 83837-2243

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 28, 2007, and has submitted Proof of Beneficial Use on August 09, 2022. An examination confirms water is diverted from:

Source : GOVERNMENT CREEK

Tributary: SOUTH FORK COEUR D
ALENE RIVER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION STORAGE	01/01 to 12/31		188.4 AF
IRRIGATION FROM STORAGE	04/01 to 10/31		188.4 AF
AESTHETIC STORAGE	01/01 to 12/31		9.3 AF
DIVERSION TO STORAGE	01/01 to 12/31	1.23 CFS	

Location of Point(s) of Diversion

GOVERNMENT CREEK NW¼ NW¼, Sec. 11, Twp 48N, Rge 02E, B.M. SHOSHONE County

Place of Use: IRRIGATION STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2												X			X		

Place of Use: IRRIGATION FROM STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2			16.0	13.0								0.4	4.0	11.4	13.6	4.4	62.8

Total Acres: 62.8

Place of Use: AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2												X			X		

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. Right 94-7426 authorizes the storage of an annual total of 197.7 acre-feet, comprised of 7.2 acre-feet to be used for the initial filling or carryover storage of the pond, 2.1 acre-feet for the

State of Idaho
Department of Water Resources
Water Right License
Water Right No. 94-7426

replacement of losses due to seepage and evaporation, and up to 188.4 acre-feet for additional refills for irrigation from storage use.

3. The pond established by the storage of water under this right shall not exceed a total capacity of 7.2 acre-feet or a total surface area of 0.9 acres.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Water shall not be diverted under this right when flows in the Coeur d'Alene River are below minimum flow amounts as defined by Right 94-7341. The right holder shall be responsible for monitoring the daily flow of the Coeur d'Alene River using real-time data and shall cease diverting water when flows in the Coeur d'Alene River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Cataldo gauging station, No.12413500 may be used for purposes of determining the daily flow amounts.
6. This right does not grant any right-of-way or easement across the land of another.

This license is issued pursuant to the provisions of Idaho Code § 42-219. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed this 23rd day of May, 2024.



CHACE BELL
Water Rights Supervisor

State of Idaho
Department of Water Resources
Attachment to Water Right
94-7426

This map depicts the IRRIGATION STORAGE & AESTHETIC STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E




0 0.05 0.1 0.2 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



State of Idaho
Department of Water Resources
Attachment to Water Right
94-7426

This map depicts the IRRIGATION FROM STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



0 0.15 0.3 0.6 Miles

-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion



State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 94-7426

RECEIVED

NOV 08 2022

IDWR/NORTH

Priority: September 28, 2007

Maximum Diversion Rate: 2.46 CFS

Maximum Diversion Volume: 197.7 AF

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 94-7426

GOLF LLC 701 BUNKER AVE APT 113 KELLOGG ID 83837-2243

requests the permit be changed as follows:

Source: GOVERNMENT CREEK

Tributary: SOUTH FORK COEUR D
ALENE RIVER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION STORAGE	01/01 to 12/31		188.4 AF
IRRIGATION FROM STORAGE	03/15 to 11/01		188.4 AF
AESTHETIC STORAGE	01/01 to 12/31		9.7 AF
DIVERSION TO STORAGE	01/01 to 12/31	2.46 CFS	

Location of Point(s) of Diversion

GOVERNMENT CREEK NW¼ NW¼, Sec. 11, Twp 48N, Rge 02E, B.M. SHOSHONE County

Place of Use: IRRIGATION STORAGE and AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2												X			X		

Place of Use: IRRIGATION FROM STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2			16.0	13.0								0.4	4.0	11.4	13.6	4.4	62.8

Total Acres: 62.8

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 3 day of November, 2022.

(Signature)

Please sign + date
here →

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 94-7426

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by JA # NO41814 Date 11-8-22

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 94-7426 with the following:

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. Right 94-7426 authorizes the storage of an annual total of 197.7 acre-feet, comprised of 7.2 acre-feet to be used for the initial filling or carryover storage of the pond, 2.1 acre-feet for the replacement of losses due to seepage and evaporation, and up to 188.4 acre-feet for additional refills for irrigation from storage use.
3. The pond established by the storage of water under this right shall not exceed a total capacity of 7.2 acre-feet or a total surface area of 0.9 acres.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Water shall not be diverted under this right when flows in the Coeur d'Alene River are below minimum flow amounts as defined by Right 94-7341. The right holder shall be responsible for monitoring the daily flow of the Coeur d'Alene River using real-time data and shall cease diverting water when flows in the Coeur d'Alene River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Cataldo gauging station, No.12413500 may be used for purposes of determining the daily flow amounts.
6. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 23rd day of May, 2024.



CHACE BELL
Water Rights Supervisor

State of Idaho
Department of Water Resources

02E



-
- A horizontal number line representing distance in miles. It starts at 0 on the left and ends at 0.2 Miles on the right. There are major tick marks at 0, 0.05, 0.1, and 0.2 Miles. Between each major tick mark, there are four smaller tick marks, dividing each 0.05-mile segment into five 0.01-mile segments. This results in a total of 20 equal segments between 0 and 0.2 miles.



State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

94-7426

This map depicts the AESTHETIC STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion


0 0.05 0.1 0.2 Miles



State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit 94-7426

This map depicts the IRRIGATION FROM STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.15 0.3 0.6 Miles





IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

May 23, 2024

GOLF LLC
701 BUNKER AVE APT 113
KELLOGG ID 83837-2243

RE: License No. 94-7426

ISSUANCE OF LICENSE

Dear Water Right Holder:

The Department of Water Resources ("Department") has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review all the conditions of approval listed on your license. The conditions may include ongoing requirements, such as maintenance of a measuring device or implementation of mitigation, as well as information about how your water use may be administered, such as regulation by a watermaster in a water district.

The license is a PRELIMINARY ORDER issued by the Department pursuant to Rule 730 of the Department's Rules of Procedure (IDAPA 37.01.01.730). It can and will become a final order without further action by the Department unless a party petitions for reconsideration, files exceptions, or requests a hearing as described in the enclosed information sheet.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Water right forms are available from any office of the Department or on the Department's website at idwr.idaho.gov.

If you have any questions concerning the enclosed information, please contact the Northern Region office at (208)762-2800.

Sincerely,

Chace Bell
Water Rights Supervisor

Enclosures

CERTIFICATE OF SERVICE

I hereby certify that on May 23, 2024, I served a true and correct copy of Water Right License No. 94-7426 by U.S. Mail, postage prepaid, to the following:

GOLF LLC (Current Owner)
701 BUNKER AVE APT 113
KELLOGG ID 83837-2243

A handwritten signature in blue ink that reads "Micki Bowman". The signature is written in a cursive style and is positioned above a horizontal line.

Micki Bowman
Administrative Assistant 1

EXPLANATORY INFORMATION TO ACCOMPANY A PRELIMINARY ORDER

(To be used in connection with actions when a hearing was **not** held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. **It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:**

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. **Note: the petition must be received by the department within this fourteen (14) day period.** The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after: (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its service date if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) The petition for reconsideration is disposed of; or
- (b) The petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

October 30, 2023

GOLF LLC
701 BUNKER AVE APT 113
KELLOGG, ID 83837-2243

RE: Duplicate submission of Application for Amendment for Permit No. 94-7426

Dear Applicants:

We received a duplicate submission of Application for Amendment from you on October 27, 2023 for the above referenced permit. We received your first submission of Application for Amendment on November 11, 2022. We will process a refund for the check you provided in your duplicate submission.

Sincerely,

Taya Sharp
Administrative Assistant

RECEIVED

OCT 27 2023

IDWR / NORTH

State of Idaho
Department of Water Resources
Application for Amendment

(For Licensing Purposes)

Water Right No. 94-7426

Priority: September 28, 2007

Maximum Diversion Rate: 2.46 CFS

Maximum Diversion Volume: 197.7 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 94-7426

GOLF LLC 701 BUNKER AVE APT 113 KELLOGG ID 83837-2243

requests the permit be changed as follows:

Source: GOVERNMENT CREEK

Tributary: SOUTH FORK COEUR D
ALENE RIVER**Beneficial Use****Period of Use****Rate of Diversion****Annual Volume**

IRRIGATION STORAGE	01/01 to 12/31		188.4 AF
IRRIGATION FROM STORAGE	03/15 to 11/01		188.4 AF
AESTHETIC STORAGE	01/01 to 12/31		9.7 AF
DIVERSION TO STORAGE	01/01 to 12/31	2.46 CFS	

Location of Point(s) of Diversion

GOVERNMENT CREEK NW¼ NW¼, Sec. 11, Twp 48N, Rge 02E, B.M. SHOSHONE County

Place of Use: IRRIGATION STORAGE and AESTHETIC STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2												X			X		

Place of Use: IRRIGATION FROM STORAGE

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
48N	02E	2			16.0	13.0								0.4	4.0	11.4	13.6	4.4	62.8

Total Acres: 62.8

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 25th day of October, 2023.


(Signature)

State of Idaho
Department of Water Resources

Application for Amendment

(For Licensing Purposes)
Water Right No. 94-7426

\$100.00 amendment fee
Required

Payable to "IDWR"

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by _____ # _____ Date _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 94-7426 with the following:

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 3.0 afa per acre at the field headgate for irrigation of the place of use.
2. Right 94-7426 authorizes the storage of an annual total of 197.7 acre-feet, comprised of 7.2 acre-feet to be used for the initial filling or carryover storage of the pond, 2.1 acre-feet for the replacement of losses due to seepage and evaporation, and up to 188.4 acre-feet for additional refills for irrigation from storage use.
3. The pond established by the storage of water under this right shall not exceed a total capacity of 7.2 acre-feet or a total surface area of 0.9 acres.
4. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
5. Water shall not be diverted under this right when flows in the Coeur d'Alene River are below minimum flow amounts as defined by Right 94-7341. The right holder shall be responsible for monitoring the daily flow of the Coeur d'Alene River using real-time data and shall cease diverting water when flows in the Coeur d'Alene River are below established minimum flow amounts. Unless otherwise specified by the Director of the Department of Water Resources, data from the U.S. Geological Survey Cataldo gauging station, No.12413500 may be used for purposes of determining the daily flow amounts.
6. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this _____ day of _____, 20_____.

ADAM FREDERICK
Water Rights Supervisor

State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

94-7426

This map depicts the IRRIGATION STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.05 0.1 0.2 Miles



State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

94-7426

This map depicts the AESTHETIC STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.

02E



-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Quarter Quarters
-  Point of Diversion

0 0.05 0.1 0.2 Miles




State of Idaho
Department of Water Resources

Attachment for Application to Amend a Permit

94-7426

This map depicts the IRRIGATION FROM STORAGE place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters
- Point of Diversion

0 0.15 0.3 0.6 Miles



Total Storage Calculations

FILE NUMBER	94-7426
REVIEWER	LUKE BATES
DATE	9/19/2022

This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond.

User Input
Calculated value
Formula Explanations

Surface Area (AC.)	0.9	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	7.2	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.

Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	188.4	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a <i>from storage</i> component if the <i>from storage</i> component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a " <u>From Storage</u> " component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	1.0	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	1.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	197.7	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Gary Spackman

September 20, 2022

GOLF LLC
701 BUNKER AVE APT 113
KELLOGG ID 83837-2243

RE: Water Right Permit No. 94-7426

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

X Point(s) of Diversion – Permit approved two (2) PODs in the **SE¹/₄SW¹/₄ & NW¹/₄NE¹/₄, Sec. 2, Twp 48N, Rge 02E, B.M.** and a single POD was developed; GPS located in the **NW¹/₄NW¹/₄, Sec. 11, Twp 48N, Rge 02E, B.M.**

X Place(s) of Use – Permit approved two (2) storage pond POUs. The southern irrigation storage and aesthetic storage pond was approved in either the **SW¹/₄NE¹/₄ or SE¹/₄SW¹/₄, Sec. 2, Twp 48N, Rge 02E, B.M.**; the southern pond has been developed & located in the **SE¹/₄SW¹/₄ & SW¹/₄SE¹/₄, Sec. 2, Twp 48N, Rge 02E, B.M.**

- The northern pond has not been recommended for licensing purposes; at time of exam, the northern pond serves as a storm drain retention pond and does not receive water from the permit approved water source – Government Creek. As such, no beneficial use of water associated with this permit can be recommended for licensing.


- The approved permit authorized development of Irrigation as a direct flow beneficial use; at time of field exam all water from Government Creek was diverted to storage & irrigation from storage is the only beneficial use component for irrigating within the POU. As such, irrigation has been removed from the permit during licensing review.
- Volume associated with Irrigation Storage & Irrigation from Storage equals 62.8 acres x 3.0 acre-feet per acre = 188.4 acre-feet.

____ Other

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, **please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.**

If you have any questions, please call me at (208) 762-2817.

Sincerely,



Luke Bates
Sr Water Resource Agent
Idaho Department of Water Resources

Enclosure(s): Application for Amendment w/Maps
Copy Permit w/Maps

Electronic cc: Geoff Haynes – GeoffH@Silvermt.com
Jeff Colburn – JeffC@Silvermt.com