

RECEIVED

Print Single Sided Only

FORM 202 Rev. 09/16

STATE OF IDAHO

Ident. No. 11-9939

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

Department of Water Resources
Eastern Region

To appropriate the public waters of the State of Idaho

1. Name of applicant(s) Karen G Snyder Phone (208) 681-8910

Name connector (check one): ☐ and ☐ or ☐ and/or

Mailing address 2149 S Fairway City Pocatello

State ID ZIP 83201 Email happykaren1050@yahoo.com

2. Name of representative, if any Phone

Mailing address City

State ZIP Email

a. ☐ Send all correspondence for this application to the representative and not to the applicant OR

☐ Send original correspondence to the applicant and copies to the representative.

b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR

☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.

3. Source of water supply Spring which is a tributary of Sinks

4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
13S	43E	4		NE	SE	SE	Bear Lake	Spring	
					NE				

5. Water will be used for the following purposes:

Amount .02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per year)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per year)

6. Total quantity to be appropriated is (a) .02 cubic feet per second (cfs) and/or (b) acre-feet per year (af).

7. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source. Dug into the sinkhole and put in perforated pipe, capped it off and brought it through a one inch line into a water tub that the stock drink from.

b. Height of storage dam feet; active reservoir capacity acre-feet; total reservoir capacity acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☐ No

c. Proposed well diameter is inches; proposed depth of well is feet.

d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☐ No

e. If well is already drilled, when? ; drilling firm ; well was drilled for (well owner) ; Drilling Permit No. .

For Department Use

Received by Date Time Preliminary check by

Fee \$ 100.00 Receipted by m. pottier Receipt No. 4049750 Date 1-23-24

11-9939

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in kW. _____
- Stockwatering; list number and kind of livestock. 150 pair of cattle, 300 total
- Municipal; must complete and attach the [Municipal Water Right Application Checklist](#).
- Domestic; show number of households _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13S	43E	4													S				

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? N/A

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Describe your proposal in narrative form and provide additional explanation for any of the items above. Attach additional pages if necessary. See description of diversion works. Natural spring was developed to better capture the water and divert it into a stock trough to keep the animals out of the spring area.

13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).

14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.


Karen Snyder
Signature of Applicant

Karen Snyder
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)

Application for Permit



Point of Diversion: ●

Place of Use: —

(Location of POD & POU according to email)

0 87.5 175 350 525 700 Feet

11-9939



Stosich, Scott

From: Stosich, Scott
Sent: Thursday, February 8, 2024 9:36 AM
To: happykaren1050
Subject: RE: Point of Diversion for Stockwater

Thanks Karen. I will make that change and update the application.



IDAHO DEPARTMENT OF
WATER RESOURCES

Scott Stosich | Water Rights Agent, Sr.

Idaho Department of Water Resources

900 N Skyline Drive Suite A. Idaho Falls, ID 83402

(208) 497-3792 | scott.stosich@idwr.idaho.gov

From: happykaren1050 <happykaren1050@yahoo.com>
Sent: Thursday, February 8, 2024 9:33 AM
To: Stosich, Scott <Scott.Stosich@idwr.idaho.gov>
Subject: RE: Point of Diversion for Stockwater

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments **BEFORE** you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Scott, where the red dot is on this photo is not where the sink hole and water come out. on the original application where the red circle is, is the point where water comes out. Thank you for clarifying. Karen Snyder

Sent from my Verizon, Samsung Galaxy smartphone

----- Original message -----

From: "Stosich, Scott" <Scott.Stosich@idwr.idaho.gov>
Date: 2/8/24 9:10 AM (GMT-07:00)
To: happykaren1050@yahoo.com
Subject: Point of Diversion for Stockwater

Karen,

I have indicated the location of the point of diversion for the spring on the image below with a RED DOT. If that looks accurate, just reply to this email confirming that and I will update the clerical legal description. Thanks!



Eastern Region • 900 N Skyline Drive, Suite A • Idaho Falls, ID 83402-1718

Phone: 208-525-7161 • Fax: 208-525-7177 • Email: easterninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

February 14, 2024

KAREN G SNYDER
2149 S FAIRWAY DR
POCATELLO, ID 83201-2366

RE: Application for Permit No. 11-9939

Dear Applicant:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the THE NEWS EXAMINER on 2/21/2024 and 2/28/2024. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in blue ink, appearing to read "CH", is written over a horizontal line.

Christina Henman
Administrative Assistant

Henman, Christina

From: Henman, Christina
Sent: Wednesday, February 14, 2024 4:15 PM
To: ne_legals@news-examiner.net
Subject: Legal Notice for News Examiner
Attachments: 11-9939 News Examiner.docx

LEGAL NOTICE DEPARTMENT
THE NEWS EXAMINER
PO BOX 278
MONTPELIER, ID 83254-0278

RE: Application for Permit No. 11-9939

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 3/11/2024. Your cooperation is appreciated.

Thank You,



Christina Henman
Administrative Assistant
IDWR, Eastern Region
900 N Skyline Ste. A
Idaho Falls, ID 83402
Phone: (208) 525-7161

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

11-9939

KAREN G SNYDER, 2149 S FAIRWAY DR, POCA TELLO, ID 83201-2366

Point of Diversion NENESE S4 T13S R43E BEAR LAKE County

Source SPRING Tributary SINKS

Use: STOCKWATER

01/01 to 12/31

0.02 CFS

Total Diversion:

0.02 CFS

Date Filed: 01-23-2024

Place Of Use: STOCKWATER

T13S R43E S4

NESE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Eastern office at (208)525-7161; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>.

Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Eastern Region, 900 N SKYLINE DR STE A, IDAHO FALLS ID 83402-1718 together with a protest fee of \$25.00 for each application on or before 3/11/2024. The protestant must also send a copy of the protest to the applicant.

MATHEW WEAVER, Director

Published on 2/21/2024 and 2/28/2024