

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE BEAR RIVER BASIN WATER SYSTEM

RECEIVED

FEB 05 2024

IDWR/Preston

NOTICE OF CLAIM TO A WATER RIGHT

ACQUIRED UNDER STATE LAW

CIVIL CASE NUMBER: 79576

Claim ID: 11-2141

Date Received: 2/5/24

Receipt No: P000737

Claim Fee: 786.00 By: mb

Please type or print clearly

1. Name of claimant(s) P4 Production, L.L.C. Phone (208) 547-1239
Mailing address PO Box 816 Soda Springs Idaho Zip 83276
Street or Box City State
Email address (optional) jason.maughan@bayer.com
2. Date of priority: (Only one per claim) September 27, 1965 (Explain priority date selected in Remarks)
Month/Day/Year (YYYY)
3. Source of water supply (Check one) Ground Water (✓) or Other () (a) _____
which is tributary to (b) _____
4. a. Location of point of diversion is: Township 8S, Range 41E, Section 25,
SW 1/4 of NE 1/4, Govt. Lot _____, BM, County of Caribou
Parcel no. 08S41E246601 and 08S41E253600
Additional points of diversion, if any: SWNW of Section 25, T8S, R41E
If available, GPS Coordinates _____
- b. If instream flow, beginning point of claimed instream flow is:
Township _____, Range _____, Section _____, _____ 1/4 of _____ 1/4,
Govt. Lot _____, BM, County of _____
Ending point is: Township _____, Range _____, Section _____, _____ 1/4 of _____ 1/4,
Govt. Lot _____, BM, County of _____
5. Description of existing diversion works (dams, reservoirs, ditches, wells, pumps, pipelines, headgates, etc.),
including the dates of any changes or enlargements in use, the dimensions of the diversion works as
constructed and as enlarged and the depth of each well.
Three groundwater wells with electric pumps and motors. See attached well driller's reports.

6. Water is claimed for the following purposes:

(dates are inclusive MM-DD) (cfs) (acre-feet)

For Industrial purposes from 04/01 to 12/01 amount 3.68 or 1778.00

For Mining purposes from 04/01 to 12/01 amount 3.68 or 1778.00

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 3.68 (cfs) and/or (b) 1778.00 (acre-feet)

8. Non-irrigation uses; describe fully (e.g., Domestic: Give number of households served; Stockwater: Type and number of livestock, etc.) Industrial and Mining

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
8S	41E	25						I&M	I&M			I&M							N/A
		26	I&M			I&M									I&M				N/A

Parcel no(s). 08S41E253600 Total number of acres irrigated N/A

10. In which county(ies) are lands listed above as place of use located? Caribou

11. Do you own the property listed above as place of use? Yes (☒) No (☐)
If your answer is No, describe in Remarks below the authority you have to claim this water right.

12. Describe any other water rights used at the same place and for the same purposes as described above.
_____ or None (☒)

13. Remarks (Include an explanation of the priority date selected):

This claim is based on licensed issued 5/1/1973.

~~List of Attachments to Claim Form:~~

1. IDWR Water Right Report of 11-2144
2. IDWR Map of 11-2144
- ~~3. Map depicting the current point of diversion and place of use~~
4. Well Driller Reports IDs: 448972, 268071, and 388798

Name of claimant(s) P4 Production, L.L.C. Claim ID _____

14. Basis of claim (Check one) Beneficial Use () Posted Notice (✓) License () Permit () Decree ()

Court _____ Decree Date _____ Plaintiff v. Defendant _____

If applicable provide IDWR Water Right Number 11-2144

15. Signature(s)

- (a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notices in the Bear River Basin Water System Adjudication."
(b.) I/We do () do not (✓) wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 4

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant (s) _____ Date: _____

_____ Date: _____

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am, and that I have signed the foregoing document in the space below as the

President of P4 Production, L.L.C.
Agent's title (Please print) Name of organization (Please print)

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent  Date 1/31/24

Printed Name of Authorized Agent Vikranth Michael

16. Notice of Appearance:

Notice is hereby given that I, (please print) Thomas J. Budge, Attorney, will be acting as attorney at law on behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature  Date 1/31/2024

Address PO Box 1391, Pocatello, Idaho 83204-1391, tj@racineolson.com

Name of claimant(s) P4 Production, L.L.C. Claim ID _____

Close

Water Right Report : 11-2144(License/Active)

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Current Owner	MONSANTO CO	C/O MINE SUPERINTENDENT PO BOX 816	SODA SPRINGS	ID	83276

Water Right Status

Priority Date : 6/11/1966
 Basis : License
 Status : Active

Water Source

Source	Source Qualifier	Tributary	Tributary Qualifier
GROUND WATER			

Points Of Diversion (Location)

Source	Township	Range	Section	Govt. Lot	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	08S	41E	25	0		SE	NW	CARIBOU	
GROUND WATER	08S	41E	25	0		SE	NW	CARIBOU	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
INDUSTRIAL	4 /01	12/01	3.68 CFS	1778.00 AFA
MINING	4 /01	12/01	3.68 CFS	1778.00 AFA
TOTAL			3.68 CFS	1778.00 CFS

Places of Use

Printable View

Paged View

Place of Use Legal Description : INDUSTRIAL (CARIBOU county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
08S	42E	25			SW	NW	
08S	42E	25			SE	NW	

Place of Use Legal Description : MINING (CARIBOU county)

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
08S	42E	25			SW	NW	
08S	42E	25			SE	NW	

Conditions

Code Conditions

- The ground water well located in the NESENW of Section 25, T08S, R41E, commonly known as the Quarry Well, is limited to an average annual diversion rate of 2.00 cfs.
- 212 Prior to diversion and use of water under Transfer Approval 79037, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion, in accordance with Department specifications.
- 106 Prior to the diversion and use of water under this approval, the right holder shall comply with applicable water quality monitoring and/or permitting requirements administered by the Department of Environmental Quality or the Department of Agriculture.
- T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
- T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.

Licensed Date : 5/1/1973

Decreed Date :

Permit Proof Due Date :

Permit Proof Made Date :

Permit Approved Date :

Permit Moratorium Expiration Date :

Enlargement Use Priority Date :

Enlargement Statute Priority Date :

Application Received Date:

Protest Deadline Date:

State or Federal :

Water District Number : TBD

Generic Max Rate Per Acre : 0

Generic Max Volume Per Acre : 0

Civil Case Number :

Decree Plaintiff :

Decree Defendant :

Swan Falls Trust or Nontrust :

Swan Falls Dismissed :

DLE Act Number :

Cary Act Number :

Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES

6/28/2023

State of Idaho
Department of Water Resources

Water Right

11-2144

INDUSTRIAL

The map depicts the place of use for the water use listed above and point(s) of diversion of this right as currently derived from interpretations of the paper records and is used solely for illustrative purposes. Discrepancies between the computer representation and the permanent document file will be resolved in favor of the actual water right documents in the water right file.



Date created: 6/28/2023



Legend

- Point of Diversion
- Place of Use Boundary
- Townships
- PLS Sections
- Quarter Quarters




P4 Production, L.L.C.

MINING

P4 Production, L.L.C.

P4 Production LLC WR 11-2144 POU & POD




Legend

-  11-2144 POD
-  11-2144 POU
-  PlsTownshipAndRange
-  Townships
-  PLS Sections
-  Quarter Quarters

Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, BLM, IDL, IDWR

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>MONSANTO CO.</u> Address <u>Box 816, Soda Springs, Id. 83276</u> Owner's Permit No. <u>11-2144</u>	7. WATER LEVEL Static water level <u>35</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>50</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below.																																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☒ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>400</u></td><td><u>180</u></td><td><u>4</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>400</u>	<u>180</u>	<u>4</u>																																																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																							
<u>400</u>	<u>180</u>	<u>4</u>																																																																																																							
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☒ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG 072590 <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10"</td><td>0</td><td>5</td><td>overburden</td><td></td><td>X</td></tr><tr><td rowspan="4">{</td><td>5</td><td>16</td><td>Clay</td><td></td><td></td></tr><tr><td>16</td><td>18</td><td>Cinders</td><td></td><td></td></tr><tr><td>18</td><td>19</td><td>Clay</td><td></td><td></td></tr><tr><td>19</td><td>26</td><td>Cinders</td><td></td><td></td></tr><tr><td>15"</td><td>26</td><td>85</td><td>Hard lava</td><td></td><td></td></tr><tr><td rowspan="2">{</td><td>65</td><td>85</td><td>Clay + Cinders 200GPM</td><td>X</td><td></td></tr><tr><td>85</td><td>95</td><td>Hard lava</td><td></td><td>X</td></tr><tr><td rowspan="2">{</td><td>95</td><td>99</td><td>Broken Cinders 100GPM</td><td>X</td><td></td></tr><tr><td>99</td><td>131</td><td>Hard lava</td><td></td><td>X</td></tr><tr><td rowspan="2">{</td><td>131</td><td>134</td><td>Med. "</td><td></td><td>X</td></tr><tr><td>134</td><td>137</td><td>Hard "</td><td></td><td>X</td></tr><tr><td rowspan="2">{</td><td>137</td><td>142</td><td>Cinders</td><td></td><td>X</td></tr><tr><td>142</td><td>167</td><td>Med. lava</td><td></td><td>X</td></tr><tr><td rowspan="2">{</td><td>167</td><td>187</td><td>Hard "</td><td></td><td>X</td></tr><tr><td>187</td><td>195</td><td>Broken "</td><td>X</td><td></td></tr><tr><td>7 1/2"</td><td>195</td><td>210</td><td>Hard "</td><td></td><td>X</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10"	0	5	overburden		X	{	5	16	Clay			16	18	Cinders			18	19	Clay			19	26	Cinders			15"	26	85	Hard lava			{	65	85	Clay + Cinders 200GPM	X		85	95	Hard lava		X	{	95	99	Broken Cinders 100GPM	X		99	131	Hard lava		X	{	131	134	Med. "		X	134	137	Hard "		X	{	137	142	Cinders		X	142	167	Med. lava		X	{	167	187	Hard "		X	187	195	Broken "	X		7 1/2"	195	210	Hard "		X
Bore Diam.	Depth		Material	Water																																																																																																					
	From	To		Yes	No																																																																																																				
10"	0	5	overburden		X																																																																																																				
{	5	16	Clay																																																																																																						
	16	18	Cinders																																																																																																						
	18	19	Clay																																																																																																						
	19	26	Cinders																																																																																																						
15"	26	85	Hard lava																																																																																																						
{	65	85	Clay + Cinders 200GPM	X																																																																																																					
	85	95	Hard lava		X																																																																																																				
{	95	99	Broken Cinders 100GPM	X																																																																																																					
	99	131	Hard lava		X																																																																																																				
{	131	134	Med. "		X																																																																																																				
	134	137	Hard "		X																																																																																																				
{	137	142	Cinders		X																																																																																																				
	142	167	Med. lava		X																																																																																																				
{	167	187	Hard "		X																																																																																																				
	187	195	Broken "	X																																																																																																					
7 1/2"	195	210	Hard "		X																																																																																																				
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5-15-89</u> finished <u>5-31-89</u>																																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.250</u> inches</td><td><u>16</u> inches</td><td><u>1</u> feet</td><td><u>27</u> feet</td></tr><tr><td><u>.250</u> inches</td><td><u>10</u> inches</td><td><u>1</u> feet</td><td><u>195</u> feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>3/16</u> inches by <u>12</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>40</u> perforations</td><td><u>60</u> feet</td><td><u>100</u> feet</td></tr><tr><td><u>20</u> perforations</td><td><u>120</u> feet</td><td><u>140</u> feet</td></tr><tr><td><u>40</u> perforations</td><td><u>160</u> feet</td><td><u>195</u> feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>27</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>PLUG IN CAP</u>	Thickness	Diameter	From	To	<u>.250</u> inches	<u>16</u> inches	<u>1</u> feet	<u>27</u> feet	<u>.250</u> inches	<u>10</u> inches	<u>1</u> feet	<u>195</u> feet									Number	From	To	<u>40</u> perforations	<u>60</u> feet	<u>100</u> feet	<u>20</u> perforations	<u>120</u> feet	<u>140</u> feet	<u>40</u> perforations	<u>160</u> feet	<u>195</u> feet	11. DRILLERS CERTIFICATION DL I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Nelson Drilling</u> Firm No. <u>215</u> Address <u>Soda Springs</u> Date <u>6-29-89</u> Signed by (Firm Official) <u>Ray Nelson</u> and (Operator) <u>Ray Nelson</u>																																																																								
Thickness	Diameter	From	To																																																																																																						
<u>.250</u> inches	<u>16</u> inches	<u>1</u> feet	<u>27</u> feet																																																																																																						
<u>.250</u> inches	<u>10</u> inches	<u>1</u> feet	<u>195</u> feet																																																																																																						
Number	From	To																																																																																																							
<u>40</u> perforations	<u>60</u> feet	<u>100</u> feet																																																																																																							
<u>20</u> perforations	<u>120</u> feet	<u>140</u> feet																																																																																																							
<u>40</u> perforations	<u>160</u> feet	<u>195</u> feet																																																																																																							
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location  County <u>CARIBOU</u> <u>SE 1/4 NW 1/4 Sec. 25, T. 8, R. 41 E.</u> Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u>	12. DEPARTMENT OF WATER RESOURCES RECEIVED JUL 12 1989 JUL 19 1989 Department of Water Resources Eastern District Office																																																																																																								

REPORT OF WELL DRILLER
State of Idaho

RECEIVED
SEP 29 1966

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: Well #2
Name Wells Cargo, Inc.
Address Box 757, Soda Springs, Idaho

Owner's Permit No. 2008
NATURE OF WORK (check): Replacement well ☒
New well ☐ Deepened ☐ Abandoned ☐
Water is to be used for: Industrial
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other ☐ (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒
20 "Diam. from 0 ft. to 28 ft.
16 "Diam. from 0 ft. to 69 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: 5/16 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☒ No ☐ Type of
perforator used: Torch Cut

Size of perforations: 3/16 " by 3 "
720 perforations from 10 ft. to 69 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒


Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☐ No ☒ To what depth?
ft. Material used in seal:

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☐ No ☐
Cemented in place? Yes ☐ No ☐

Locate well in section



LOCATION OF WELL: County Carleton
SE 1/4 N 1/4 Sec 20 T. 2 S R. 4 E

Use other side for additional remarks

Size of drilled hole: 20 Total
depth of well: 69 Standing water
level below ground: 12 Temp.
Fahr. ° Test delivery: 800 gpm
or cfs Pump? ☒ Bail ☐
Size of pump and motor used to make test:
8" Column

Length of time of test: Hrs. 22 Min.
Drawdown: 35 ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☐

DEPTH MATERIAL 42180 WATER
FROM TO YES OR NO
FEET FEET
0 15 Brown Clay No
15 25 Broken Lava No
25 55 Hard Lava Yes
55 69 Broken Lava Yes
61 69 Hard Lava

Work started: August 9, 1966
Work finished: August 17, 1966
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: J. S. Lee & Sons
Address: 4091 South State Street
Signed by: Robert E. Lee
License No. 292 Date: Sept. 26, 1966

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0074155

Drilling Permit No. 883631
Water right or injection well # _____

2. OWNER:

Name SID CELLAN
Address PO BOX 157
City SODA SPRINGS State ID Zip 83276

3. WELL LOCATION:

Twp. 08 North ☐ or South ☒ Rge. 41 East ☒ or West ☐
Sec. 25 1/4 SE 1/4 NW 1/4

Gov't Lot _____ County CARIBOU
Lat. 42 ° 42.166 (Deg. and Decimal minutes)
Long. 111 ° 37.016 (Deg. and Decimal minutes)
Address of Well Site QUARTZITE QUARRY SUPPLY WELL
City SODA SPRINGS, ID

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☒ Other INDUSTRIAL

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method/procedure
Bentonite	0	40	2050lbs	Poured

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing	Liner	Threaded	Welded
6	+2	102	.250	steel	☒	☐	☐	☒

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s) _____

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method AIR PERFORATOR 80-100'

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
-----------	---------	-----------	-----------	--------------------	----------	-------------------

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☐ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft³)	Placement method
-----------------	-----------	---------	-----------------------	------------------

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 40 Static water level (ft) 40

Water temp. (°F) _____ Bottom hole temp. (°F) _____

Describe access port _____

Well test:

Drawdown (feet)	Discharge or yield (gpm)	Test duration (minutes)	Pump	Bailer	Air	Flowing artesian
50			☐	☐	☒	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
10	0	10	Clay		X
10	10	40	Basalt	X	X
6	40	43	Cinders	X	
6	43	50	Basalt		X
6	50	58	Basalt	X	
6	58	73	Cinders		X
6	73	90	Basalt	X	
6	90	102	Basalt	X	X

RECEIVED

MAR 05 2018

Department of Water Resources
Eastern Region

Completed Depth (Measurable): 102

Date Started: 10/18/2017

Date Completed: 10/19/2017

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name THOMAS DRILLING, INC Co. No. 390

*Principal Driller [Signature] Date 3-2-18

*Driller [Signature] Date 3-2-18

*Operator II _____ Date _____

Operator I Jacob Allred Date 3-2-18

* Signature of Principal Driller and rig operator are required.



February 1, 2024

Idaho Department of Water Resources
325 East 600 South, Ste 300
Preston, Idaho 83263-4921
marion.beck@idwr.idaho.gov

RECEIVED

FEB 05 2024

IDWR/Preston

**Re: P4 Production, L.L.C.
Notices of Claims to Water Rights
Bear River Basin Adjudication**

To whom it may concern:

Enclosed for filing please find the originals of twelve Notices of Claims to Water Rights on behalf of P4 Production, L.L.C., together with a check in the amount of \$2,453.00 for the filing fees, broken down as follows:

Claim 1 (11-448): \$50 flat fee + (\$1.00 per acre x 51 acres) = \$101
Claim 2 (11-457 & 11-471): \$50 flat fee + (no variable fee, claiming same POU acres) = \$50
Claim 3 (11-499): \$50 flat fee + (no variable fee, claiming same POU acres) = \$50
Claim 4 (11-2106): \$50 flat fee + (no variable fee, claiming same POU acres) = \$50
Claim 5 (11-531D): \$50 flat fee + (\$1.00 per acre x 48 acres) = \$98
Claim 6 (11-531C): \$50 flat fee + (\$1.00 per acre x 101 acres) = \$151
Claim 7 (11-449): \$50 flat fee + (no variable fee, claiming same POU acres) = \$50
Claim 8 (11-2144): \$50 flat fee + (\$100 per cfs x 3.68 industrial) + (\$100 per cfs x 3.68 mining)
= \$786
Claim 9 (11-2102): \$50 flat fee + (\$100 per cfs x 2.22 industrial) = \$272
Claim 10 (11-2107A): \$50 flat fee + (\$100 per cfs x 1 industrial) = \$150
Claim 11 (11-2107B): \$50 flat fee + (\$100 per cfs x 1.6 industrial) = \$210
Claim 12 (11-2141): \$50 flat fee + (\$100 per cfs x 4.35 industrial) = \$485
Total: \$2,453.00

Please file the originals and email the claim numbers assigned to tessa@racineolson. Thank you for your assistance. Please contact us if you have any questions.

Sincerely,


TESSA SPARROW
Paralegal

Enclosures

c: Jason Maughan, P4 Production, L.L.C.



201 E. Center Street / P.O. Box 1391
Pocatello, Idaho 83204
(208)232-6101 - Phone
(208)232-6109 - Fax

racineolson.com

CONFIDENTIALITY NOTICE - This email and its attachments may contain information that is confidential, privileged, or otherwise protected from disclosure. If you believe this email may have been sent to you in error, please notify the sender immediately.