

08/07/2024
RECEIVED

SEP 04 2024

NOTICE OF ERROR
REPLY

DEPT. OF WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/4/2024

Water right number: 97-9566

BARRETT'S BUSY B CEDAR INC

109 BARRETT MILL RD

PRIEST RIVER ID 83856

Telephone Number: (208) 448-2685

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

DISAGREE TOTALLY WITH 2500 GALS. DAILY!

2. Describe the changes you wish to make in the proposed recommendation:

FROM 2500 gals To 13,000 gals

3. Give a brief explanation as to why you disagree with these portions:

IT'S OUR BUSINESS, WE USE MORE THAN 2500 gallons DAILY!

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8-27-24

SIGNATURE:

Joy Bennett, PRESIDENT

Please print your name:

TROY BARRETT

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800