

NOTICE OF ERROR
REPLY

RECEIVED

SEP 04 2024

Please type or print clearly, fill out this form completely and mail.

DEPT. OF WATER RESOURCES

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/4/2024

Water right number: 97-9459

RONALD L GOULD

88 SMOKEHOUSE RD

SAGLE ID 83860

Telephone Number: (208) 946-¹⁸⁹¹~~3040~~

LAURA J GOULD

88 SMOKEHOUSE RD

SAGLE ID 83860

Telephone Number: (208) 946-3040

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): Family split Michael + Marnie Gould upper 1/3 of property. ON Nov 2023 to ~~6 acres~~ acres Northern Section

2. Describe the changes you wish to make in the proposed recommendation:

a yurt was placed on land full time use. Domestic
6/1 - 12/31 0.840 CFS

3. Give a brief explanation as to why you disagree with these portions:

13,000 gallons per day for there portion used.

 I AGREE with this proposed recommendation: no changes need to be made.

DATE:

8/25/24

SIGNATURE:

Laura Gould

Please print your name:

Laura Gould