

RECEIVED

SEP 25 2024

NOTICE OF ERROR
REPLY

DEPT. OF WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/4/2024

Water right number: 97-8490

CAROLYN FENNING
7420 169TH PL SW
EDMONDS WA 98026
Telephone Number: (425) ~~745-4454~~ 773-1884

BARBARA PARKMAN
4005 31ST AVE W
SEATTLE WA 98199
Telephone Number:

MARGARET SUNDBERG
3828 25TH AVE W
SEATTLE WA 98199
Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/19/24 SIGNATURE: Carolyn Fenning
Please print your name: Carolyn Fenning

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800