

08/07/2024  
RECEIVED

OCT 18 2024

DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/4/2024

Water right number: 97-9082

RICKY MILLER  
665-A ALADDIN RD  
COLVILLE WA 99114  
Telephone Number: (509) 680-4853

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

DOMESTIC USE & QUANTITY FOR 3 Bedroom Home  
IRRIGATION USE FROM WEST BRANCH PRIEST RIVER

2. Describe the changes you wish to make in the proposed recommendation:

DOMESTIC USE FOR 3 BEDROOM HOUSE WHICH IS  
WITH THE PERMITTED SECTIC SYSTEM SUPPORTS.

3. Give a brief explanation as to why you disagree with these portions:

CONSTRUCTION IN PROGRESS ELECTRIC, WELL,  
SEPTIC, FOUNDATION ALL IN PLACE.  
PARCELL HAS 7 ACHRES & 1000' FEET RIVER FRONTAGE  
NEEDING IRRIGATION

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

Sept 18, 2024

SIGNATURE:

Ricky L Miller

Please print your name:

Ricky L. Miller

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800