

FEB 13 2023

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER
BASIN WATER SYSTEM

RECEIVED

MAY 22 2023

DEPARTMENT OF
WATER RESOURCES

By Clerk
CIVIL CASE NUMBER: 49576 Deputy Clerk

Ident. Number: 95-18285
Date Received: 5.22.23
Receipt No: C116315
Claim Fee: \$25.00
Received By:

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day

1. Name of Claimant(s)

SHAN GRAHAM
2839 W HORIZON AVE
SPOKANE WA 99208

Phone: (509) 951-3018

AND/OR

HEATHER L GRAHAM
2839 W HORIZON AVE
SPOKANE WA 99208

Phone:

2. Date of Priority: 5/20/1966

3. Source:
GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of ¼ of ¼	Lot	County	Type
48N	04W	9	NE NE		KOOTENAI	

5. Description of diverting works:

WELL, PUMP AND PIPELINE, DIVERSION PARCEL NO. 48N04W090450 AND PLACE OF USE PARCEL NO. 48N04W103300.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
DOMESTIC	01/01	12/31	0.04		

7. Total Quantity Appropriated is:

0.04 C.F.S. and/or A.F.A.

8. Non-irrigation uses:

ONE HOME W/LAWN

9. Place of use:

DOMESTIC within KOOTENAI County

Township	Range	Section	¼	of	¼	Lot	Acres
48N	04W	10	NW		NW		

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

11. Other Water Rights Used:

NONE

12. Remarks:

Priority Date Explanation:

13. Basis of Claim: Beneficial Use

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the COEUR D'ALENE-SPOKANE River Basin Adjudication." (b.) I/We do _____ do not ✓ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):



Date:

2/10/23

Heather Graham


Date:

2/10/23

↑ N

POD-T48N R04W
Sec. 9 NE 1/4 NE 1/4

POU-T48N R04W
Sec. 10 NW 1/4 NW 1/4



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____	1/4 _____	1/4 _____	
Lat: : : _____		Long: : : _____	

1. WELL TAG NO. D0041319

DRILLING PERMIT N

842236

Other IDWR No _____

2. OWNER:

Name Dr. James S Doliver

Address 5150 W Solitaire RD

City Coeur d'Alene

State ID

Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp 48N	North ☒ or South ☐
Rge 04W		East ☐ or West ☒	
Sec 10		1/4 NW 1/4 NW 1/4	
Gov't Lot _____		County Kootenai	
Lat _____		Long _____	
Address of Well Site: (see next line)			

same off rockford bay rd City cda

Lot 1 _____

Blk _____

Sub. Name (see next line)

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
bentonite	0	25	20sacks	dry poor

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 90Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
8	+2	90	0.322	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations? Method _____☐ Screens? Screen Type _____

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

100 ft. below ground. Artesian pressure 0 lb.

Depth flow encountered 315 ft. Describe access port or control devices: _____

11. WELL TESTS

- ☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
60	100%	300	2hrs

Water Temp. _____ cold Bottom hole temp. _____ cold

Water Quality test or comments: (below) Depth first Water Encountered 315 clear

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
10	0	25	clay	☐	☒
10	25	98	CLAY BROWN	☐	☒
8	98	290	HARD BASALT	☐	☒
8	290	315	HARD CLAY	☐	☒
8	315	318	VOID 60 GPM	☒	☐
			CAN SET PUMP AT 200 FT 60 GPM	☐	☐

RECEIVED

OCT 11 2006

IDWR/North

RECEIVED

NOV 21 2006

IDWR/North

Completed Dept 315 (Measurable)

Date: Started 9/21/2006 Completed 9-23-06

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc.

Firm No 414

Name

Firm Official and

Timothy R. Volking

Date 9/26/2006

Supervisor or Operator Timothy R. Volking

Date 9/26/2006

48N 04W 10 NW NW

WELL DRILLER'S REPORT (ENT'D)

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

JUN 13 1972

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

[illegible]

- ✖ TREE. CONDN: SPECIES & SIZE AS NOTED
- TREE. DETROUS: CONTINUOUS & 18" DIA
- TREE. DETROUS: SPECIES & SIZE AS NOTED
- ✖ UNDERGROUND POWER LINE
- UTILITY POLE
- WELL WATER WELL, 6' DEEP

RUBBER BALL
AS NOTED

ARTIFICIAL RUBBER

CARBON RUBBER

CARBON SURFACE

STRUCTURE
AS NOTED

CARBON RUBBER

CARBON SURFACE

CARBON SURFACE

- ① TOP OF RETAINING WALL - BEAST STONES
- ② BOTTOM OF RETAINING WALL - BEAST STONES
- ③ BEHIND WALL - BRICKWORK FOR 1/2" BOND X 1" HOLE WITH HAWK WALL

- ① MEMBER OF SALMON HOLE SALMON STOCKING LEAGUE
- ② AND LINE OF AMERICANIZED ASSOCIATION OF THE DOWRY STOCK BROTHERHOOD OF LAKES
- ③ ELIZABETH - 212879 KALVA 1988
- ④ GARDEN STOCK
- ⑤ TYP OF TLL
- ⑥ TYP OF TLL
- ⑦ TYP OF CUT
- ⑧ TYP OF CUT
- ⑨ SPRING AREA
- ⑩ 100 YD FLOOD ELIZABETH
- ⑪ 213047 KALVA 1988

[illegible]

SURVEYS OF RECORD		
1 JANUARY	POLIS 3461	BR. 1, PL. 301
2 FEBRUARY	PLS 3274	BR. 1, PL. 310
3 MARCH	PLS 3274	BR. 21, PL. 3
4 APRIL	PLS 3274	BR. 21, PL. 301
5 MAY	PLS 3274	
6 JUNE	PLS 3274	
7 JULY	PLS 3274	
8 AUGUST	PLS 3274	
9 SEPTEMBER	PLS 3274	
10 OCTOBER	PLS 3274	
11 NOVEMBER	PLS 3274	
12 DECEMBER	PLS 3274	

1) J. MARCH	PG. 25, 26, 31	JUNE 1993	BC. 1, PG. 570
2) S. MARCH	PG. 5, 7, 4	JUNE 1996	BC. 16, PG. 219
3) S. MARCH	PG. 5, 7, 4	JUNE 2001	BC. 21, PG. 9
4) S. MARCH	PG. 5, 7, 4	JUNE 2002	BC. 21, PG. 201

1. SCOTT M. BAKER, PROFESSIONAL LAND SURVEYOR
No. 6374 IN THE STATE OF IOWA, DO HEREBY CERTIFY
THAT THE FOREGOING SURVEY WAS MADE BY ME, OR
UNDER MY SUPERVISION FOR SAID CANAL.

Scott M. Baker 2/25/21 DATE

SCOTT M. BAKER - PLS SIGN

PROFESSIONAL SURVEYOR
No. 6374
STATE OF IOWA
SCOTT M. BAKER

[illegible]

1. SCOTT M. BAKER, PROFESSIONAL LAND SURVEYOR
No. 6374 IN THE STATE OF IOWA, DO HEREBY CERTIFY
THAT THE FOREGOING SCENE WAS MADE BY ME, OR
UNDER MY SUPERVISION FOR SAID CADAVAL.

Scott M. Baker 2/25/21
SCOTT M. BAKER - PLS SIGN DATE

PROFESSIONAL SURVEYOR
6374
STATE OF IOWA
SCOTT M. BAKER

BY ORDER OF THE BOARD OF DIRECTORS

ON EAST CORNER EASTERN HIGHWAY COUNTY ROAD

copy B

RECEIVED
FEB 13 2023
DEPARTMENT OF
WATER RESOURCES

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re CSRBA	)	Subcase <u>95-18285</u>
	)	(Insert water right number)
	)	
	)	STANDARD FORM 4
Case No. 49576	)	
	)	MOTION TO FILE A LATE NOTICE OF
	)	CLAIM
_____	)	

INSTRUCTIONS

This form is used to file a late Notice of Claim in a reporting area where the Director's Report has been filed. Forms may be obtained from the CSRBA Court, the Idaho Department of Water Resources (IDWR), or you may copy or reproduce this blank form.

The water right number for your late Notice of Claim must be indicated above in the blank space following "Subcase." To obtain your water right number, contact the Idaho Department of Water Resources. You must use a **separate form for each** late Notice of Claim.

By filing a Motion to File a Late Notice Claim, you certify that it is well-grounded in fact; is warranted by existing law or a good-faith argument for the extension, modification or reversal of existing law; and is not filed for any improper purpose, such as to harass, cause unnecessary delay, or needlessly increase the cost of litigation.

☒ I have read *CSRBA Administrative Order 1*, Rules of Procedure.

SCANNED
FEB 13 2023

My name is Shan Graham

My address is 2839 W Horizon

Spokane WA 99208

My phone number is: work 509-326-7512 Home 509-951-3018

☐ I am an attorney representing _____

My name is _____

My address is _____

My phone number is _____



I did not file a Notice of Claim to the use of water in the CSRBA because:

Home purchased 2020. Notice was prior
to our purchase, so not given to us.



I filed a Notice of Claim and elected to defer judicial proceedings on my domestic or stock watering use. I desire to reinstate my Notice of Claim for domestic or stock watering use.



I am providing legal and factual documentation for my claimed use of water. You must describe these documents and attach a readable copy. (You do not need to fill this out if you are reinstating a Notice of Claim for domestic or stock watering use, but you must attach a copy of your Notice of Claim.)

A Motion to File Late Notice of Claim will require a hearing before the Presiding Judge.

Follow these instructions regarding the hearing on the motion.

1. Contact the Clerk of the CSRBA Court at (208) 736-3011 to request a hearing date and time.
2. Fill in the following information:

This motion will be heard on May 16th 1:30 Pacific
(insert date and time)
at the CSRBA Courthouse, 253 Third Avenue North, Twin Falls, Idaho.

I have attached:

- ☒ A fully completed Notice of Claim (available from IDWR).
- ☒ A claim filing fee for a domestic and stock watering use. IDWR may charge this fee pursuant to I.C. §42-1414. To determine this amount, contact IDWR at (800) 451-4129. I have enclosed a check payable to: State of Idaho Department of Water Resources in the amount of \$ 25.00.
- ☐ A claim filing fee and a late claim fee for those claims other than domestic or stock watering use for which a notice of claim was not filed. To determine this amount, contact IDWR at (800) 451-4129. I have enclosed a check payable to: State of Idaho Department of Water Resources in the amount of \$ _____.



(Signature of person filing motion)

(Attorney signing in representative capacity)

INSTRUCTIONS FOR MAILING

You must mail the Motion, to the Clerk of the court. **FAX filings will not be accepted.**
You must also send a copy to all the parties listed below in the Certificate of Mailing.

CERTIFICATE OF MAILING

I certify that on 2/10, 2023, I mailed the original and copies of this Motion, including all attachments, to the following persons:

1. Original to:

Clerk of the District Court
Coeur d'Alene-Spokane River Basin Adjudication
253 Third Avenue North
PO Box 2707
Twin Falls, ID 83303-2707

2. Copies to:

IDWR Document Depository
PO Box 83720
Boise, ID 83720-0098

United States Department of Justice
Environment & Nat'l Resources Div
550 W Fort Street, MSC 033
Boise, ID 83724

Chief, Natural Resources Division
Office of Attorney General
State of Idaho
PO Box 83720
Boise, ID 83720-0010



Signature of Movant or attorney
mailing on Movant's behalf

FEB 13 2023

DEPARTMENT OF
WATER RESOURCES

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER
BASIN WATER SYSTEM

CIVIL CASE NUMBER: 49576

Ident. Number: 95-18285
Date Received:
Receipt No:
Claim Fee: \$25.00
Received By: _____

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day**

1. Name of Claimant(s)

SHAN GRAHAM
2839 W HORIZON AVE
SPOKANE WA 99208

Phone: (509) 951-3018

AND/OR

HEATHER L GRAHAM
2839 W HORIZON AVE
SPOKANE WA 99208

Phone: _____

2. Date of Priority: 5/20/1966

3. Source:
GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of ¼ of ¼	Lot	County	Type
48N	04W	9	NE NE		KOOTENAI	

5. Description of diverting works:

WELL, PUMP AND PIPELINE, DIVERSION PARCEL NO. 48N04W090450 AND PLACE OF USE PARCEL NO. 48N04W103300.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
DOMESTIC	01/01	12/31	0.04		

7. Total Quantity Appropriated is:

SCANNED
FEB 13 2023

0.04 C.F.S. and/or A.F.A.

8. Non-irrigation uses:

ONE HOME W/LAWN

9. Place of use:

DOMESTIC within KOOTENAI County

Township	Range	Section	¼	of	¼	Lot	Acres
48N	04W	10	NW		NW		

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

11. Other Water Rights Used:

NONE

12. Remarks:

Priority Date Explanation:

13. Basis of Claim: Beneficial Use

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the COEUR D'ALENE-SPOKANE River Basin Adjudication." (b.) I/We do _____ do not ✓ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):



Date: 2/10/23

Heather Graham

Date: 2/10/23


↑ N

POD-T48N R04W

Sec. 9 NE 1/4 NE 1/4

POU-T48N R04W

Sec. 10 NW 1/4 NW 1/4



IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4	1/4	1/4	
Lat: : :		Long: : :	

1. WELL TAG NO. D0041319

DRILLING PERMIT N 842234

Other IDWR No _____

2. OWNER:

Name Dr. James S Doliver

Address 5150 W Solitaire RD

City Coeur d'Alene State ID Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp <u>48N</u>	North ☒ or South ☐
W		Rge <u>04W</u>	East ☐ or West ☒
E		Sec <u>10</u>	1/4 NW 1/4 NW 1/4
S		10 Ac 40 Ac 160 Ac	
		Gov't Lot _____	County <u>Kootenai</u>
		Lat _____	Long _____

Address of Well Site: (see next line)

same off rockford bay rd

City cda

Lot 1 Blk _____ Sub. Name (see next line) _____

4. USE:

- ☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
bentonite	0	25	20sacks	dry pour

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 90

Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
8	+2	90	0.322	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations? Method _____

☐ Screens? Screen Type _____

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
						☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

100 ft. below ground. Artesian pressure 0 lb.

Depth flow encountered 315 ft. Describe access port or

control devices: _____

11. WELL TESTS

- ☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
60	100%	300	2hrs

Water Temp. _____ cold Bottom hole temp. _____ cold

Water Quality test or comments: (below) Depth first Water Encountered 315
clear

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
10	0	25	clay	☐	☒
10	25	98	CLAY BROWN	☐	☒
8	98	290	HARD BASALT	☐	☒
8	290	315	HARD CLAY	☐	☒
8	315	318	VOID 60 GPM	☒	☐
			CAN SET PUMP AT 200 FT 60 GPM	☐	☐

RECEIVED

OCT 11 2006

IDWR/North

RECEIVED

NOV 21 2006

IDWR/North

Completed Dept 315 (Measurable)

Date: Started 9/21/2006 Completed 9-23-06

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc. Firm No 414

Name Tim R Volking Date 9/26/2006

Firm Official and Tim R Volking

Supervisor or Operator Timothy R. Volking Date 9/26/2006

48N 04W 10 NW NW


USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

JUN 13 1972

1. WELL OWNER Name <u>Jim DOLLIVER</u> Address <u>C.D.A. Bldg</u> Owner's Permit No. <u>95-71-N-6</u>		7. WATER LEVEL Department of Water Administration Static water level <u>200</u> feet below land surface Flowing? ☐ Yes ☐ No G.P.M. flow _____ Temperature <u>60°</u> F. Quality <u>Good</u> Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Other Discharge G.P.M. <u>1</u> Draw Down _____ Hours Pumped <u>2</u>																																																											
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG																																																											
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>10</td><td>CLAY + ROCK</td><td></td><td>X</td></tr><tr><td></td><td>10</td><td>12</td><td>SAND</td><td></td><td>X</td></tr><tr><td></td><td>12</td><td>60</td><td>CLAY + BOULDERS</td><td></td><td>X</td></tr><tr><td></td><td>60</td><td>70</td><td>MICA + SAND</td><td></td><td>X</td></tr><tr><td></td><td>70</td><td>90</td><td>CLAY + BOULDERS</td><td></td><td>X</td></tr><tr><td></td><td>90</td><td>185</td><td>GREEN SHALE</td><td></td><td>X</td></tr><tr><td></td><td>185</td><td>270</td><td>HARD BASALT</td><td></td><td>X</td></tr><tr><td></td><td>270</td><td>300</td><td>SOFT BASALT</td><td>X</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	8	0	10	CLAY + ROCK		X		10	12	SAND		X		12	60	CLAY + BOULDERS		X		60	70	MICA + SAND		X		70	90	CLAY + BOULDERS		X		90	185	GREEN SHALE		X		185	270	HARD BASALT		X		270	300	SOFT BASALT	X	
Hole Diam.	Depth		Material		Water																																																								
	From	To		Yes	No																																																								
8	0	10	CLAY + ROCK		X																																																								
	10	12	SAND		X																																																								
	12	60	CLAY + BOULDERS		X																																																								
	60	70	MICA + SAND		X																																																								
	70	90	CLAY + BOULDERS		X																																																								
	90	185	GREEN SHALE		X																																																								
	185	270	HARD BASALT		X																																																								
	270	300	SOFT BASALT	X																																																									
5. WELL CONSTRUCTION Diameter of hole <u>8</u> inches Total depth <u>300</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1250</u> inches by <u>12</u> inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal? ☒ Yes ☐ No To what depth <u>22</u> feet Material used in seal ☐ Cement grout ☒ Puddling clay																																																													
6. LOCATION OF WELL Sketch map location must agree with written location:  LOT 1 95 County <u>KOOTENIA</u> SW 1/4 NW 1/4 Sec. <u>10</u> , T. <u>48</u> N., R. <u>4</u> W.		10. Work started <u>23 Aug 71</u> finished <u>30 Aug 71</u>																																																											
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Agua Drillings & Development Inc</u> 163 Driller's or Firm's Name Number Address <u>Rt. 1 Orofino, Idaho 83544</u> Signed By <u>Richard Blumrich</u> 6-10-92 Date																																																											

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

BOUNDARY SURVEY LEGEND

- 1/2" ALUM. STEEL, 3/4" DIA. HOLES, ON 6" SPACINGS
- 1/2" ALUM. STEEL, 1/2" DIA. HOLES, WITH A PLASTIC WELDED AS WORD
- 1/2" ALUM. HOLES, 1/2" DIA. HOLES, WITH A PLASTIC WELDED AS WORD
- 1/2" ALUM. HOLES, 3/4" DIA. HOLES, WITH A PLASTIC WELDED AS WORD
- POINT ON LINE, PLASTIC CAP WELDED AS WORD HAS A CALCULATED POINT (NEAREST POINT ON SET)
- OTHER AS NOTED

- [illegible]

NORMAL ROOT	RHIZOID BALL AS NOTED
DENT NOTED	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED
SMALL DENT	STRUCTURE AS NOTED

TERRAIN FEATURES

- ① MOUNDS OF STAINED POLY-STEALING LUGS.
- ② USE OF AGGRAVATING AGGRAVATION OF THE DEND.
- ③ BOTTLE OF RECYCLED BALL - BUILT STONES
- ④ RECYCLED BALL - BOTTLE ROCK 17 MILE E
- ⑤ 17 MILE WITH 17 MILE ROLL

- 3 STATE DEPARTMENT OF LABOR
 3 DIVISION - 212225 MAYA 1985
 3
 3 CHECK REFUSE
 3
 3 TOP OF FILE
 3
 3 TOP OF FILE
 3
 3 TOP OF LIST
 3
 3 TOP OF LIST
 3
 3 TOP OF LIST
 3
 3 TOP TEAM INDEX DIVISION
 3 AT 210027 MAYA 1985

[illegible][illegible]

1) J. MATH.	PCAS 3451	JAN 1983	MC 3, PC 270
2) S. RASOR	PS 4374	JUNE 1996	BC 18, PL 215
3) S. RASOR	PS 4374	MAY 2001	MC 21, PC 8
4) S. RASOR	PS 4374	JUNE 2002	MC 21, PC 301

A 4x4 grid with a central 2x2 square shaded gray. The grid is labeled with numbers 1 through 16 in a specific pattern. The numbers are arranged as follows:


1	2	3	4
5	6	7	8
9	10	11	12
13	14	15	16

The central 2x2 square (cells 6, 7, 10, 11) is shaded gray.

Doc No. 00000000

MECHANICAL ENGINEERING
& SURVEYING

A PART OF THE 116 AC. PADD LOCATED IN A PART OF
 QANT LOT 8, SEC. 8 AND QANT LOT 1, SEC. 10, T40N, R40E, N.M.



Idaho Department of Water Resources Receipt

Receipt ID: C116315

Payment Amount	\$50.00	Date Received	5/22/2023	Region	STATE
Payment Type	Check	Check Number	5458		
Payer	GRAHAM, SHAN Q				

Comments	NOTICE OF CLAIM TO A WATER RIGHT CIVIL CASE NUMBER #49576 FOR: SHAN GRAHAM AND/OR HEATHER L GRAHAM WR CLAIM OR PARCEL # 95-18284 & 95-18285 FOR: CSRBA THE COEUR D'ALENE-SPOKANE RIVER BASIN WATER SYSTEM
----------	--

Fee Details

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$50.00	NORTHERN ID ADJUDICATION LATE FEE	75503	0337	1		1155



Signature Line (Department Representative)