

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS**

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE BEAR RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 79576

Ident. Number: 13-518
Date Received: 6/18/2024
Receipt No: 1000927
Claim Fee: 25.00
Received By: Ch

RECEIVED
JUN 18 2024
IDWR/Preston

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day**

1. Name of Claimant(s)

GORDON LEE GIBSON
213 S 2ND W
GRACE ID 83241

Phone: (208) 604-0504

AND

GREG W GIBSON
1962 TELFORD RD
GRACE ID 83241

Phone: (208) 530-3684

2. Date of Priority: 7/15/1919

3. Source:
GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of ¼ of ¼	Lot	County	Type
09S	40E	35	SW SE		CARIBOU	

5. Description of diverting works:

Well, pump, and pressure tank piped to home, troughs, and 2 stock buildings.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
DOMESTIC	1/01	12/31	0.04		1.2
STOCKWATER	1/01	12/31	0.04		3.4

7. Total Quantity Appropriated is:

0.04 C.F.S. and/or 4.6 A.F.A.

8. Non-irrigation uses:

Two stock buildings and two troughs. 200 cattle 250 sheep.
One home.

9. Place of use:

DOMESTIC within CARIBOU County

Township	Range	Section	¼	of	¼	Lot	Acres
09S	40E	35	SW		SE		

STOCKWATER within CARIBOU County

Township	Range	Section	¼	of	¼	Lot	Acres
09S	40E	35	SW		SE		

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

11. Other Water Rights Used:

None.

12. Remarks:

Priority Date Explanation:

This is the decreed priority date. Water use continues to this day. Original well ran dry, new well was drilled just south of the pump shed and the old well was abandoned.

STOCK, 100 RANGE, 50 DAIRY; DOMESTIC, 1 HOME

13. Basis of Claim: Decreed

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the BEAR River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.


Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):  Date: 6-18-24
 Date: June 18 - 24

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.**RECEIVED**
USE TYPEWRITER OR
BALLPOINT PEN
FEB - 9 1993
Department of Water Resources
Eastern District Office

1. WELL OWNER Name <u>Mr. Gordon Gibson</u> Address <u>1962 Telford Rd. Grace, Id. 83241</u> Drilling Permit No. <u>13-93E 0003</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>98</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>49</u> °F. Quality <u>Good</u> Describe artesian or temperature zones below.																																																																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>30</u></td><td><u>156</u></td><td><u>2</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30</u>	<u>156</u>	<u>2</u>																																																																																																				
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																									
<u>30</u>	<u>156</u>	<u>2</u>																																																																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG 104032 <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td><u>12 1/4</u></td><td><u>0</u></td><td><u>14</u></td><td><u>Hard lava</u></td><td></td><td><u>X</u></td></tr><tr><td><u>5</u></td><td><u>14</u></td><td><u>17</u></td><td><u>Soft "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>5</u></td><td><u>17</u></td><td><u>19</u></td><td><u>Hard "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>7 3/8</u></td><td><u>19</u></td><td><u>35</u></td><td><u>" "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>35</u></td><td><u>43</u></td><td><u>Cinders</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>43</u></td><td><u>54</u></td><td><u>Hard lava</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>54</u></td><td><u>56</u></td><td><u>Soft "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>56</u></td><td><u>75</u></td><td><u>Hard "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>75</u></td><td><u>83</u></td><td><u>Soft "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>83</u></td><td><u>108</u></td><td><u>Hard "</u></td><td></td><td><u>(</u></td></tr><tr><td><u>1</u></td><td><u>108</u></td><td><u>113</u></td><td><u>Soft Cinders 20 GPM</u></td><td><u>X</u></td><td></td></tr><tr><td><u>1</u></td><td><u>113</u></td><td><u>132</u></td><td><u>Hard lava</u></td><td></td><td><u>X</u></td></tr><tr><td><u>1</u></td><td><u>132</u></td><td><u>138</u></td><td><u>Soft Cinders 18 GPM</u></td><td><u>X</u></td><td></td></tr><tr><td><u>1</u></td><td><u>138</u></td><td><u>154</u></td><td><u>Hard lava</u></td><td></td><td><u>X</u></td></tr><tr><td><u>1</u></td><td><u>154</u></td><td><u>156</u></td><td><u>Cinders 30 GPM</u></td><td><u>X</u></td><td></td></tr><tr><td><u>1</u></td><td><u>156</u></td><td><u>159</u></td><td><u>Hard lava</u></td><td></td><td><u>X</u></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>12 1/4</u>	<u>0</u>	<u>14</u>	<u>Hard lava</u>		<u>X</u>	<u>5</u>	<u>14</u>	<u>17</u>	<u>Soft "</u>		<u>(</u>	<u>5</u>	<u>17</u>	<u>19</u>	<u>Hard "</u>		<u>(</u>	<u>7 3/8</u>	<u>19</u>	<u>35</u>	<u>" "</u>		<u>(</u>	<u>1</u>	<u>35</u>	<u>43</u>	<u>Cinders</u>		<u>(</u>	<u>1</u>	<u>43</u>	<u>54</u>	<u>Hard lava</u>		<u>(</u>	<u>1</u>	<u>54</u>	<u>56</u>	<u>Soft "</u>		<u>(</u>	<u>1</u>	<u>56</u>	<u>75</u>	<u>Hard "</u>		<u>(</u>	<u>1</u>	<u>75</u>	<u>83</u>	<u>Soft "</u>		<u>(</u>	<u>1</u>	<u>83</u>	<u>108</u>	<u>Hard "</u>		<u>(</u>	<u>1</u>	<u>108</u>	<u>113</u>	<u>Soft Cinders 20 GPM</u>	<u>X</u>		<u>1</u>	<u>113</u>	<u>132</u>	<u>Hard lava</u>		<u>X</u>	<u>1</u>	<u>132</u>	<u>138</u>	<u>Soft Cinders 18 GPM</u>	<u>X</u>		<u>1</u>	<u>138</u>	<u>154</u>	<u>Hard lava</u>		<u>X</u>	<u>1</u>	<u>154</u>	<u>156</u>	<u>Cinders 30 GPM</u>	<u>X</u>		<u>1</u>	<u>156</u>	<u>159</u>	<u>Hard lava</u>		<u>X</u>
Bore Diam.	Depth		Material	Water																																																																																																							
	From	To		Yes	No																																																																																																						
<u>12 1/4</u>	<u>0</u>	<u>14</u>	<u>Hard lava</u>		<u>X</u>																																																																																																						
<u>5</u>	<u>14</u>	<u>17</u>	<u>Soft "</u>		<u>(</u>																																																																																																						
<u>5</u>	<u>17</u>	<u>19</u>	<u>Hard "</u>		<u>(</u>																																																																																																						
<u>7 3/8</u>	<u>19</u>	<u>35</u>	<u>" "</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>35</u>	<u>43</u>	<u>Cinders</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>43</u>	<u>54</u>	<u>Hard lava</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>54</u>	<u>56</u>	<u>Soft "</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>56</u>	<u>75</u>	<u>Hard "</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>75</u>	<u>83</u>	<u>Soft "</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>83</u>	<u>108</u>	<u>Hard "</u>		<u>(</u>																																																																																																						
<u>1</u>	<u>108</u>	<u>113</u>	<u>Soft Cinders 20 GPM</u>	<u>X</u>																																																																																																							
<u>1</u>	<u>113</u>	<u>132</u>	<u>Hard lava</u>		<u>X</u>																																																																																																						
<u>1</u>	<u>132</u>	<u>138</u>	<u>Soft Cinders 18 GPM</u>	<u>X</u>																																																																																																							
<u>1</u>	<u>138</u>	<u>154</u>	<u>Hard lava</u>		<u>X</u>																																																																																																						
<u>1</u>	<u>154</u>	<u>156</u>	<u>Cinders 30 GPM</u>	<u>X</u>																																																																																																							
<u>1</u>	<u>156</u>	<u>159</u>	<u>Hard lava</u>		<u>X</u>																																																																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)																																																																																																											
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>2 5/8</u> inches</td><td><u>8</u> inches</td><td><u>1</u> feet</td><td><u>19</u> feet</td></tr><tr><td><u>2 5/8</u> inches</td><td><u>4</u> inches</td><td><u>1</u> feet</td><td><u>159</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation? <u>3/16</u> inches by <u>12</u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>30</u> perforations</td><td><u>139</u> feet</td><td><u>159</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>19</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Plug surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>plug in cap</u>	Thickness	Diameter	From	To	<u>2 5/8</u> inches	<u>8</u> inches	<u>1</u> feet	<u>19</u> feet	<u>2 5/8</u> inches	<u>4</u> inches	<u>1</u> feet	<u>159</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>30</u> perforations	<u>139</u> feet	<u>159</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																															
Thickness	Diameter	From	To																																																																																																								
<u>2 5/8</u> inches	<u>8</u> inches	<u>1</u> feet	<u>19</u> feet																																																																																																								
<u>2 5/8</u> inches	<u>4</u> inches	<u>1</u> feet	<u>159</u> feet																																																																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																								
Number	From	To																																																																																																									
<u>30</u> perforations	<u>139</u> feet	<u>159</u> feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
_____ perforations	_____ feet	_____ feet																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>CARIBOU</u> Address of Well Site <u>SAME</u> (give at least name of road) T. <u>9</u> N ☐ or S ☒ SW 1/4 SE 1/4 Sec. <u>35</u> , R. <u>40</u> E ☒ or W ☐	10. Work started <u>1-11-93</u> finished <u>1-13-93</u>																																																																																																										
11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>NELSON</u> Firm No. <u>215</u> Address <u>Soda Springs</u> Date <u>1-20-93</u> Signed by Drilling Supervisor <u>R. Nelson</u> and (Operator) <u>R. N.</u> (If different than the Drilling Supervisor)																																																																																																											