

RECEIVED

OCT 12 2023

DEPARTMENT OF
WATER RESOURCESSTATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 125.00Receipt No. C117165Received By KMDate Received 10.12.23

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

- Permit No. 63-12540 Name of Permit Holder(s) T.L.P. LLC
Telephone No. 208 631 5289 Email DMcKinnon@Tertco.com
Mailing Address 3858 N. Garden Center Way Ste. 300 City Boise State ID Zip 83703
- Source of Water Groundwater If Ground Water (well), Date Drilled mo. 9 / yr. 2014
Drilling Permit/Tag No. D0066267 Drilling Company's Name Post Drilling Inc
- Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) _____ Irrigation (No. acres) 451 ^(specifically 298 acres of the larger total) Stockwater (No. and stock type) SEE Attached.
Other _____
- Total diversion rate or volume (storage only) for which proof is submitted 1.10 cfs OR _____ af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
- Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
Pumped, Piped to irrigation wheel lines
- Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:
Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐	☒	☒	Ground water level data, pumping information, or other diversion data
☐	☒	☒	Mitigation plan
☐	☒	☒	Lockable controlling works
☒	☒	☐	Measuring device
☐	☐	☒	Fish screen
☐	☐	☒	Other requirements of the water right permit _____
☐	☒	☐	Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No
- Fee Enclosed \$ 125.00 or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.
- Person to contact to accompany a Department representative during the field examination of the water system:
Name: Jake Willis Telephone No. 208-859-9927 Email Jwillis@Tertco.com
Mailing Address 3858 N. Garden Center Way Ste. 300 City Boise State ID Zip 83703

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

[Signature]
SIGNATURE OF PERMIT HOLDER*

T. E. Terteling, CEO
PRINTED NAME AND TITLE

10/10/23
DATE

*Attach power of attorney if completing on behalf of permit holder.

Water Permit Report: 63-12540(Active)

Water Right Owners

Owner Type	Name	Address	City	State	Postal Code
Attorney	HONSINGER, CHARLES L	PO BOX 517	BOISE	ID	83701-0517
Current Owner	TLP LLC	3858 N GARDEN CENTER WAY STE 300	BOISE	ID	83703-5008
Original Owner	THE TERTELING CO INC	ATTN TOM TERTELING 3858 N GARDEN CENTER WAY STE 300	BOISE	ID	83703

Water Permit Status

Priority Date : 6/24/1999
Status : Active

Water Source

Source	Tributary	Tributary Qualifier
GROUND WATER		

Points Of Diversion (Location)

Source	Township	Range	Section	QQQ	QQ	Q	County	Diversion Type
GROUND WATER	04N	02E	22		NW	NE	ADA	
GROUND WATER	04N	02E	22		NW	NE	ADA	
GROUND WATER	04N	02E	22		NW	NE	ADA	
GROUND WATER	04N	02E	22		NW	SE	ADA	

Water Uses

Beneficial Use	From	To	Diversion Rate	Volume
IRRIGATION	03/15	11/15	1.10 CFS	
TOTAL			1.10 CFS	

Places of Use

Print this report

Print this report

Place of Use Legal Description : IRRIGATION (ADA county)

Show 10 entries

Search

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
04N	02E	14			SW	SW	25
04N	02E	14			SE	SW	5
04N	02E	15			NE	SE	3
04N	02E	15			SE	SE	38
04N	02E	21			SE	NE	2
04N	02E	21			NE	SE	27

Township	Range	Section	Lot	QQQ	QQ	Q	Acres
04N	02E	21			SE	SE	1
04N	02E	22			NE	NE	29
04N	02E	22			NW	NE	36
04N	02E	22			SW	NE	21

Showing 1 to 10 of 19 entries

Previous

1

2

Next

Irrigation Totals

Total Acres Acre Limit

451.00

Conditions

Code Conditions

- 26A Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
- 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
- 01J Prior to diversion of water under this right, the right holder shall install and maintain a measuring device of a type acceptable to the Department as part of the diverting works from each point of diversion used under this right.
- Water bearing zone for the proposed Miller Gulch Well in the NWSE, S22 is from 225 to 595 feet.
- Water bearing zone for existing other wells is from 205-510 feet.
- 058 The point of diversion identified in this right as the proposed Miller Gulch Well in the NWSE, S22 is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
- 073 Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
- Upon a determination by the department that diversion and use of ground water deeper than 300 feet adversely impacts the low temperature geothermal resource of the Boise Front Ground Water Management Area, the right holder shall (a) cease diverting water under this right, (b) limit diversion of water under this right to 205 to 300 feet deep, or (c) provide a mitigation plan under this right addressing the adverse impacts. The mitigation plan must be approved by the department prior to any mitigation activity.
- Diversion and use of ground water shallower than 200 feet is not authorized under this right.
- 260 The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right for land with an appurtenant surface water right(s) to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
- 261 If the surface water right(s) appurtenant to the place of use is abandoned, forfeited, sold, transferred, leased or used on any other place of use, this right to divert ground water shall not be used on the land with an appurtenant surface water right(s) without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
- 165 To prevent injury to prior water rights appropriating water from the Boise River and/or the underlying shallow aquifer tributary to Boise River, the new Miller Gulch well in the NWSE, S22 used as a point of diversion for this water right shall be constructed and maintained with unperforated casing and sealed into the first significant confining layer located 200 feet or more below ground surface.
- 206 This right when combined with all other rights for the same land is limited to the irrigation of a specific 298 acres within the 451 acre place of use authorized by this right in a single irrigation season. The specific 298 acres to be irrigated by the right holder shall be identified prior to use by submittal of a land list and a map sufficiently detailed to allow creation of an electronic shape file to be associated with this right. Before changing the 298 acres to be irrigated within the 451 acre place of use, the right holder shall submit a new land list and representative electronic shape file or map to the Department prior to the irrigation season in which the change will occur.

- R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the place of use.
- X27 This right is limited to the irrigation of 95 acres within the authorized place of use in a single irrigation season.
- WB7 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 1341.0 af at the field headgate for the place of use.
- X35 Rights 63-3603, 63-7595, 63-10533 and 63-12540 when combined shall not exceed a total diversion rate of 4.63 cfs, a total annual maximum diversion volume of 1341 af at the field headgate, and the irrigation of 298 acres. ✓
- X35 Rights 63-308, 63-3603, 63-7595, 63-10533 and 63-12540 when combined shall not exceed the irrigation of 298 acres.
- F06 Rights 63-10533 and 63-12540 are diverted from the same points of diversion. Rights 63-3603, 63-7595 and 63-12540 are diverted from the Champagne Well in the NWNE, the Creekside Well in the NWNE, the Miller Gulch Well in the NWSE and the Motorcycle Well (cold water only) in the NWNE, all in S22.
- 121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

Dates

Licensed Date :
 Decreed Date :
 Permit Proof Due Date : 12/1/2023
 Permit Proof Made Date :
 Permit Approved Date : 11/18/2014
 Permit Moratorium Expiration Date :
 Enlargement Use Priority Date :
 Enlargement Statute Priority Date :
 Water Supply Bank Enrollment Date Accepted :
 Water Supply Bank Enrollment Date Removed :
 Application Received Date: 6/24/1999
 Protest Deadline Date: 9/3/2013

Other Information

State or Federal :
 Water District Number : TBD
 Generic Max Rate Per Acre : 0.02
 Generic Max Volume Per Acre : 0
 Civil Case Number :
 Decree Plaintiff :
 Decree Defendant :
 Swan Falls Trust or Nontrust :
 Swan Falls Dismissed :
 DLE Act Number :
 Cary Act Number :
 Mitigation Plan: False

IDAHO DEPARTMENT OF WATER RESOURCES

10/4/2023



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098

Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

October 13, 2023

TLP LLC
3858 N GARDEN CENTER WAY STE 300
BOISE ID 83703-5008

PROOF ACKNOWLEDGEMENT LETTER

RE: Permit No. 63-12540

Dear Permit Holder(s):

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at www.idwr.idaho.gov.

If you have any questions concerning the field examination, please contact the Western Region Office of the Department located in Boise at (208) 334-2190.

Sincerely,

Amanda Veibell
Technical Records Specialist

Enclosure(s)

c: CHARLES L HONSINGER