

RECEIVED

JUN 24 2024

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION
STATEMENT OF COMPLETION
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ 50-
Receipt No. W052036
Received By MB
Date Received 6/24/24

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 2-10640 Name of Permit Holder(s) RANDOLPH SCHOLZ
Telephone No. (208) 789-5534 Email —
Mailing Address 4150 CLARK ISLAND LN City HOMEDALE State ID Zip 83628
2. Source of Water SNAKE RIVER If Ground Water (well), Date Drilled mo. — / yr. —
Drilling Permit/Tag No. — Drilling Company's Name —
3. Extent of use(s) completed as authorized by the water right permit:
Domestic (No. households) 1 Irrigation (No. acres) 3.1 Stockwater (No. and stock type) —
Other —
4. Total diversion rate or volume (storage only) for which proof is submitted 0.13 cfs OR — af
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.
5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)
SEE ATTACHMENTS

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- | | | |
|--------------------------|-------------------------------------|---|
| ☐ | ☒ | Ground water level data, pumping information, or other diversion data |
| ☐ | ☒ | Mitigation plan |
| ☐ | ☒ | Lockable controlling works |
| ☐ | ☒ | Measuring device |
| ☐ | ☒ | Fish screen |
| ☐ | ☒ | Other requirements of the water right permit <u>—</u> |
| ☐ | ☒ | Reasonably Anticipated Future Needs ("RAFN") Municipal use |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50- or ☐ CWRE field report attached or ☐ No fee required
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: RANDY SCHOLZ Telephone No. (208) 789-5534 Email —
Mailing Address 4150 CLARK ISLAND LN City HOMEDALE State ID Zip 83628

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

R.H. Scholz
SIGNATURE OF PERMIT HOLDER*

RANDOLPH SCHOLZ - OWNER 06/24/24
PRINTED NAME AND TITLE DATE

*Attach power of attorney if completing on behalf of permit holder.

State of Idaho
Department of Water Resources

Attachment to Permit to Appropriate Water

2-10640

This map depicts the IRRIGATION place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- Place Of Use Boundary
- Townships
 - PLS Sections
 - Quarter Quarters
 - Point of Diversion


0 0.035 0.07 0.14 Miles



Overall Schematic – Clark Island Subdivision



Scholz Property Schematic




4/G SYSTEM

- SERVES EAST 1/2 OF PROPERTY
- 8 STATIONS
- TWO 2" VALVES
- ONE 1 1/4" VALVE
- FIVE 1" VALVE
- ALL RUN AUTOMATICALLY FROM TIMER IN GARAGE

Pump Information

Century Pump Motor
 Part 6-323052-01 FR 286TCZ
 30 Horsepower


CLARK ISLAND PUMP.



BEGINNING CLARK ISLAND UNDERGROUND



LOOKING NORTH EAST



LOOKING NORTH WEST



LOOKING NORTH



LOOKING SOUTH WEST




LOOKING WEST



LOOKING NORTH



LOOKING NORTH EAST



LOOKING SOUTH




LOOKING EAST




LOOKING SOUTH EAST



LOOKING SOUTH



LOOKING SOUTH



LOOKING SOUTH



SCHOLZ POND



- NO WATER IS PUMPED INTO OR OUT OF THE POND
- POND IS NATURAL
- POND IS FEED VIA UNDERGROUND WATER
- POND LEVEL FLUCTUATES DURING THE YEAR
- A POND AERATOR RUNS 24/7 TO KEEP POND HEALTHY