

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

9/6/2024

CREATED BY SPLIT

Water Permit 63-35623

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	ANDREW D PRILL 5496 N BOGUS BASIN RD BOISE, ID 83702-1548 (206) 713-6871
Current Owner	MICHELLE L PRILL 5496 N BOGUS BASIN RD BOISE, ID 83702-1548 (206) 713-6871
Original Owner	JASON CARNAHAN 5496 N BOGUS BASIN RD BOISE, ID 83702-1548 (208) 283-3691

Priority Date: 4/30/2021

Status: Active

Source

GROUND WATER

Tributary

Beneficial Use

DOMESTIC

From

01/01

To

12/31

Diversion Rate

0.040 CFS

Volume

1.4 AF

Total Diversion

0.040 CFS

1.4 AF

Source and Point(s) of Diversion:

GROUND WATER

NWSE

Sec. 23, Twp 04N, Rge 02E, ADA County

Place Of Use:

DOMESTIC within ADA County

			NE				NW				SW				SE								Totals	
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE						
04N	02E	23									X				X			X	X					

Conditions of Approval:

1. X01 Domestic use is for 1 home. Parcel S0623314840
2. 058 The point of diversion identified in this right is located within the boundaries of the Boise Front Low Temperature Geothermal Resource Groundwater

Proof Report

- Management Area. The well driller shall monitor water temperatures while drilling the well. If water with a temperature greater than 85 degrees Fahrenheit is encountered by the driller, drilling must immediately cease, and the Department must be notified. Drilling shall not resume until the Department has reviewed the drilling conditions, and established standards for construction with the driller.
3. 073 Diversion and use of water with a temperature greater than 85 degrees Fahrenheit is not authorized under this right.
4. 071 The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
5. 070 The irrigation occurring under this domestic use shall not exceed 1/2 acre within each platted subdivision lot upon which a home has been constructed. This right does not provide for irrigation of common areas or for irrigation of lots upon which homes have not been constructed.
6. 930 Water bearing zone to be appropriated is 400 to 700 feet.
7. 020 The diversion and use of water described in this right may be subject to additional conditions and limitations agreed to by the protestant and the right holder under a separate agreement to which the Department is not a party. Because the Department is not a party, the Department is not responsible for enforcement of any aspect of the agreement not specifically addressed in other conditions herein. Enforcement of those portions of the agreement not specifically addressed in other conditions shall be the responsibility of the protestant and the water right holder.
8. 046 Right holder shall comply with the drilling permit requirements of Idaho Code s 42-235 and applicable Well Construction Rules of the Department.
9. 121 The Director retains jurisdiction to require the right holder to provide purchased or leased natural flow or stored water to offset depletion of Lower Snake River flows if needed for salmon migration purposes. The amount of water required to be released into the Snake River or a tributary, if needed for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this permit.

Dates and Other Information:

Field Exam Date: 8/23/2024

State or Federal: S

Water District Number: EXC

Mitigation Plan: False

Combined Use Limits:

N/A

SubCase:


N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources
Permit to Appropriate Water
63-35623

CREATED BY SPLIT



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Point of Diversion
-  State Outline
-  Townships
-  PLS Sections
-  Quarter Quarters

