

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-24052
Exam Date: 09/23/2024

1. Current Owner:
TERRILYN BRYANT PO BOX 1556 MCCALL ID 83638-1556 AND/OR
ROBERT BRYANT PO BOX 1556 MCCALL ID 83638-1556
2. Accompanied by: In house
Phone No:
Address:
Relationship to permit Holder:

3. **SOURCE:**
GROUND WATER

Method of Determination: application and permit

B. OVERLAP REVIEW

1. Other water rights with the same place of use: YES Overlap

Water Right No.	Source	Purpose of Use	Basis
65-3218	Lake Fork	Irrigation	Decree
65-3219A	Little Payette Lake	Irrigation from Storage/Irrigation Storage	Decree
65-3219X	Little Payette Lake	Irrigation from storage/Irrigation Storage	Decree

Comments: Owner of overlapping rights is Lake Irrigation District

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**
GROUND WATER NW¼ NW¼, Sec. 33, Twp 18N, Rge 03E, B.M. VALLEY County

Method of Determination: application, permit, ArcMap

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
18N	03E	33						X											

Method of Determination: application, permit, ArcMap and Valley County

3. Delivery System Diagram Attached (required). Indicate all major components and distances between components.
 _____ Indicate weir size/pipe as applicable.
 _____ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
 _____ 1:24,000 or greater.
 _____ Aerial Photo Attached (required for irrigation of 10+ acres).
 _____ Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: domestic indoor and outdoor use up to ½ acre of irrigation. 1.2 af per administrative application processing memo #22.

G. NARRATIVE/REMARKS/COMMENTS: ArcMap and Valley County confirm dwelling on property and list permit holder as current owner.

This right overlaps with surface water rights current owner Lake Irrigation District. 65-3218 is an irrigation right whose source is Lake Fork. 65-3219A and 65-3219X are irrigation storage and irrigation from storage rights from the Little Payette Lake. No rights have the same POD as this right, 65-24052 which is a groundwater source. The well was drilled in 1992.

Condition 046 was removed per standard practice.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts


<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. AUTHENTICATION Jean Hersley - Technical Records Specialist 2

Field Examiner's Name Jean Hersley Date 9-23-24
Reviewer TH Date 10/15/24




ArcMap shows dwelling on property and list owners as Robert & Terrilyn Bryant Trust.

Valley County shows dwelling on property and list owners as Robert & Terrilyn Bryant Trust.

Valley County shows dwelling on property and list owners as Robert & Terrilyn Bryant Trust.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Rob Bryant</u> Address <u>Box 1556 McCall, Id.</u> Drilling Permit No. <u>65-92-W-243</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>97'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>50</u> °F. Quality <u>Clear</u> Describe artesian or temperature zones below.																																																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Modification ☐ Abandoned (describe abandonment or modification procedures such as liners, screen, materials, plug depths, etc. in lithologic log, section 9.)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>20</u></td><td><u>126</u></td><td><u>2</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>20</u>	<u>126</u>	<u>2</u>																																																										
Discharge G.P.M.	Pumping Level	Hours Pumped																																																															
<u>20</u>	<u>126</u>	<u>2</u>																																																															
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Monitor ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <u>080340</u> <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>3</td><td>Top 30' L</td><td></td><td>X</td></tr><tr><td>8"</td><td>3</td><td>20</td><td>Boulders & gravel</td><td></td><td>X</td></tr><tr><td>6"</td><td>20</td><td>40</td><td>Gravel / Red Clay</td><td>X</td><td></td></tr><tr><td></td><td>40</td><td>50</td><td>Red Clay</td><td></td><td>X</td></tr><tr><td></td><td>50</td><td>60</td><td>White clay / gravel</td><td></td><td>X</td></tr><tr><td></td><td>60</td><td>80</td><td>Basalt / gravel</td><td></td><td>X</td></tr><tr><td></td><td>80</td><td>100</td><td>" "</td><td></td><td>X</td></tr><tr><td></td><td>100</td><td>120</td><td>" "</td><td>X</td><td></td></tr><tr><td>6"</td><td>120</td><td>136</td><td>" "</td><td>X</td><td></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8"	0	3	Top 30' L		X	8"	3	20	Boulders & gravel		X	6"	20	40	Gravel / Red Clay	X			40	50	Red Clay		X		50	60	White clay / gravel		X		60	80	Basalt / gravel		X		80	100	" "		X		100	120	" "	X		6"	120	136	" "	X	
Bore Diam.	Depth		Material	Water																																																													
	From	To		Yes	No																																																												
8"	0	3	Top 30' L		X																																																												
8"	3	20	Boulders & gravel		X																																																												
6"	20	40	Gravel / Red Clay	X																																																													
	40	50	Red Clay		X																																																												
	50	60	White clay / gravel		X																																																												
	60	80	Basalt / gravel		X																																																												
	80	100	" "		X																																																												
	100	120	" "	X																																																													
6"	120	136	" "	X																																																													
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary ☐ Cable ☐ Mud ☐ Other _____ (backhoe, hydraulic, etc.)																																																																	
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="0"><tr><td>Thickness</td><td>Diameter</td><td>From</td><td>To</td></tr><tr><td><u>1.250</u> inches</td><td><u>6</u> inches</td><td>+ <u>1</u> feet</td><td><u>136</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation? <u>1/2</u> inches by <u>4</u> inches <table border="0"><tr><td>Number</td><td>From</td><td>To</td></tr><tr><td><u>16</u> perforations</td><td><u>132</u> feet</td><td><u>136</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☐ Yes ☒ No Manufacturer _____ Type _____ Top Packer or Headpipe _____ Bottom of Tailpipe _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Overbore to seal depth ☐ Temp. surface casing ☒ Welded Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>San.itary Well Seal</u>	Thickness	Diameter	From	To	<u>1.250</u> inches	<u>6</u> inches	+ <u>1</u> feet	<u>136</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>16</u> perforations	<u>132</u> feet	<u>136</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	RECEIVED SEP 24 1992 Department of Water Resources Western Regional Office RECEIVED OCT 21 1992 Department of Water Resources RECEIVED DEC 04 1992																																				
Thickness	Diameter	From	To																																																														
<u>1.250</u> inches	<u>6</u> inches	+ <u>1</u> feet	<u>136</u> feet																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																														
_____ inches	_____ inches	_____ feet	_____ feet																																																														
Number	From	To																																																															
<u>16</u> perforations	<u>132</u> feet	<u>136</u> feet																																																															
_____ perforations	_____ feet	_____ feet																																																															
_____ perforations	_____ feet	_____ feet																																																															
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Valley</u> Address of Well Site <u>55 Johnson Lane</u> (give at least name of road) <u>NW</u> 1/4 <u>NW</u> 1/4 Sec. <u>33</u> T. <u>18</u> N ☒ or S ☐ R. <u>3</u> E ☒ or W ☐	11. DRILLER'S CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Menaslo Drilling</u> Firm No. <u>391</u> Address <u>McCall, Id.</u> Date <u>9.22.92</u> Signed by Drilling Supervisor <u>Cope</u> and (Operator) <u>Cope</u> (If different than the Drilling Supervisor)																																																																