

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 96-12371

RECEIVED

APR 08 2024

DEPARTMENT OF
WATER RESOURCES

Priority: August 19, 2022

Maximum Diversion Rate: 0.01 CFS

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 96-12371

THOMAS G FLETCHER 1578 RAPID LIGHTNING RD SANDPOINT ID 83864-4754 AND/OR
BRENDA G FLETCHER 1578 RAPID LIGHTNING RD SANDPOINT ID 83864-4754

requests the permit be changed as follows:

Source : PACK RIVER

Tributary: LAKE PEND OREILLE

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.01 CFS

Location of Point(s) of Diversion

PACK RIVER NW¼ SE¼, Sec. 24, Twp 58N, Rge 01W, B.M. BONNER County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
58N	01W	24			0.1											0.1			0.2

Total Acres: 0.2

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 3 day of April, 2024

Thomas G. Fletcher
(Signature)

Brenda G Fletcher

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 96-12371

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by KM # C118110 Date 4/8/24

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 96-12371 with the following:

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.01 cfs nor more than 0.6 afa at the field headgate for irrigation of the place of use.
2. A fish screen of 1/4 inch or smaller mesh shall be installed and maintained at the point of diversion.
3. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.
4. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 10th day of April, 2024.



PHILL HUMMER
Water Rights Section Manager



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

March 26, 2024

THOMAS & BRENDA FLETCHER
1578 RAPID LIGHTNING RD
SANDPOINT ID 83864-4754

RE: Water Right Permit No. 96-12371

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit(s) referenced above prior to issuing water right license(s). By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit(s) have been developed differently than described on your permit(s). Changes that do not increase the authorized use of water under the permit(s) can be requested and approved in accordance with Idaho Code § 42-211. Before license(s) can be issued, your permit(s) must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit(s):

____ Point(s) of Diversion X Place(s) of Use ____ Other

The enclosed Application for Amendment form(s) depicts the elements of the water right(s) as they will appear on the license(s) when issued. Please review the amendment form(s) carefully. If you concur with the information presented, please sign and return the form(s) with the filing fee of \$100.00 within fourteen (14) days.

If you have any questions, please call or email me at (208)-287-4913 or skyler.cheever@idwr.idaho.gov.

Sincerely,

Skyler Cheever
Water Resource Agent

Enclosure(s): Application for Amendment