

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 96-15624
Exam Date: 05/08/2024

1. Current Owner:
ILA D SCHMITT PO BOX 1625 CARSTAIRS AB TOM ONO
KENNETH A SCHMITT PO BOX 1625 CARSTAIRS AB TOM ONO
2. Accompanied by: In office
Phone No:
Address:
Relationship to permit Holder:

3. SOURCE:
COCOLALLA LAKE

Tributary
COCOLALLA CREEK

Method of Determination: application and permit

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

C. DIVERSION AND DELIVERY SYSTEM**1. LOCATION OF POINT(S) OF DIVERSION:**

COCOLALLA LAKE L6 (SW¼ NE¼), Sec. 7, Twp 55N, Rge 02W, B.M. BONNER County

Method of Determination: application, permit and Arcmap

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
55N	02W	7			X L6					X									

Method of Determination: application, permit, ArcMap and Bonner County

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.
 _____ Indicate weir size/pipe as applicable.

_____ Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
 x 1:24,000 or greater.

_____ Aerial Photo Attached (required for irrigation of 10+ acres).

_____ Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses: domestic use indoor and up to ½ acre of irrigation. 1.2 af per Administrative Application Processing Memo # 22.

G. NARRATIVE/REMARKS/COMMENTS: The Department received the Statement of Completion on April 16, 2024. ArcMap and Bonner County show dwelling on property and lists permit holders as current owners. There are no overlapping rights.

Volume is for domestic use- indoor and up to ½ acre of irrigation.

Removed condition 029 as standard practice.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
<u>Totals:</u>		0.04 CFS	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. AUTHENTICATION

Jean Hersley -

Field Examiner's Name Jean Hersley Date 5-10-24

Reviewer [Signature] Date 6/27/24

Hersley, Jean

From: Ila Schmitt <iladawn@yahoo.com>
Sent: Friday, May 10, 2024 11:48 AM
To: Hersley, Jean
Subject: Re: Water Right Permit 96-15624

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Good morning Jean.

Yes, a mesh fish screen is installed on the intake hose.

Thank you,
Ila Schmitt

On May 8, 2024, at 11:26 AM, Hersley, Jean <Jean.Hersley@idwr.idaho.gov> wrote:

The Idaho Department of Water Resources is in the process of reviewing your permit for licensing. One of the conditions on your permit states, *"Prior to the diversion and use of water under this approval, the right holder shall comply with all fish screening and/or fish passage requirements of the Idaho Department of Fish and Game"*. Have you met all the requirements of a fish screen?

Please let me know within 7 days so I can continue processing your permit for licensing. Let me know if you have any questions. Thank you.

<image001.jpg>

Jean Hersley
Technical Records Specialist II
Idaho Dept Water Resources
(208) 287-4942

96-15624

Untitled - ArcMap

File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help

Process POU POD Wells SC WMIS Dam Safety UIC WRA Enforcement Tools Editor

2304975.358 1884335.592 Meters

Identify

Identify from: Parcels

Parcel

1 SCHMITT, KENNETH ARTHUR & ILA DAWN

Location: 2,304,898.998 1,884,270.822 Meters

Field	Value
ID	15673974
UPDATED	6/17/2023
PIN	RP008000000000
OWNER	SCHMITT, KENNETH ARTHUR & ILA DAWN
ADDRESS1	PO BOX 1625 30105 RANGE RD 13
ADDRESS2	CARSTAIRS AB T0M 0N0
CITY	CANADA
STATE	
ZIPCODE	1889 COCOLALLA LP LOOP
P_ZIPCODE	83813
SUB_NAME	WEST COCOLALLA ESTATES
LEGAL1	7-39N-21W WEST COCOLALLA ESTS LOT 8 CPWRS
LEGAL2	<null>
LEGAL3	<null>
LEGAL4	<null>
LEGAL5	<null>
LEGAL6	<null>
ACRES	0.9
COUNTY	Bonner
SOURCE	<null>
YEAR_BUILT	1982

Identified 1 feature

Drawing

2304975.358 1884335.592 Meters

ArcMap shows dwelling on property and lists permit holder as current owner.

1889 Cocolalla Loop

Zoom to

Parcel	
PIN	RP008000000080A
Owner1	Schmitt, Kenneth Arthur & his Dawn
Owner2	
Property Class Description	537-Resid improv on cat 15
Tax Code Area	620000
Last Assessed Value	773073
Acres	1.000
Legal Description	7-55N-2W WEST COCOLALLA ESTS LOT 8 CPWR3
Deed1:	1018161
Deed2:	894240
Deed3:	
Deed4:	
Deed5:	

1:1128

Powered by Esri

Bonner County shows dwelling on property and lists permit holder as current owner.