

AUG 23 2024

DEPT. OF WATER RESOURCES

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**STATEMENT OF COMPLETION**  
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY

Amt. of Fee \$ \_\_\_\_\_  
Receipt No. \_\_\_\_\_  
Received By \_\_\_\_\_  
Date Received \_\_\_\_\_

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. **This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE).** Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 96-16781 Name of Permit Holder(s) Christopher Berner

Telephone No. 509-999-0412 Email chrisberner@live.com

Mailing Address 1105 N King James Ln City Liberty Lake State WA Zip 99019

2. Source of Water Well If Ground Water (well), Date Drilled mo. Aug / yr. 2023

Drilling Permit/Tag No. D0095169 Drilling Company's Name H2O

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) 1 Irrigation (No. acres) \_\_\_\_\_ Stockwater (No. and stock type) \_\_\_\_\_

Other \_\_\_\_\_

4. Total diversion rate or volume (storage only) for which proof is submitted \_\_\_\_\_ cfs OR \_\_\_\_\_ af  
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

Pump to structure. Copies of invoices detailing parts & specs attached  
10 gpm 1 HP pump installed Well drillers report also attached

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

- |                          |                                     |                                                                       |
|--------------------------|-------------------------------------|-----------------------------------------------------------------------|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Ground water level data, pumping information, or other diversion data |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Mitigation plan                                                       |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Lockable controlling works                                            |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Measuring device                                                      |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Fish screen                                                           |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Other requirements of the water right permit _____                    |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Reasonably Anticipated Future Needs ("RAFN") Municipal use            |

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ \_\_\_\_\_ or ☐ CWRE field report attached or ☒ No fee required


See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: Chris Berner Telephone No. 509-999-0412 Email chrisberner@live.com

Mailing Address 1105 N King James Ln City Liberty Lake State WA Zip 99019

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

  
SIGNATURE OF PERMIT HOLDER\*

Christopher Berner  
PRINTED NAME AND TITLE

8/16/24  
DATE

\*Attach power of attorney if completing on behalf of permit holder.

# IDAHO DEPARTMENT OF WATER RESOURCES

## WELL DRILLER'S REPORT

1. WELL TAG NO. D D0095169

Drilling Permit No. \_\_\_\_\_

Water right or injection well # \_\_\_\_\_

2. OWNER: Christopher & Mandy Berner

Name \_\_\_\_\_

Address 1105 N. King James Lane

City Liberty Lake State WA Zip 99019

### 3. WELL LOCATION:

Twp. 56N North ☒ or South ☐ Rge. 01W East ☐ or West ☐

Sec. 22 10 acres 1/4 SE 1/4 NE 1/4

Gov't Lot \_\_\_\_\_ County Bonner

Lat. 48 ° 11 . 211 (Deg. and Decimal minutes)

Long. 116 ° 25 . 048 (Deg. and Decimal minutes)

Address of Well Site Green Bay Rd.

City Sagle

(Give at least name of road = Distance to Road or Landmark)

Lot. 3 Blk. \_\_\_\_\_ Sub. Name Green Bay Heights

### 4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection

☐ Other \_\_\_\_\_

### 5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well

☐ Abandonment ☐ Other \_\_\_\_\_

### 6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other \_\_\_\_\_

### 7. SEALING PROCEDURES:

| Seal material | From (ft) | To (ft) | Quantity (lbs or ft <sup>3</sup> ) | Placement method/procedure |
|---------------|-----------|---------|------------------------------------|----------------------------|
| Bentonite     | 0         | 38      | 1500 lbs.                          | Temp. Casing               |

### 8. CASING/LINER:

| Diameter (nominal) | From (ft) | To (ft) | Gauge/Schedule | Material | Casing                              | Liner                               | Threaded                 | Welded                              |
|--------------------|-----------|---------|----------------|----------|-------------------------------------|-------------------------------------|--------------------------|-------------------------------------|
| 6"                 | +2        | 47      | .250           | Steel    | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> |
| 4"                 | -20       | 160     | 40             | PVC      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            |

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 47'

### 9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method Skillsaw

Manufactured screen ☐ Y ☒ N Type \_\_\_\_\_

Method of installation \_\_\_\_\_

| From (ft) | To (ft) | Slot size | Number/ft | Diameter (nominal) | Material | Gauge or Schedule |
|-----------|---------|-----------|-----------|--------------------|----------|-------------------|
| 140       | 160     | 1/8x4     | 53        | 4"                 | PVC      | Sch. 40           |

Length of Headpipe \_\_\_\_\_ Length of Tailpipe \_\_\_\_\_

Packer ☐ Y ☒ N Type \_\_\_\_\_

### 10. FILTER PACK:

| Filter Material | From (ft) | To (ft) | Quantity (lbs or ft <sup>3</sup> ) | Placement method |
|-----------------|-----------|---------|------------------------------------|------------------|
|-----------------|-----------|---------|------------------------------------|------------------|

### 11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) \_\_\_\_\_

Describe control device \_\_\_\_\_

### 12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 125' Static water level (ft) 60'

Water temp. (°F) Cold Bottom hole temp. (°F) Cold

Describe access port Welded cap

#### Well test:

| Drawdown (feet) | Discharge or yield (gpm) | Test duration (minutes) | Pump                     | Ballor                   | Air                                 | Flowing artesian         |
|-----------------|--------------------------|-------------------------|--------------------------|--------------------------|-------------------------------------|--------------------------|
| 100%            | 40                       | 60                      | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

#### Test method:

Water quality test or comments: \_\_\_\_\_

### 13. LITHOLOGIC LOG and/or repairs or abandonment:

| Bore Dia. (in) | From (ft) | To (ft) | Remarks, lithology or description of repairs or abandonment, water temp. | Water |   |
|----------------|-----------|---------|--------------------------------------------------------------------------|-------|---|
|                |           |         |                                                                          | Y     | N |
| 10             | 0         | 6       | Topsoil & Cobble                                                         |       | X |
| 10             | 6         | 12      | Sand                                                                     |       | X |
| 10             | 12        | 27      | Brown Shale                                                              |       | X |
| 10             | 27        | 38      | Gray Shale                                                               |       | X |
| 8              | 38        | 47      | Gray & Brown Shale                                                       |       | X |
| 6              | 47        | 160     | Gray & Brown Shale                                                       | X     |   |
|                |           |         | 40 gpm @ 125'                                                            |       |   |

Completed Depth (Measurable): 160'

Date Started: Jun 7, 2023 Date Completed: Jun 8, 2023

### 14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name H2O Well Service Inc. Co. No. 448

\*Principal Driller \_\_\_\_\_ Date \_\_\_\_\_

\*Driller \_\_\_\_\_ Date \_\_\_\_\_

\*Operator II \_\_\_\_\_ Date \_\_\_\_\_

Operator I \_\_\_\_\_ Date \_\_\_\_\_

\* Signature of Principal Driller and rig operator are required.



468945 Hwy 95  
Sagle, ID 83860  
(208) 265-1622

Invoice 21344958  
Invoice Date 6/9/2023  
Payment Term Due Upon  
Receipt  
Due Date 6/9/2023

**Billing Address**

Berner, Chris & Mandy  
1105 North King James Lane  
Liberty Lake, WA 99019 USA

**Description of work**


Well Drilling 792 Green Bay Rd. Sagle, ID  
Drill Rig #80 Kuprienko & Albin  
Completed: 6/8/2023

| Task #                 | Description                    | Quantity | Your Price | Total      |
|------------------------|--------------------------------|----------|------------|------------|
| 10" Drilling           | 10" Drilling                   | 38.00    | \$0.00     | \$0.00     |
| 10" Temp. Casing       | 10" Temp. Casing               | 40.00    | \$0.00     | \$0.00     |
| 8" Drilling            | 8" Drilling                    | 9.00     | \$40.00    | \$360.00   |
| 6" Drilling            | 6" Drilling                    | 113.00   | \$36.00    | \$4,068.00 |
| 10" - 38' Surface Seal | 10" - 38' Surface Seal         | 1.00     | \$2,500.00 | \$2,500.00 |
| Mob & DeMob            | Mob & DeMob                    | 1.00     | \$450.00   | \$450.00   |
| 80C06250               | 6" .250 wall steel casing      | 49.00    | \$32.00    | \$1,568.00 |
| 80P200CL4              | 4"SCH 40 Solid Certa-loc Liner | 140.00   | \$10.00    | \$1,400.00 |
| 85BHP                  | Hole Plug Bentonite 50# bag    | 30.00    | \$0.00     | \$0.00     |
| 83DS06                 | 6" Drive Shoe                  | 1.00     | \$200.00   | \$200.00   |
| 94IDPERMITS            | Domestic Id Drill Tags         | 1.00     | \$75.00    | \$75.00    |

| Paid On   | Type  | Memo     | Amount     |
|-----------|-------|----------|------------|
| 5/15/2023 | Check | Ck# 1212 | \$5,200.00 |

|                    |             |
|--------------------|-------------|
| <b>Sub-Total</b>   | \$10,621.00 |
| <b>Tax</b>         | \$0.00      |
| <b>Total</b>       | \$10,621.00 |
| <b>Payment</b>     | \$5,200.00  |
| <b>Balance Due</b> | \$5,421.00  |

Thank you for your business  
We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied

Signature: 



468945 US Hwy 95  
Sagle, ID 83860 (208) 265-1622

Invoice 22355119  
Invoice Date 9/14/2023  
Completed Date 9/13/2023  
Payment Term Due Upon Receipt  
Due Date 9/14/2023

**Billing Address**  
Berner, Chris & Mandy  
1105 North King James Lane  
Liberty Lake, WA 99019 USA

**Job Address**  
Berner, Chris & Mandy  
792 Green Bay Road  
Sagle, ID 83860 USA

**Description of work**

(JT) SAGLE - PHASE II INSTALL (RR/DW)  
9/13/23

Arrived onsite and started by getting pit-less installed and setting the pump and motor down on it. Next we set up the drive and ran conduit. Then we pulled wire and made up connections and ran tracer wire. We were unable to test due to no power on site so connections have not been pressure tested yet.

| Task #            | Description                                                              | Quantity | Your Price | Total      |
|-------------------|--------------------------------------------------------------------------|----------|------------|------------|
| Pump Truck Labor  | Pump Truck Labor & Travel / Plumbing & Wiring Labor Phase II<br>Robert R | 1.00     | \$2,040.00 | \$2,040.00 |
| Assist Tech Labor | Assist Tech Labor<br>Damon W                                             | 1.00     | \$0.00     | \$0.00     |
| 56WCP6            | 6" Well Cap, personalized                                                | 1.00     | \$92.66    | \$92.66    |
| 55PALDS10         | 1" Pitless Adapter #LDS10                                                | 1.00     | \$108.20   | \$108.20   |
| 65PC401           | 1"Sch 40 PVC Conduit                                                     | 40.00    | \$3.42     | \$136.80   |
| 65PC801           | 1" Sch 80 PVC Conduit                                                    | 10.00    | \$5.84     | \$58.40    |
| 66PC40E90S1       | 1" PVC Sweep 90 EL                                                       | 1.00     | \$7.36     | \$7.36     |
| 40THHN10          | #10 THHN Single Strand Wire                                              | 280.00   | \$0.68     | \$190.40   |
| 65PC4034          | 3/4" Sch 40 PVC Conduit                                                  | 40.00    | \$2.50     | \$100.00   |
| 65PC8034          | 3/4" Sch 80 PVC Conduit                                                  | 10.00    | \$4.28     | \$42.80    |
| 66PC40E90S34      | 3/4" PVC Sweep 90 EL                                                     | 1.00     | \$4.78     | \$4.78     |
| 42TC164PR         | #16/4 Shielded VTNC Cable*** Transducer Wire                             | 65.00    | \$1.20     | \$78.00    |
| 23PLY2001         | Poly pipe cl 250 1"                                                      | 15.00    | \$1.55     | \$23.25    |
| 34FC8644          | 1" Ford Poly Compression x MIP Adaptor                                   | 2.00     | \$84.20    | \$168.40   |
| 34FOSI1           | 1" Ford Poly Stiffener                                                   | 2.00     | \$5.42     | \$10.84    |
| 66LN1             | 1" Lock Nut                                                              | 3.00     | \$0.80     | \$2.40     |

|                      |                                              |       |          |          |
|----------------------|----------------------------------------------|-------|----------|----------|
| 66LN34               | 3/4" Lock Nut                                | 2.00  | \$0.50   | \$1.00   |
| 66IB1                | 1" Insulating Bushing                        | 3.00  | \$0.52   | \$1.56   |
| 66IB34               | 3/4" Insulating Bushing                      | 4.00  | \$0.80   | \$3.20   |
| 66TA1                | 1" Sch 40 PVC Terminal Adpt                  | 4.00  | \$1.25   | \$5.00   |
| 66TA34               | 3/4" Sch 40 PVC Terminal Adpt                | 2.00  | \$1.00   | \$2.00   |
| 64JB664P             | 6X6X4 PVC JCT. Box                           | 1.00  | \$52.10  | \$52.10  |
| 63DISURGE120         | Line-In Surge Arrestor                       | 1.00  | \$135.00 | \$135.00 |
| Job Supplies         | Job Supplies/Misc Electrical/ plumbing parts | 1.00  | \$100.00 | \$100.00 |
| 57YH4HD              | Woodford Iowa HD 4' Bury Hydrant (SAGLE)     | 1.00  | \$380.89 | \$380.89 |
| ID Electrical Permit | ID Electrical Permit                         | 1.00  | \$67.50  | \$67.50  |
| ID Plumbing Permit   | ID Plumbing Permit                           | 1.00  | \$67.50  | \$67.50  |
| 61ITE220             | ITE Breaker 2PL 240v 20amp                   | 1.00  | \$26.26  | \$26.26  |
| 66RB1141             | 1 1/4"x1" TxT Reducing Bushing               | 1.00  | \$6.04   | \$6.04   |
| 30BN14               | Brass Nipple 1"x4"                           | 2.00  | \$15.52  | \$31.04  |
| 30BN342              | Brass Nipple 3/4"x2"                         | 1.00  | \$4.43   | \$4.43   |
| 30BSE9034            | Brass 3/4" 90 Street Elbow                   | 2.00  | \$12.16  | \$24.32  |
| 30BE901              | Brass 1" 90 Elbow                            | 2.00  | \$9.34   | \$18.68  |
| 30BRT1134            | 1 X 1 X 3/4 Brass Reducing Tee               | 1.00  | \$25.73  | \$25.73  |
| 30BP1                | Brass Plug 1"                                | 1.00  | \$8.00   | \$8.00   |
| 60SPK4               | #14-12-10 4 Wire Splice Kit                  | 1.00  | \$4.90   | \$4.90   |
| 40THHN16             | #16 THHN (Blue Tracer Wire)                  | 30.00 | \$0.30   | \$9.00   |
| 60SPX                | #16-14 Transducer Butt Splice                | 2.00  | \$5.00   | \$10.00  |
| 66PC40CO1            | 1" PVC Conduit Coupler                       | 1.00  | \$0.71   | \$0.71   |
| 66PC40CO34           | 3/4" PVC Conduit Coupler                     | 1.00  | \$0.58   | \$0.58   |

|                    |            |
|--------------------|------------|
| <b>Sub-Total</b>   | \$4,049.73 |
| <b>Tax</b>         | \$0.00     |
| <b>Total</b>       | \$4,049.73 |
| <b>Payment</b>     | \$0.00     |
| <b>Balance Due</b> | \$4,049.73 |

Thank you for your business  
We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied

Approval Signature:  Date: 9/13/23

Thank you for your business  
We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied

---



468945 US Hwy 95  
Sagle, ID 83860 (208) 265-1622

Invoice 22355034  
Invoice Date 9/1/2023  
Completed Date 9/1/2023  
Payment Term Due Upon Receipt  
Due Date 9/1/2023

**Billing Address**

Berner, Chris & Mandy  
1105 North King James Lane  
Liberty Lake, WA 99019 USA

**Job Address**

Berner, Chris & Mandy  
792 Green Bay Road  
Sagle, ID 83860 USA

**Description of work**

(JT) - SAGLE - PHASE I INSTALL (KA/PV)

8/30/23


10 GPM 1 HP Constant Pressure Pump InWell Pressure Tank \*Materials will be billed at the price in effect at the time of installation.

| Task #                     | Description                                                       | Quantity | Your Price | Total      |
|----------------------------|-------------------------------------------------------------------|----------|------------|------------|
| Pump Truck Labor           | Pump Truck Labor Phase 1<br>Kevin A                               | 4.00     | \$160.00   | \$640.00   |
| Assist Tech Labor          | Assist Tech Labor<br>Phil V                                       | 4.00     | \$95.00    | \$380.00   |
| Water Analysis-ID-Standard | Water Analysis-ID-Standard                                        | 1.00     | \$90.00    | \$90.00    |
| Misc. Pump Insurance       | 3 yr. Warranty on Controller. 5 Yr. Warranty on Pump & Motor.     | 1.00     | \$0.00     | \$0.00     |
| 12GO10GS10                 | Goulds pump 10 gpm 1 hp w/e                                       | 1.00     | \$1,169.00 | \$1,169.00 |
| 11GOS06970                 | Franklin 4" 1 HP 230V 3Ø 3-Wire Submersible Motor<br>2345139203GS | 1.00     | \$985.00   | \$985.00   |
| 63FRSD100N3R               | Franklin Sub Drive Connect 20 100N3R                              | 1.00     | \$2,753.00 | \$2,753.00 |
| 22P801TC                   | PVC 120 1" T&C pipe<br>Drop Pipe                                  | 120.00   | \$3.74     | \$448.80   |
| 41SW104FJ                  | 10-4 Flat Jacket Submersible Wire                                 | 155.00   | \$2.92     | \$452.60   |
| 51CV1CVFD                  | 1" Cast Iron Check Valve VFD                                      | 1.00     | \$40.70    | \$40.70    |
| 75IN40SS                   | InWell 3.5 Gal Pressure Tank NT40SS                               | 1.00     | \$1,650.00 | \$1,650.00 |
| 131BB1141                  | Brass Bushing 11/4"x 1"                                           | 3.00     | \$11.17    | \$33.51    |
| 30BN13                     | 1 X 3 BRASS NIPPLE                                                | 1.00     | \$11.92    | \$11.92    |
| 30BN112                    | Brass Nipple 1" x 12"                                             | 2.00     | \$41.96    | \$83.92    |
| 30BB3414                   | Brass Bushing 3/4"x1/4"                                           | 1.00     | \$6.03     | \$6.03     |
| 30BSE9014                  | Brass 1/4" 90 Street Elbow                                        | 1.00     | \$7.24     | \$7.24     |

|            |                                       |      |         |         |
|------------|---------------------------------------|------|---------|---------|
| 60SPK4     | #14-12-10 4 Wire Splice Kit           | 1.00 | \$4.90  | \$4.90  |
| 56WS61     | 6"x1" Well Seal Cast                  | 1.00 | \$64.24 | \$64.24 |
| 30BP1      | Brass Plug 1"                         | 2.00 | \$8.00  | \$16.00 |
| 50RV34100S | 3/4" 100PSI Pres. Relief SHORT<br>PRV | 1.00 | \$54.52 | \$54.52 |

|                    |            |
|--------------------|------------|
| <b>Sub-Total</b>   | \$8,891.38 |
| <b>Tax</b>         | \$0.00     |
| <b>Total</b>       | \$8,891.38 |
| <b>Payment</b>     | \$0.00     |
| <b>Balance Due</b> | \$8,891.38 |

Thank you for your business  
We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied

Approval Signature:  Date: 9/1/23

Thank you for your business  
We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied



468945 US Hwy 95  
Sagle, ID 83860 (208) 265-1622

Invoice 22650305  
Invoice Date 10/3/2023  
Completed Date 10/2/2023  
Payment Term Due Upon Receipt  
Due Date 10/3/2023

**Billing Address**

Berner, Chris & Mandy  
1105 North King James Lane  
Liberty Lake, WA 99019 USA

**Job Address**

Berner, Chris & Mandy  
792 Green Bay Road  
Sagle, ID 83860 USA

**Description of work**

(JT) SAGLE - PHASE II PART 2 INSTALL (RR/DW/JC)

10/2/23

Arrived onsite and ran water line to the building and followed stub up instructions on 2"x4".

| Task #            | Description                            | Quantity | Your Price | Total    |
|-------------------|----------------------------------------|----------|------------|----------|
| Pump Truck Labor  | Pump Truck Labor<br>Robert R           | 2.00     | \$160.00   | \$320.00 |
| Assist Tech Labor | Assist Tech Labor<br>Damon W & John C  | 2.00     | \$95.00    | \$190.00 |
| 34FC8644          | 1" Ford Poly Compression x MIP Adaptor | 2.00     | \$84.20    | \$168.40 |
| 52BV1             | 1" Ball Valve Brass                    | 1.00     | \$49.92    | \$49.92  |
| 30BP1             | Brass Plug 1"                          | 1.00     | \$8.00     | \$8.00   |
| 40THHN16          | #16 THHN (Blue Tracer Wire)            | 70.00    | \$0.30     | \$21.00  |
| 23PLY2001         | Poly pipe cl 250 1"                    | 70.00    | \$1.54     | \$107.80 |
| 34FOSI1           | 1" Ford Poly Stiffener                 | 2.00     | \$5.42     | \$10.84  |

**Sub-Total** \$875.96

**Tax** \$0.00

**Total** \$875.96

**Payment** \$0.00

**Balance Due** \$875.96

Thank you for your business

We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied

Approval Signature: \_\_\_\_\_

Date: \_\_\_\_\_

10/3/23

Thank you for your business

We gladly accept check, cash or credit card. If paying by credit card a 3% fee will be applied