

WATERMASTER'S REPORT

WATER DISTRICT No. 72A

WATER DISTRICT NAME: CHALLIS/GARDEN CREEKS
AREA SUB-DISTRICT

January/2016 through December/2016

WATERMASTER NAME: Rick Philps

WATERMASTER ADDRESS: 25033 Highway 93 N., Challis, ID 83226

SECTION 42-606, IDAHO CODE

REPORTS OF WATERMASTERS. All watermasters shall make an annual report to the department of water resources prior to the expiration of the watermaster's appointment for the current year. This report shall show the total amount of water delivered by the watermaster during the preceding year, the amount delivered to each water user, the total expense of delivery and the apportionment of expenses among users and all debits and credits to be carried over to the following year. Such report shall also include records of stream flow the watermaster used or made in the process of distributing water supplies. The director may ask for other information deemed necessary in assuring proper distribution of water supplies within the district. The reports of watermasters to the department of water resources shall be filed and kept in the office of the department.


State of Idaho)
County of Custer) ss

AFFIDAVIT OF WATERMASTER

Rick Philps, being first duly sworn deposes and says that he is Watermaster of Water District No. 72A, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water as stated in this report and prorated by him to the water right holders of the district are correct.

Rick Philps
Watermaster, District No. 72A

SUBSCRIBED AND SWORN to before me this 5th day of April, 2016



Lacinda Philps
Notary Public

Residing at Challis, Idaho

Commission Expires 3-19-19

I HEREBY CERTIFY that, Rick Philps was lawfully appointed by me as Watermaster of Water District No. 72A, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

SCANNED
APR 14 2017

WATERMASTER'S REPORT

2016 Delivery Records

See attached pages/log books

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110002 - D - GDN02 - A0003067

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.50 ^m	0.50 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.50 ⁱ	0.50 ^m	--	--	--	--	--	--
25	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.50 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	15.5	12.0	--	--	--	--	--	--
Mean:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
Min:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
Max:	--	--	--	--	0.50	0.50	--	--	--	--	--	--
AC-FT:	--	--	--	--	30.7	23.8	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 27.5

TOTAL AC-FT: 54.5

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
24	--	--	--	0.95 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
25	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
26	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
27	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
28	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
29	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--	--	--
30	--	--	--	0.95 ⁱ	0.95 ⁱ	0.95 ^m	--	--	--	--	--	--
31	--	--	--	--	0.95 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	6.65	29.5	28.5	--	--	--	--	--	--
Mean:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
Min:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
Max:	--	--	--	0.95	0.95	0.95	--	--	--	--	--	--
AC-FT:	--	--	--	13.2	58.4	56.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 64.6

TOTAL AC-FT: 128.1

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.92 ^m	6.92 ⁱ	4.88 ^m	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
2	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
3	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
4	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
5	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
6	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
7	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
8	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
9	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
10	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
11	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
12	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
13	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
14	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
15	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--
16	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ^m	--	--
17	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
18	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
19	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
20	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
21	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
22	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
23	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
24	--	--	--	3.68 ^m	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
25	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
26	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
27	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
28	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
29	--	--	--	3.68 ⁱ	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
30	--	--	--	3.68 ^m	6.92 ⁱ	6.92 ^m	4.88 ⁱ	4.88 ⁱ	4.88 ⁱ	--	--	--
31	--	--	--	--	6.92 ⁱ	--	4.88 ⁱ	4.88 ⁱ	--	--	--	--
Total:	--	--	--	25.8	214.5	207.6	151.3	151.3	146.4	78.1	--	--
Mean:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
Min:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
Max:	--	--	--	3.68	6.92	6.92	4.88	4.88	4.88	4.88	--	--
AC-FT:	--	--	--	51.1	425.5	411.8	300.1	300.1	290.4	154.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 974.9

TOTAL AC-FT: 1933

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110016 - D - GDN16 - A0003078

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ^m	1.40 ⁱ	0.06 ^m	1.00 ^m	--	--
2	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
3	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
4	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
5	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
6	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
7	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
8	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
9	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
10	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
11	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
12	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
13	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
14	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
15	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
16	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ⁱ	--	--
17	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	1.00 ^m	--	--
18	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	2.42 ^m	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
25	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
26	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
27	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
28	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
29	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ⁱ	1.40 ⁱ	1.40 ⁱ	0.06 ⁱ	--	--	--
30	--	--	--	2.42 ⁱ	2.42 ⁱ	2.42 ^m	1.40 ⁱ	1.40 ⁱ	0.06 ^m	--	--	--
31	--	--	--	--	2.42 ⁱ	--	1.40 ⁱ	1.40 ^m	--	--	--	--
Total:	--	--	--	16.9	75.0	72.6	43.4	43.4	1.80	17.0	--	--
Mean:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
Min:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
Max:	--	--	--	2.42	2.42	2.42	1.40	1.40	0.06	1.00	--	--
AC-FT:	--	--	--	33.6	148.8	144.0	86.1	86.1	3.57	33.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 270.2

TOTAL AC-FT: 535.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
2	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
3	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
4	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
5	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
6	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
7	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
8	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
9	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
10	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
11	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
16	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
17	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
18	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
19	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
20	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
21	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
22	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
23	--	--	--	--	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
24	--	--	--	2.26 ^m	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
25	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
26	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
27	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
28	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
29	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ⁱ	--	--	--	--	--	--
30	--	--	--	2.26 ⁱ	2.26 ⁱ	2.26 ^m	--	--	--	--	--	--
31	--	--	--	--	2.26 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	15.8	70.1	67.8	--	--	--	--	--	--
Mean:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
Min:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
Max:	--	--	--	2.26	2.26	2.26	--	--	--	--	--	--
AC-FT:	--	--	--	31.4	139.0	134.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 153.7

TOTAL AC-FT: 304.8

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.02 ^m	--	--	--	--	--
2	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
24	--	--	--	1.93 ^m	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
25	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
26	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
27	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
28	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
29	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ⁱ	--	--	--	--	--	--
30	--	--	--	1.93 ⁱ	1.93 ⁱ	1.93 ^m	--	--	--	--	--	--
31	--	--	--	--	1.93 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	13.5	59.8	57.9	1.02	--	--	--	--	--
Mean:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
Min:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
Max:	--	--	--	1.93	1.93	1.93	1.02	--	--	--	--	--
AC-FT:	--	--	--	26.8	118.7	114.8	2.02	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 132.3

TOTAL AC-FT: 262.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
24	--	--	--	0.78 ^m	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
25	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
26	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
27	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
28	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
29	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ⁱ	--	--	--	--	--	--
30	--	--	--	0.78 ⁱ	0.78 ⁱ	0.78 ^m	--	--	--	--	--	--
31	--	--	--	--	0.78 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.46	24.2	23.4	--	--	--	--	--	--
Mean:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Min:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
Max:	--	--	--	0.78	0.78	0.78	--	--	--	--	--	--
AC-FT:	--	--	--	10.8	48.0	46.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 53.0

TOTAL AC-FT: 105.2

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.06 ^m	1.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
24	--	--	--	0.50 ^m	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
25	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
26	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
27	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
28	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
29	--	--	--	0.50 ⁱ	1.06 ⁱ	1.06 ⁱ	--	--	--	--	--	--
30	--	--	--	0.50 ^m	1.06 ⁱ	1.06 ^m	--	--	--	--	--	--
31	--	--	--	--	1.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	3.50	32.9	31.8	--	--	--	--	--	--
Mean:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
Min:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
Max:	--	--	--	0.50	1.06	1.06	--	--	--	--	--	--
AC-FT:	--	--	--	6.94	65.2	63.1	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 68.2

TOTAL AC-FT: 135.2

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.62 ^m	2.62 ⁱ	0.60 ^m	0.60 ⁱ	0.46 ^m	0.46 ⁱ	--	--
2	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
3	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
4	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
5	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
6	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
7	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
8	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
9	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
10	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.60 ^m	0.46 ⁱ	0.46 ⁱ	--	--
11	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ^m	0.46 ⁱ	0.46 ⁱ	--	--
12	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--
13	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	0.46 ^m	--	--
14	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
15	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
16	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
17	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
18	--	--	--	--	2.62 ⁱ	2.62 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
19	--	--	--	--	2.62 ⁱ	2.62 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
20	--	--	--	--	2.62 ⁱ	1.22 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
21	--	--	--	--	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
22	--	--	--	0.93 ^m	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
23	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
24	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
25	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
26	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
27	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
28	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
29	--	--	--	0.93 ⁱ	2.62 ⁱ	1.22 ⁱ	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
30	--	--	--	0.93 ^m	2.62 ⁱ	1.22 ^m	0.60 ⁱ	0.70 ⁱ	0.46 ⁱ	--	--	--
31	--	--	--	--	2.62 ⁱ	--	0.60 ⁱ	0.70 ^m	--	--	--	--
Total:	--	--	--	8.37	81.2	63.2	18.6	20.7	13.8	5.98	--	--
Mean:	--	--	--	0.93	2.62	2.11	0.60	0.67	0.46	0.46	--	--
Min:	--	--	--	0.93	2.62	1.22	0.60	0.60	0.46	0.46	--	--
Max:	--	--	--	0.93	2.62	2.62	0.60	0.70	0.46	0.46	--	--
AC-FT:	--	--	--	16.6	161.1	125.4	36.9	41.1	27.4	11.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 211.9

TOTAL AC-FT: 420.2

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.52 ^m	4.52 ⁱ	1.68 ^m	1.68 ⁱ	--	--	--	--
2	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
3	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
4	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
5	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
6	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
7	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
8	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
9	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ⁱ	--	--	--	--
10	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.68 ^m	--	--	--	--
11	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ^m	--	--	--	--
12	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
13	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
14	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
15	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
16	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
17	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
18	--	--	--	--	4.52 ⁱ	4.52 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
19	--	--	--	--	4.52 ⁱ	4.52 ^m	1.68 ⁱ	1.27 ⁱ	--	--	--	--
20	--	--	--	--	4.52 ⁱ	3.38 ^m	1.68 ⁱ	1.27 ⁱ	--	--	--	--
21	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
22	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
23	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
24	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
25	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
26	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
27	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
28	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
29	--	--	--	--	4.52 ⁱ	3.38 ⁱ	1.68 ⁱ	1.27 ⁱ	--	--	--	--
30	--	--	--	--	4.52 ⁱ	3.38 ^m	1.68 ⁱ	1.27 ⁱ	--	--	--	--
31	--	--	--	--	4.52 ⁱ	--	1.68 ⁱ	1.27 ^m	--	--	--	--
Total:	--	--	--	--	140.1	123.1	52.1	43.5	--	--	--	--
Mean:	--	--	--	--	4.52	4.10	1.68	1.40	--	--	--	--
Min:	--	--	--	--	4.52	3.38	1.68	1.27	--	--	--	--
Max:	--	--	--	--	4.52	4.52	1.68	1.68	--	--	--	--
AC-FT:	--	--	--	--	277.9	244.1	103.3	86.2	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 358.7

TOTAL AC-FT: 711.5

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.66 ^m	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ^m	1.41 ⁱ	--	--
2	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
3	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
4	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
5	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
6	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
7	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
8	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
9	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
10	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ^m	1.41 ⁱ	1.41 ⁱ	--	--
11	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ^m	1.41 ⁱ	1.41 ⁱ	--	--
12	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
13	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ⁱ	--	--
14	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	1.41 ^m	--	--
15	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
16	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
17	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
18	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
19	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
20	--	--	--	--	6.66 ⁱ	6.66 ^m	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
21	--	--	--	--	6.66 ⁱ	3.89 ^m	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
22	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
23	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
24	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
25	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
26	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
27	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
28	--	--	--	--	6.66 ⁱ	3.89 ⁱ	3.89 ^m	2.40 ⁱ	1.41 ⁱ	--	--	--
29	--	--	--	--	6.66 ⁱ	3.89 ⁱ	2.40 ^m	2.40 ⁱ	1.41 ⁱ	--	--	--
30	--	--	--	--	6.66 ⁱ	3.89 ⁱ	2.40 ⁱ	2.40 ⁱ	1.41 ⁱ	--	--	--
31	--	--	--	--	6.66 ⁱ	--	2.40 ⁱ	2.40 ^m	--	--	--	--
Total:	--	--	--	--	206.5	172.1	116.1	74.4	42.3	19.7	--	--
Mean:	--	--	--	--	6.66	5.74	3.75	2.40	1.41	1.41	--	--
Min:	--	--	--	--	6.66	3.89	2.40	2.40	1.41	1.41	--	--
Max:	--	--	--	--	6.66	6.66	3.89	2.40	1.41	1.41	--	--
AC-FT:	--	--	--	--	409.5	341.4	230.3	147.6	83.9	39.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 631.1

TOTAL AC-FT: 1251

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ^m	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ^m	0.95 ⁱ	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.82 ^m	0.95 ⁱ	0.95 ⁱ	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ^m	0.95 ⁱ	0.95 ⁱ	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	0.95 ^e	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
16	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
21	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
22	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
23	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
24	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
25	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
26	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
27	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
28	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
29	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
30	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.82 ⁱ	1.39 ⁱ	0.95 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	1.82 ⁱ	1.39 ^m	--	--	--	--
Total:	--	--	--	--	56.4	54.6	56.4	47.4	28.5	13.3	--	--
Mean:	--	--	--	--	1.82	1.82	1.82	1.53	0.95	0.95	--	--
Min:	--	--	--	--	1.82	1.82	1.82	1.39	0.95	0.95	--	--
Max:	--	--	--	--	1.82	1.82	1.82	1.82	0.95	0.95	--	--
AC-FT:	--	--	--	--	111.9	108.3	111.9	94.0	56.5	26.4	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 256.6

TOTAL AC-FT: 509.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120009 - D - CHLC06 - A0002598

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.21 ⁿ	--	--	--	--	--	--
2	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
12	--	--	--	--	--	0.21 ⁱ	--	--	--	--	--	--
13	--	--	--	--	--	0.21 ⁿ	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	2.73	--	--	--	--	--	--
Mean:	--	--	--	--	--	0.21	--	--	--	--	--	--
Min:	--	--	--	--	--	0.21	--	--	--	--	--	--
Max:	--	--	--	--	--	0.21	--	--	--	--	--	--
AC-FT:	--	--	--	--	--	5.41	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 2.73

TOTAL AC-FT: 5.41

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120010 - D - CHLC07 - A0002599

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.26 ^m	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ^m	--	--	--
2	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
3	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
4	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
5	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
6	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
7	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
8	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
9	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.13 ⁱ	--	--	--
10	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.26 ^m	0.13 ⁱ	--	--	--
11	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ^m	0.13 ⁱ	--	--	--
12	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.13 ⁱ	--	--	--
13	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	0.13 ^m	--	--	--
14	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
15	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
16	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
17	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
18	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
19	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
20	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
21	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
22	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
23	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
24	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
25	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
26	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
27	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
28	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
29	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
30	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	0.19 ⁱ	--	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.26 ⁱ	0.19 ^m	--	--	--	--
Total:	--	--	--	--	8.06	7.80	8.06	6.59	1.69	--	--	--
Mean:	--	--	--	--	0.26	0.26	0.26	0.21	0.13	--	--	--
Min:	--	--	--	--	0.26	0.26	0.26	0.19	0.13	--	--	--
Max:	--	--	--	--	0.26	0.26	0.26	0.26	0.13	--	--	--
AC-FT:	--	--	--	--	16.0	15.5	16.0	13.1	3.35	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 32.2

TOTAL AC-FT: 63.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120014 - D - CHLC08 - A0002592

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.20 ^m	--	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ^m	--	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ^m	--	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.4	12.0	2.60	--	--	--	--	--
Mean:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
Min:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
Max:	--	--	--	--	0.40	0.40	0.20	--	--	--	--	--
AC-FT:	--	--	--	--	24.6	23.8	5.16	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 27.0

TOTAL AC-FT: 53.6

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ^m	--	--	--
2	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
3	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ^m	0.10 ⁱ	--	--	--
11	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ^m	0.10 ⁱ	--	--	--
12	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
16	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.47 ^m	0.47 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.47 ^m	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.19 ^m	0.19 ⁱ	0.14 ⁱ	0.10 ^m	--	--	--
21	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
22	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
23	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
24	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
25	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
26	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
27	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
28	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
29	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
30	--	--	--	--	0.47 ⁱ	0.19 ⁱ	0.19 ⁱ	0.14 ⁱ	--	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.19 ⁱ	0.14 ^m	--	--	--	--
Total:	--	--	--	--	6.58	11.0	5.89	4.84	2.00	--	--	--
Mean:	--	--	--	--	0.47	0.37	0.19	0.16	0.10	--	--	--
Min:	--	--	--	--	0.47	0.19	0.19	0.14	0.10	--	--	--
Max:	--	--	--	--	0.47	0.47	0.19	0.19	0.10	--	--	--
AC-FT:	--	--	--	--	13.1	21.9	11.7	9.60	3.97	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 30.3

TOTAL AC-FT: 60.2

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.79 ^m	3.08 ^m	0.98 ⁱ	0.98 ⁱ	0.50 ^m	0.50 ⁱ	--	--
2	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
3	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
4	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
5	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
6	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
7	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
8	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
9	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
10	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.98 ^m	0.50 ⁱ	0.50 ⁱ	--	--
11	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ^m	0.50 ⁱ	0.50 ⁱ	--	--
12	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
13	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
14	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--
15	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	0.50 ^m	--	--
16	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
17	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
18	--	--	--	--	1.79 ⁱ	3.08 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
19	--	--	--	--	1.79 ⁱ	3.08 ^m	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
20	--	--	--	--	1.79 ⁱ	0.98 ^m	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
21	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
22	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
23	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
24	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
25	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
26	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
27	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
28	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
29	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
30	--	--	--	--	1.79 ⁱ	0.98 ⁱ	0.98 ⁱ	0.72 ⁱ	0.50 ⁱ	--	--	--
31	--	--	--	--	1.79 ⁿ	--	0.98 ⁱ	0.72 ^m	--	--	--	--
Total:	--	--	--	--	55.5	69.3	30.4	24.9	15.0	7.50	--	--
Mean:	--	--	--	--	1.79	2.31	0.98	0.80	0.50	0.50	--	--
Min:	--	--	--	--	1.79	0.98	0.98	0.72	0.50	0.50	--	--
Max:	--	--	--	--	1.79	3.08	0.98	0.98	0.50	0.50	--	--
AC-FT:	--	--	--	--	110.1	137.5	60.3	49.4	29.8	14.9	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 202.6

TOTAL AC-FT: 401.8

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120018 - D - CHLC10 - A0002582**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.74 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.85 ⁱ	--	--
2	--	--	--	--	3.04 ^c	1.69 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.86 ⁱ	--	--
3	--	--	--	--	3.04 ⁱ	1.64 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.87 ⁱ	--	--
4	--	--	--	--	3.04 ⁱ	1.59 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁿ	5.88 ⁱ	--	--
5	--	--	--	--	3.04 ^c	1.54 ⁱ	32.0 ⁱ	30.1 ⁱ	12.2 ⁱ	5.89 ⁱ	--	--
6	--	--	--	--	2.99 ⁱ	1.50 ⁱ	32.0 ⁱ	30.1 ^m	10.0 ⁱ	5.90 ⁱ	--	--
7	--	--	--	--	2.94 ⁱ	1.45 ⁱ	32.0 ⁱ	27.7 ⁱ	7.85 ⁱ	5.91 ⁱ	--	--
8	--	--	--	--	2.90 ⁱ	1.40 ^c	32.0 ⁿ	25.4 ⁱ	5.67 ^m	5.92 ⁱ	--	--
9	--	--	--	--	2.85 ⁱ	16.9 ^m	31.8 ⁱ	23.0 ⁱ	5.67 ⁱ	5.93 ⁱ	--	--
10	--	--	--	--	2.80 ⁱ	16.9 ⁱ	31.7 ⁱ	20.7 ⁱ	5.67 ⁱ	5.94 ⁱ	--	--
11	--	--	--	--	2.75 ⁱ	16.9 ⁱ	31.6 ⁱ	18.3 ⁱ	5.67 ⁱ	5.95 ⁱ	--	--
12	--	--	--	--	2.70 ⁱ	16.9 ⁱ	31.4 ⁱ	16.0 ⁱ	5.67 ⁱ	5.96 ^m	--	--
13	--	--	--	--	2.65 ⁱ	16.9 ⁱ	31.3 ⁱ	13.6 ⁱ	5.67 ⁱ	5.96 ⁱ	--	--
14	--	--	--	--	2.61 ⁱ	16.9 ⁱ	31.2 ⁱ	11.3 ⁱ	5.67 ^m	5.96 ⁱ	--	--
15	--	--	--	--	2.56 ⁱ	16.9 ⁱ	31.0 ⁱ	8.91 ⁱ	5.68 ⁱ	5.96 ^m	--	--
16	--	--	--	--	2.51 ⁱ	16.9 ⁱ	30.9 ⁱ	6.55 ⁱ	5.69 ⁱ	--	--	--
17	--	--	--	--	2.46 ⁱ	16.9 ^m	30.8 ⁱ	4.20 ^m	5.70 ⁱ	--	--	--
18	--	--	--	--	2.41 ⁱ	19.9 ⁱ	30.6 ⁱ	4.20 ⁱ	5.71 ⁱ	--	--	--
19	--	--	--	--	2.36 ⁱ	22.9 ⁱ	30.5 ⁱ	4.20 ^m	5.72 ⁱ	--	--	--
20	--	--	--	--	2.32 ⁱ	25.9 ⁱ	30.4 ⁱ	14.4 ^m	5.73 ⁱ	--	--	--
21	--	--	--	--	2.27 ⁱ	29.0 ⁱ	30.2 ⁱ	14.4 ⁱ	5.74 ⁱ	--	--	--
22	--	--	--	--	2.22 ⁱ	32.0 ^m	30.1 ^m	14.4 ⁱ	5.75 ⁱ	--	--	--
23	--	--	--	--	2.17 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.76 ⁱ	--	--	--
24	--	--	--	--	2.12 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.77 ⁱ	--	--	--
25	--	--	--	--	2.08 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.78 ⁱ	--	--	--
26	--	--	--	--	2.03 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.79 ⁱ	--	--	--
27	--	--	--	--	1.98 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.80 ⁱ	--	--	--
28	--	--	--	--	1.93 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.82 ⁱ	--	--	--
29	--	--	--	--	1.88 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.83 ⁱ	--	--	--
30	--	--	--	--	1.83 ⁱ	32.0 ⁱ	30.1 ⁱ	14.4 ⁱ	5.84 ⁱ	--	--	--
31	--	--	--	--	1.79 ⁱ	--	30.1 ⁱ	14.4 ⁱ	--	--	--	--
Total:	--	--	--	--	74.3	550.2	959.7	537.3	219.5	88.7	--	--
Mean:	--	--	--	--	2.48	18.3	31.0	17.3	7.32	5.92	--	--
Min:	--	--	--	--	1.79	1.40	30.1	4.20	5.67	5.85	--	--
Max:	--	--	--	--	3.04	32.0	32.0	30.1	14.4	5.96	--	--
AC-FT:	--	--	--	--	147.3	1091	1903	1065	435.4	176.0	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 2429

TOTAL AC-FT: 4819

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ^m	0.06 ⁱ	0.03 ^m	--	--	--
2	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
3	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
4	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
5	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
6	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
7	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
8	--	--	--	--	2.08 ⁱ	2.08 ^m	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
9	--	--	--	--	2.08 ⁱ	0.88 ^m	0.06 ⁱ	0.06 ⁱ	0.03 ⁱ	--	--	--
10	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.06 ^m	0.03 ⁱ	--	--	--
11	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ^m	0.03 ⁱ	--	--	--
12	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
13	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
14	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
15	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
16	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
17	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
18	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
19	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
20	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
21	--	--	--	--	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
22	--	--	--	2.08 ^m	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
23	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
24	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
25	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
26	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
27	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
28	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
29	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ⁱ	0.06 ⁱ	0.45 ⁱ	0.03 ⁱ	--	--	--
30	--	--	--	2.08 ⁱ	2.08 ⁱ	0.88 ^m	0.06 ⁱ	0.45 ⁱ	0.03 ^m	--	--	--
31	--	--	--	--	2.08 ⁱ	--	0.06 ⁱ	0.45 ^m	--	--	--	--
Total:	--	--	--	18.7	64.5	36.0	1.86	10.1	0.90	--	--	--
Mean:	--	--	--	2.08	2.08	1.20	0.06	0.32	0.03	--	--	--
Min:	--	--	--	2.08	2.08	0.88	0.06	0.06	0.03	--	--	--
Max:	--	--	--	2.08	2.08	2.08	0.06	0.45	0.03	--	--	--
AC-FT:	--	--	--	37.1	127.9	71.4	3.69	19.9	1.79	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 132.0

TOTAL AC-FT: 261.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ^m	--	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
22	--	--	--	0.60 ^m	0.60 ⁱ	--	--	--	--	--	--	--
23	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
24	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	18.6	4.80	--	--	--	--	--	--
Mean:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Min:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Max:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	36.9	9.52	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.8

TOTAL AC-FT: 57.1

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁿ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	3.41	3.30	0.33	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Min:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Max:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	6.55	0.65	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.04

TOTAL AC-FT: 14.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.73 ^m	0.11 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.73 ⁱ	0.11 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.73 ⁱ	0.11 ^m	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.73 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.73 ^m	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ^m	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.11 ^m	--	--	--	--	--	--	--
Total:	--	--	--	--	3.41	15.1	0.33	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.50	0.11	--	--	--	--	--
Min:	--	--	--	--	0.11	0.11	0.11	--	--	--	--	--
Max:	--	--	--	--	0.11	0.73	0.11	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	29.9	0.65	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 18.8

TOTAL AC-FT: 37.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.56 ^m	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--
2	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--
3	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.56 ^m	--	--	--	--	--
4	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.56 ⁱ	0.56 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.56 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	17.4	16.8	1.68	--	--	--	--	--
Mean:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
Min:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
Max:	--	--	--	--	0.56	0.56	0.56	--	--	--	--	--
AC-FT:	--	--	--	--	34.4	33.3	3.33	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 35.8

TOTAL AC-FT: 71.1

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72120025 - D - CHLC13 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ^m	0.70 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
4	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
5	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
6	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
7	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
8	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
9	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
10	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
11	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
12	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
13	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
14	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
15	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
16	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--
17	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.20 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.20 ⁱ	0.70 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.20 ^m	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	6.20	15.5	6.20	6.20	6.00	3.20	--	--
Mean:	--	--	--	--	0.20	0.52	0.20	0.20	0.20	0.20	--	--
Min:	--	--	--	--	0.20	0.20	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.20	0.70	0.20	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	12.3	30.7	12.3	12.3	11.9	6.35	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.3

TOTAL AC-FT: 85.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120027 - D - CHLC16 - A0003053

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
2	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.70 ^m	0.70 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ^m	--	--	--	--	--	--
24	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.70 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	14.0	16.1	--	--	--	--	--	--
Mean:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
Min:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
Max:	--	--	--	--	0.70	0.70	--	--	--	--	--	--
AC-FT:	--	--	--	--	27.8	31.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 30.1

TOTAL AC-FT: 59.7

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120028 - D - CHLC17 - A0003052

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
2	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
3	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
4	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
5	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--
12	--	--	--	--	2.20 ^m	2.20 ⁱ	--	--	--	--	--	--
13	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
14	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
15	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
16	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
17	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
18	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
19	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
20	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
21	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
22	--	--	--	--	2.20 ⁱ	2.20 ⁱ	--	--	--	--	--	--
23	--	--	--	--	2.20 ⁱ	2.20 ^m	--	--	--	--	--	--
24	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	2.20 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	44.0	50.6	--	--	--	--	--	--
Mean:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
Min:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
Max:	--	--	--	--	2.20	2.20	--	--	--	--	--	--
AC-FT:	--	--	--	--	87.3	100.4	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 94.6

TOTAL AC-FT: 187.6

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARC1 - A0007596

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ⁿ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
16	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
17	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
18	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
19	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
20	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
21	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
22	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
23	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
24	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
25	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
26	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
27	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
28	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
29	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
30	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ^m	--	--	--	--	--
31	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	24.5	23.7	23.7	--	--	--	--	--
Mean:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
Min:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
Max:	--	--	--	--	0.79	0.79	0.79	--	--	--	--	--
AC-FT:	--	--	--	--	48.6	47.0	47.0	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 71.9

TOTAL AC-FT: 142.6

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120104 - D - DARC4 - A0002612

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.41 ^m	0.41 ⁱ	1.40 ^m	--	--	--	--	--
2	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
3	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
4	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
5	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
6	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
7	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
8	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
9	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
10	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
11	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
12	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ⁱ	--	--	--	--	--
13	--	--	--	--	0.41 ⁱ	0.41 ⁱ	1.40 ^m	--	--	--	--	--
14	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.41 ⁱ	0.41 ^m	--	--	--	--	--	--
31	--	--	--	--	0.41 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.7	12.3	18.2	--	--	--	--	--
Mean:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
Min:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
Max:	--	--	--	--	0.41	0.41	1.40	--	--	--	--	--
AC-FT:	--	--	--	--	25.2	24.4	36.1	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.2

TOTAL AC-FT: 85.7

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ^m	0.90 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	0.90 ⁿ	--	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
25	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
26	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
27	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
28	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
29	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
30	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	27.9	17.1	--	--	--	--	--	--
Mean:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
Min:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
Max:	--	--	--	--	0.90	0.90	--	--	--	--	--	--
AC-FT:	--	--	--	--	55.3	33.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 45.0

TOTAL AC-FT: 89.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.35 ^m	0.75 ^m	0.15 ⁱ	0.15 ⁱ	0.08 ^m	0.08 ⁱ	--	--
2	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
3	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
4	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
5	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
6	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
7	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
8	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
9	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
10	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.15 ^m	0.08 ⁱ	0.08 ⁱ	--	--
11	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ^m	0.08 ⁱ	0.08 ⁱ	--	--
12	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
13	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
14	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
15	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	0.08 ^m	--	--
16	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
17	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
18	--	--	--	--	0.35 ⁱ	0.75 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
19	--	--	--	--	0.35 ⁱ	0.75 ^m	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
20	--	--	--	--	0.35 ⁱ	0.15 ^m	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
21	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
22	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
23	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
24	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
25	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
26	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
27	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
28	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
29	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
30	--	--	--	--	0.35 ⁱ	0.15 ⁱ	0.15 ⁱ	0.11 ⁱ	0.08 ⁱ	--	--	--
31	--	--	--	--	0.35 ^m	--	0.15 ⁱ	0.11 ^m	--	--	--	--
Total:	--	--	--	--	10.9	15.9	4.65	3.81	2.40	1.20	--	--
Mean:	--	--	--	--	0.35	0.53	0.15	0.12	0.08	0.08	--	--
Min:	--	--	--	--	0.35	0.15	0.15	0.11	0.08	0.08	--	--
Max:	--	--	--	--	0.35	0.75	0.15	0.15	0.08	0.08	--	--
AC-FT:	--	--	--	--	21.5	31.5	9.22	7.56	4.76	2.38	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 38.8

TOTAL AC-FT: 77.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ^m	1.00 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
21	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
22	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
23	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
24	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
25	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
26	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
27	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
28	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
29	--	--	--	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--	--	--
30	--	--	--	--	1.00 ⁱ	1.00 ^m	--	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	31.0	30.0	--	--	--	--	--	--
Mean:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
Min:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
Max:	--	--	--	--	1.00	1.00	--	--	--	--	--	--
AC-FT:	--	--	--	--	61.5	59.5	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 61.0

TOTAL AC-FT: 121.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120401 - D - PTC1 - A0002587

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ^m	--	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
22	--	--	--	0.60 ^m	0.60 ⁱ	--	--	--	--	--	--	--
23	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
24	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
25	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
26	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
27	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
28	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
29	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
30	--	--	--	0.60 ⁱ	0.60 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.40	18.6	4.80	--	--	--	--	--	--
Mean:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Min:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
Max:	--	--	--	0.60	0.60	0.60	--	--	--	--	--	--
AC-FT:	--	--	--	10.7	36.9	9.52	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.8

TOTAL AC-FT: 57.1

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120501 - D - BRC1 - A0002588

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.16 ^m	7.45 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--
2	--	--	--	--	2.35 ^m	7.22 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--
3	--	--	--	--	2.35 ⁱ	6.99 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ^m	16.2 ⁱ	--	--
4	--	--	--	--	2.35 ⁱ	6.76 ⁱ	14.4 ⁱ	10.6 ⁱ	1.30 ^m	16.2 ⁱ	--	--
5	--	--	--	--	2.35 ^m	6.53 ⁱ	14.4 ⁱ	10.6 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
6	--	--	--	--	13.5 ^m	6.30 ⁱ	14.4 ⁱ	10.6 ^m	1.30 ⁱ	16.2 ⁱ	--	--
7	--	--	--	--	13.3 ⁱ	6.06 ⁱ	14.4 ⁱ	4.24 ^m	1.30 ⁱ	16.2 ⁱ	--	--
8	--	--	--	--	13.0 ⁱ	5.83 ⁱ	14.4 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
9	--	--	--	--	12.8 ⁱ	5.60 ^m	14.4 ^m	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
10	--	--	--	--	12.6 ⁱ	5.60 ⁱ	3.85 ^m	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
11	--	--	--	--	12.3 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
12	--	--	--	--	12.1 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ⁱ	16.2 ⁱ	--	--
13	--	--	--	0.77 ^m	11.9 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	1.30 ^m	16.2 ⁱ	--	--
14	--	--	--	0.77 ^m	11.6 ⁱ	5.60 ⁱ	3.85 ⁱ	4.24 ⁱ	16.2 ^m	16.2 ⁱ	--	--
15	--	--	--	8.23 ^m	11.4 ⁱ	5.60 ^m	3.85 ⁱ	4.24 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
16	--	--	--	8.23 ⁱ	11.2 ⁱ	2.31 ^m	3.85 ⁱ	4.24 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
17	--	--	--	8.23 ⁱ	10.9 ⁱ	2.31 ⁱ	3.85 ⁱ	4.24 ^m	16.2 ⁱ	16.2 ⁱ	--	--
18	--	--	--	8.23 ⁱ	10.7 ⁱ	2.31 ⁱ	3.85 ⁱ	2.84 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
19	--	--	--	8.23 ⁱ	10.5 ⁱ	2.31 ⁱ	3.85 ^m	1.44 ^m	16.2 ⁱ	16.2 ⁱ	--	--
20	--	--	--	8.23 ⁱ	10.2 ⁱ	2.31 ⁱ	10.6 ^m	1.61 ^m	16.2 ⁱ	16.2 ⁱ	--	--
21	--	--	--	8.23 ⁱ	10.0 ⁱ	2.31 ^m	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
22	--	--	--	8.23 ⁱ	9.77 ⁱ	14.4 ^m	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
23	--	--	--	8.23 ⁱ	9.54 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
24	--	--	--	8.23 ⁱ	9.31 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ⁱ	--	--
25	--	--	--	8.23 ⁱ	9.08 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ⁱ	16.2 ⁱ	16.2 ^m	--	--
26	--	--	--	8.23 ⁱ	8.84 ⁱ	14.4 ⁱ	10.6 ⁱ	1.61 ^m	16.2 ⁱ	--	--	--
27	--	--	--	8.23 ⁱ	8.61 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ^m	16.2 ⁱ	--	--	--
28	--	--	--	8.23 ^m	8.38 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
29	--	--	--	1.16 ^m	8.15 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
30	--	--	--	1.16 ⁱ	7.92 ⁱ	14.4 ⁱ	10.6 ⁱ	3.44 ⁱ	16.2 ⁱ	--	--	--
31	--	--	--	--	7.69 ⁱ	--	10.6 ⁱ	3.44 ⁱ	--	--	--	--
Total:	--	--	--	119.1	285.7	235.8	295.1	142.9	298.2	404.3	--	--
Mean:	--	--	--	6.62	9.22	7.86	9.52	4.61	9.94	16.2	--	--
Min:	--	--	--	0.77	1.16	2.31	3.85	1.44	1.30	16.2	--	--
Max:	--	--	--	8.23	13.5	14.4	14.4	10.6	16.2	16.2	--	--
AC-FT:	--	--	--	236.2	566.7	467.7	585.3	283.4	591.5	801.8	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 1780

TOTAL AC-FT: 3532

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.83 ^m	0.33 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--	--
2	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
3	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
4	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
5	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
6	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
7	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
8	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
9	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
10	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	0.33 ^m	--	--	--	--
11	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
12	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
13	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
14	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
15	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
16	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
17	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
18	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
19	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
20	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
21	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
22	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
23	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
24	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
25	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
26	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
27	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
28	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
29	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
30	--	--	--	--	1.83 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--	--
31	--	--	--	--	1.83 ^m	--	0.33 ⁱ	--	--	--	--	--
Total:	--	--	--	--	56.7	9.90	10.2	3.30	--	--	--	--
Mean:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
Min:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
Max:	--	--	--	--	1.83	0.33	0.33	0.33	--	--	--	--
AC-FT:	--	--	--	--	112.5	19.6	20.3	6.55	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 80.2

TOTAL AC-FT: 159.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.92 ^m	1.35 ^m	0.50 ^m	0.50 ⁱ	0.25 ^m	0.25 ⁱ	--	--
2	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
7	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
8	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
9	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--
10	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.50 ^m	0.25 ⁱ	0.25 ⁱ	--	--
11	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ^m	0.25 ⁱ	0.25 ⁱ	--	--
12	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	0.25 ^m	--	--
13	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
14	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
15	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
16	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
17	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
18	--	--	--	--	0.92 ⁱ	1.35 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
19	--	--	--	--	0.92 ⁱ	1.35 ^m	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
20	--	--	--	--	0.92 ⁱ	0.17 ^m	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
21	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
22	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
23	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
24	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
25	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
26	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	--	0.92 ⁱ	0.17 ⁱ	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	--	0.92 ⁱ	0.17 ^m	0.50 ⁱ	0.36 ⁱ	0.25 ⁱ	--	--	--
31	--	--	--	--	0.92 ^m	--	0.50 ⁱ	0.36 ^m	--	--	--	--
Total:	--	--	--	--	28.5	27.5	15.5	12.6	7.50	3.00	--	--
Mean:	--	--	--	--	0.92	0.92	0.50	0.41	0.25	0.25	--	--
Min:	--	--	--	--	0.92	0.17	0.50	0.36	0.25	0.25	--	--
Max:	--	--	--	--	0.92	1.35	0.50	0.50	0.25	0.25	--	--
AC-FT:	--	--	--	--	56.6	54.6	30.7	24.9	14.9	5.95	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 94.6

TOTAL AC-FT: 187.6

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ^m	0.25 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
4	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
5	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
6	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
7	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
8	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
9	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
10	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
11	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
12	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
13	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
14	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
15	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
16	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--
17	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.20 ⁱ	0.25 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.20 ⁱ	0.25 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.20 ^m	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	6.20	6.95	6.20	6.20	6.00	3.20	--	--
Mean:	--	--	--	--	0.20	0.23	0.20	0.20	0.20	0.20	--	--
Min:	--	--	--	--	0.20	0.20	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.20	0.25	0.20	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	12.3	13.8	12.3	12.3	11.9	6.35	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 34.8

TOTAL AC-FT: 68.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.29 ⁱ	0.29 ^m	--	--	--	--	--
2	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
3	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
4	--	--	--	--	--	0.29 ⁱ	0.29 ^m	--	--	--	--	--
5	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
6	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
7	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
8	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
9	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
10	--	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--
11	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
12	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
13	--	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--
14	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
15	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
16	--	--	--	--	--	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
17	--	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
18	--	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
19	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
20	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
21	--	--	--	--	0.29 ⁱ	0.29 ^m	0.29 ⁱ	--	--	--	--	--
22	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
23	--	--	--	--	0.29 ⁱ	0.29 ^m	0.29 ⁱ	--	--	--	--	--
24	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
25	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
26	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ^m	--	--	--	--	--
27	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
28	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ^m	--	--	--	--	--
29	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.29 ^m	0.29 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.29 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	4.35	8.70	8.12	--	--	--	--	--
Mean:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
Min:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
Max:	--	--	--	--	0.29	0.29	0.29	--	--	--	--	--
AC-FT:	--	--	--	--	8.63	17.3	16.1	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 21.2

TOTAL AC-FT: 42.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ^m	--	--
2	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ^m	--	--
3	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
4	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
5	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
6	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
7	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
8	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
9	--	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
10	--	--	--	--	--	1.11 ⁱ	1.11 ^m	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
11	--	--	--	--	1.11 ^m	1.11 ⁱ	2.22 ^m	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
12	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
13	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
14	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ⁱ	--	--
15	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.11 ^m	--	--
16	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
17	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
18	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
19	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
20	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
21	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
22	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
23	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
24	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
25	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
26	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
27	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
28	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
29	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
30	--	--	--	--	1.11 ⁱ	1.11 ⁱ	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	--	--	--
31	--	--	--	--	1.11 ⁱ	--	2.22 ⁱ	2.22 ⁱ	--	--	--	--
Total:	--	--	--	--	23.3	33.3	57.7	68.8	66.6	17.8	--	--
Mean:	--	--	--	--	1.11	1.11	1.86	2.22	2.22	1.18	--	--
Min:	--	--	--	--	1.11	1.11	1.11	2.22	2.22	1.11	--	--
Max:	--	--	--	--	1.11	1.11	2.22	2.22	2.22	2.22	--	--
AC-FT:	--	--	--	--	46.2	66.1	114.5	136.5	132.1	35.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 267.5

TOTAL AC-FT: 530.6

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ^m	0.35 ⁱ	0.22 ⁱ	--	--	--
2	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.34 ⁱ	0.22 ⁱ	--	--	--
3	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ^m	0.33 ⁱ	0.22 ⁱ	--	--	--
4	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.31 ⁱ	0.22 ⁱ	--	--	--
5	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.30 ⁱ	0.22 ⁱ	--	--	--
6	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.29 ⁱ	0.22 ⁱ	--	--	--
7	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.27 ⁱ	0.22 ⁱ	--	--	--
8	--	--	--	--	0.42 ⁱ	1.19 ⁱ	0.42 ⁱ	0.26 ⁱ	0.22 ⁱ	--	--	--
9	--	--	--	--	0.42 ^m	1.19 ⁱ	0.42 ⁱ	0.25 ⁱ	0.22 ⁱ	--	--	--
10	--	--	--	--	1.19 ^m	1.19 ⁱ	0.42 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ^m	0.22 ⁱ	--	--	--
12	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
13	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	0.22 ⁱ	--	--	--
14	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
15	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
16	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	0.22 ^m	--	--	--
17	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
18	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
19	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
20	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
21	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
22	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
23	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
24	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
25	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
26	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ⁱ	0.22 ⁱ	--	--	--	--
27	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.42 ^m	0.22 ⁱ	--	--	--	--
28	--	--	--	0.42 ^m	1.19 ⁱ	1.19 ⁱ	0.41 ⁱ	0.22 ⁱ	--	--	--	--
29	--	--	--	0.42 ⁱ	1.19 ⁱ	1.19 ⁱ	0.39 ⁱ	0.22 ⁱ	--	--	--	--
30	--	--	--	0.42 ⁱ	1.19 ⁱ	1.19 ^m	0.38 ⁱ	0.22 ⁱ	--	--	--	--
31	--	--	--	--	1.19 ⁱ	--	0.37 ⁱ	0.22 ⁱ	--	--	--	--
Total:	--	--	--	1.26	30.0	35.7	12.9	7.55	3.52	--	--	--
Mean:	--	--	--	0.42	0.97	1.19	0.42	0.24	0.22	--	--	--
Min:	--	--	--	0.42	0.42	1.19	0.37	0.22	0.22	--	--	--
Max:	--	--	--	0.42	1.19	1.19	0.42	0.35	0.22	--	--	--
AC-FT:	--	--	--	2.50	59.4	70.8	25.6	15.0	6.98	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 90.9

TOTAL AC-FT: 180.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
28	--	--	--	0.12 ^m	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
29	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--	--
30	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--	--
31	--	--	--	--	0.12 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.36	3.72	3.60	--	--	--	--	--	--
Mean:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
Min:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
Max:	--	--	--	0.12	0.12	0.12	--	--	--	--	--	--
AC-FT:	--	--	--	0.71	7.38	7.14	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.68

TOTAL AC-FT: 15.2

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.20 ^m	4.80 ^m	4.30 ⁱ	8.12 ^m	3.86 ^m	2.72 ⁱ	--	--
2	--	--	--	--	4.20 ^m	4.80 ⁱ	4.30 ⁱ	6.22 ^m	3.86 ^m	2.72 ⁱ	--	--
3	--	--	--	--	4.40 ^m	4.80 ⁱ	4.30 ^m	6.22 ⁱ	3.48 ^m	2.72 ^m	--	--
4	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ^m	6.22 ⁱ	3.48 ⁱ	1.30 ^m	--	--
5	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	1.30 ⁱ	--	--
6	--	--	--	--	4.40 ⁱ	4.80 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	1.30 ^m	--	--
7	--	--	--	--	4.40 ⁱ	4.80 ^m	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ^m	--	--
8	--	--	--	--	4.40 ⁱ	4.30 ^m	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
9	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	6.22 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
10	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	6.22 ^m	3.48 ⁱ	0.10 ⁱ	--	--
11	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ^m	3.48 ⁱ	0.10 ⁱ	--	--
12	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
13	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
14	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ⁱ	--	--
15	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ⁱ	0.10 ^m	--	--
16	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	3.48 ^m	--	--	--
17	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ^m	--	--	--
18	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
19	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
20	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
21	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
22	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
23	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
24	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ⁱ	--	--	--
25	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	1.52 ^m	--	--	--
26	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ^m	--	--	--
27	--	--	--	--	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
28	--	--	--	2.00 ^m	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
29	--	--	--	2.00 ⁱ	4.40 ⁱ	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
30	--	--	--	2.00 ^m	4.40 ^m	4.30 ⁱ	8.12 ⁱ	2.20 ⁱ	2.72 ⁱ	--	--	--
31	--	--	--	--	4.40 ^m	--	8.12 ⁱ	2.20 ^m	--	--	--	--
Total:	--	--	--	6.00	136.0	132.5	240.3	110.3	83.7	13.0	--	--
Mean:	--	--	--	2.00	4.39	4.42	7.75	3.56	2.79	0.86	--	--
Min:	--	--	--	2.00	4.20	4.30	4.30	2.20	1.52	0.10	--	--
Max:	--	--	--	2.00	4.40	4.80	8.12	8.12	3.86	2.72	--	--
AC-FT:	--	--	--	11.9	269.8	262.8	476.6	218.8	166.1	25.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 721.7

TOTAL AC-FT: 1431

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ^m	0.20 ⁱ	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ^m	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.40 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.40 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.40 ⁱ	0.40 ^m	--	--	--	--
Total:	--	--	--	--	12.4	12.0	12.4	12.4	6.00	0.60	--	--
Mean:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
Min:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
Max:	--	--	--	--	0.40	0.40	0.40	0.40	0.20	0.20	--	--
AC-FT:	--	--	--	--	24.6	23.8	24.6	24.6	11.9	1.19	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 55.8

TOTAL AC-FT: 110.7

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130012 - D - HLCNL-12 - A0007586

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ^m	1.38 ⁱ	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	1.38 ^m	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.38 ⁱ	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
28	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
29	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
30	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.38 ⁱ	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ^m	1.90 ^m	--	--	--	--
Total:	--	--	--	5.70	58.9	57.0	58.9	58.9	41.4	4.14	--	--
Mean:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
Min:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
Max:	--	--	--	1.90	1.90	1.90	1.90	1.90	1.38	1.38	--	--
AC-FT:	--	--	--	11.3	116.8	113.1	116.8	116.8	82.1	8.21	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 284.9

TOTAL AC-FT: 565.2

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	--	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
15	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
16	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
17	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
18	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	--	--	--
19	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
20	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
21	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
24	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
25	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
26	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
27	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
28	--	--	--	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
29	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	--	--	--
30	--	--	--	2.51 ⁱ	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	--	--	--
31	--	--	--	--	2.51 ⁱ	--	2.51 ⁱ	2.51 ⁱ	--	--	--	--
Total:	--	--	--	7.53	77.8	75.3	77.8	77.8	75.3	--	--	--
Mean:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
Min:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
Max:	--	--	--	2.51	2.51	2.51	2.51	2.51	2.51	--	--	--
AC-FT:	--	--	--	14.9	154.3	149.4	154.3	154.3	149.4	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 391.6

TOTAL AC-FT: 776.7

SCANNED
APR 14 2017

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
28	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
29	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--	--
30	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ^m	--	--	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.18	1.86	1.80	--	--	--	--	--	--
Mean:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Min:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
Max:	--	--	--	0.06	0.06	0.06	--	--	--	--	--	--
AC-FT:	--	--	--	0.36	3.69	3.57	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 3.84

TOTAL AC-FT: 7.62

**SCANNED
APR 14 2017**

Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
22	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
23	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
24	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
25	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
26	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
27	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
28	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
29	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
30	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--
Total:	--	--	--	6.30	21.7	21.0	21.7	21.7	21.0	11.2	--	--
Mean:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
Min:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
Max:	--	--	--	0.70	0.70	0.70	0.70	0.70	0.70	0.70	--	--
AC-FT:	--	--	--	12.5	43.0	41.7	43.0	43.0	41.7	22.2	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 124.6

TOTAL AC-FT: 247.1

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.00 ⁱ	0.50 ^m	0.10 ⁱ	0.85 ^m	--	--	--
2	--	--	--	--	0.40 ^m	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
3	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
4	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
5	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
6	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
7	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
8	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
9	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
10	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ⁱ	--	--	--	--
11	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.10 ^m	--	--	--	--
12	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ^m	--	--	--	--
13	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ⁱ	--	--	--	--
14	--	--	--	--	0.40 ⁱ	2.00 ⁱ	0.50 ⁱ	0.95 ⁱ	--	--	--	--
15	--	--	--	--	0.40 ^m	2.00 ⁱ	0.50 ⁱ	0.95 ^m	--	--	--	--
16	--	--	--	--	2.00 ^m	2.00 ⁱ	0.50 ⁱ	0.85 ^m	--	--	--	--
17	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
18	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
19	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
20	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
21	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
22	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
23	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
24	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
25	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
26	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
27	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ⁱ	0.85 ⁱ	--	--	--	--
28	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.50 ^m	0.85 ⁱ	--	--	--	--
29	--	--	--	--	2.00 ⁱ	2.00 ⁱ	0.10 ^m	0.85 ⁱ	--	--	--	--
30	--	--	--	--	2.00 ⁱ	2.00 ^m	0.10 ⁱ	0.85 ⁱ	--	--	--	--
31	--	--	--	--	2.00 ⁱ	--	0.10 ⁱ	0.85 ⁱ	--	--	--	--
Total:	--	--	--	--	37.6	60.0	14.3	18.5	0.85	--	--	--
Mean:	--	--	--	--	1.25	2.00	0.46	0.60	0.85	--	--	--
Min:	--	--	--	--	0.40	2.00	0.10	0.10	0.85	--	--	--
Max:	--	--	--	--	2.00	2.00	0.50	0.95	0.85	--	--	--
AC-FT:	--	--	--	--	74.6	119.0	28.4	36.7	1.69	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 131.3

TOTAL AC-FT: 260.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ^m	--	--	--
2	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
3	--	--	--	--	--	0.54 ⁱ	0.54 ^m	0.54 ⁱ	0.27 ⁱ	--	--	--
4	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
5	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
6	--	--	--	--	0.54 ^m	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
7	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
8	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.27 ⁱ	--	--	--
10	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.27 ⁱ	--	--	--
11	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ^m	0.27 ⁱ	--	--	--
12	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
13	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
14	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.36 ⁱ	0.27 ⁱ	--	--	--
15	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
16	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
17	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
18	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
19	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
20	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
21	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
22	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
23	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
24	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
25	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
27	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
28	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
29	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
30	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.36 ⁱ	0.27 ^m	--	--	--
31	--	--	--	--	0.54 ⁱ	--	0.54 ⁱ	0.36 ^m	--	--	--	--
Total:	--	--	--	--	14.0	16.2	16.7	13.0	8.10	--	--	--
Mean:	--	--	--	--	0.54	0.54	0.54	0.42	0.27	--	--	--
Min:	--	--	--	--	0.54	0.54	0.54	0.36	0.27	--	--	--
Max:	--	--	--	--	0.54	0.54	0.54	0.54	0.27	--	--	--
AC-FT:	--	--	--	--	27.9	32.1	33.2	25.7	16.1	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 68.0

TOTAL AC-FT: 135.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130021 - D - HLCNL-21 - A0002718

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ^m	0.91 ⁱ	0.30 ^m	0.30 ⁱ	--	--
2	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ^m	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
3	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
4	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
5	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
6	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
7	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
8	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
9	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
10	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.91 ^m	0.30 ⁱ	0.30 ⁱ	--	--
11	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ^m	0.30 ⁱ	0.30 ⁱ	--	--
12	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
13	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
14	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
15	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ⁱ	--	--
16	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	0.30 ^m	--	--
17	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
18	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
19	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
20	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
21	--	--	--	--	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
22	--	--	--	1.45 ^m	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
23	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
26	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
27	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
28	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	0.91 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
31	--	--	--	--	1.45 ⁱ	--	0.91 ⁱ	0.45 ^m	--	--	--	--
Total:	--	--	--	13.1	45.0	43.5	28.8	18.6	9.00	4.80	--	--
Mean:	--	--	--	1.45	1.45	1.45	0.93	0.60	0.30	0.30	--	--
Min:	--	--	--	1.45	1.45	1.45	0.91	0.45	0.30	0.30	--	--
Max:	--	--	--	1.45	1.45	1.45	1.45	0.91	0.30	0.30	--	--
AC-FT:	--	--	--	25.9	89.2	86.3	57.0	36.8	17.9	9.52	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 162.6

TOTAL AC-FT: 322.5

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
22	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
23	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
24	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
25	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.99	3.41	3.30	--	--	--	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Min:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
Max:	--	--	--	0.11	0.11	0.11	--	--	--	--	--	--
AC-FT:	--	--	--	1.96	6.76	6.55	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.70

TOTAL AC-FT: 15.3

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
22	--	--	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
23	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
24	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
25	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
26	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
27	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
28	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
29	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--	--	--
30	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	0.90	3.10	3.00	--	--	--	--	--	--
Mean:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Min:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
Max:	--	--	--	0.10	0.10	0.10	--	--	--	--	--	--
AC-FT:	--	--	--	1.79	6.15	5.95	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 7.00

TOTAL AC-FT: 13.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
2	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
3	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
4	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
5	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
22	--	--	--	0.62 ^m	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
23	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
24	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
25	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
26	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
27	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
28	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
29	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--	--	--	--
30	--	--	--	0.62 ⁱ	0.62 ⁱ	0.62 ^m	--	--	--	--	--	--
31	--	--	--	--	0.62 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	5.58	19.2	18.6	--	--	--	--	--	--
Mean:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Min:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
Max:	--	--	--	0.62	0.62	0.62	--	--	--	--	--	--
AC-FT:	--	--	--	11.1	38.1	36.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 43.4

TOTAL AC-FT: 86.1

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130025 - D - HLCNL-25 - A0007589

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ^m	2.40 ⁱ	1.52 ⁿ	1.52 ⁱ	1.15 ⁱ	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.52 ^m	1.15 ⁱ	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ^m	1.15 ⁱ	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ⁱ	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ⁱ	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	1.15 ^m	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
16	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
17	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
18	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
19	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
20	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
21	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
22	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
23	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
24	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
25	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
26	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
27	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
28	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
29	--	--	--	--	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	1.15 ⁱ	--	--	--	--
30	--	--	--	--	2.40 ⁱ	2.40 ^m	1.52 ⁱ	1.15 ⁱ	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	1.52 ⁱ	1.15 ⁱ	--	--	--	--
Total:	--	--	--	--	74.4	72.0	47.1	39.4	16.1	--	--	--
Mean:	--	--	--	--	2.40	2.40	1.52	1.27	1.15	--	--	--
Min:	--	--	--	--	2.40	2.40	1.52	1.15	1.15	--	--	--
Max:	--	--	--	--	2.40	2.40	1.52	1.52	1.15	--	--	--
AC-FT:	--	--	--	--	147.6	142.8	93.5	78.1	31.9	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 249.0

TOTAL AC-FT: 493.8

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ^m	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ^m	0.06 ⁱ	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ^m	0.06 ⁱ	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
25	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ⁱ	--	--	--
26	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	0.06 ^m	--	--	--
27	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
28	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
29	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
30	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.09 ⁱ	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	0.09 ^m	--	--	--	--
Total:	--	--	--	0.99	3.41	3.30	3.41	2.99	1.56	--	--	--
Mean:	--	--	--	0.11	0.11	0.11	0.11	0.10	0.06	--	--	--
Min:	--	--	--	0.11	0.11	0.11	0.11	0.09	0.06	--	--	--
Max:	--	--	--	0.11	0.11	0.11	0.11	0.11	0.06	--	--	--
AC-FT:	--	--	--	1.96	6.76	6.55	6.76	5.93	3.09	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 15.7

TOTAL AC-FT: 31.1

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.59 ^m	1.63 ^m	0.59 ^m	0.59 ⁱ	0.29 ^m	--	--	--
2	--	--	--	--	1.45 ^m	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
3	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
4	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
5	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
6	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
7	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
8	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
9	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ⁱ	0.29 ⁱ	--	--	--
10	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.59 ^m	0.29 ⁱ	--	--	--
11	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ^m	0.29 ⁱ	--	--	--
12	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	0.29 ⁱ	--	--	--
13	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	0.29 ^m	--	--	--
14	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
15	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
16	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
17	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
18	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
19	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
20	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
21	--	--	--	--	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
22	--	--	--	0.59 ^m	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
23	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
24	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
25	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
26	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
27	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
28	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
29	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ⁱ	0.59 ⁱ	0.44 ⁱ	--	--	--	--
30	--	--	--	0.59 ⁱ	1.45 ⁱ	1.63 ^m	0.59 ⁱ	0.44 ⁱ	--	--	--	--
31	--	--	--	--	1.45 ^m	--	0.59 ⁱ	0.44 ^m	--	--	--	--
Total:	--	--	--	5.31	44.1	48.9	18.3	15.1	3.77	--	--	--
Mean:	--	--	--	0.59	1.42	1.63	0.59	0.49	0.29	--	--	--
Min:	--	--	--	0.59	0.59	1.63	0.59	0.44	0.29	--	--	--
Max:	--	--	--	0.59	1.45	1.63	0.59	0.59	0.29	--	--	--
AC-FT:	--	--	--	10.5	87.5	97.0	36.3	30.0	7.48	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 135.5

TOTAL AC-FT: 268.8

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130028 - D - HLCNL-28 - A0002722

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--
2	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
3	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
11	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
12	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁿ	--	--	--
16	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
17	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
18	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
19	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
20	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
21	--	--	--	--	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
22	--	--	--	0.30 ^m	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
23	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
24	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
25	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
26	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
27	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
28	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
29	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
30	--	--	--	0.30 ⁱ	0.30 ⁱ	0.30 ^m	0.10 ⁱ	0.10 ⁱ	--	--	--	--
31	--	--	--	--	0.30 ⁱ	--	0.10 ⁱ	0.10 ⁱ	--	--	--	--
Total:	--	--	--	2.70	9.30	9.00	3.10	3.10	1.50	--	--	--
Mean:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
Min:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
Max:	--	--	--	0.30	0.30	0.30	0.10	0.10	0.10	--	--	--
AC-FT:	--	--	--	5.36	18.5	17.9	6.15	6.15	2.98	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 28.7

TOTAL AC-FT: 56.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
2	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
3	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
4	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
5	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
6	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
7	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
8	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
9	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--
10	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.60 ⁱ	1.60 ⁿ	--	--
11	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ^m	1.60 ⁱ	--	--	--
12	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
13	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
14	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
15	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
16	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
17	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
18	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
19	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
20	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
21	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
22	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
23	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
24	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
25	--	--	--	3.40 ^m	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
26	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
27	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
28	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
29	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
30	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	1.60 ⁱ	1.60 ⁱ	--	--	--
31	--	--	--	--	3.40 ⁱ	--	3.40 ⁱ	1.60 ⁱ	--	--	--	--
Total:	--	--	--	20.4	105.4	102.0	105.4	67.6	48.0	16.0	--	--
Mean:	--	--	--	3.40	3.40	3.40	3.40	2.18	1.60	1.60	--	--
Min:	--	--	--	3.40	3.40	3.40	3.40	1.60	1.60	1.60	--	--
Max:	--	--	--	3.40	3.40	3.40	3.40	3.40	1.60	1.60	--	--
AC-FT:	--	--	--	40.5	209.1	202.3	209.1	134.1	95.2	31.7	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 464.8

TOTAL AC-FT: 921.9

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ^m	1.04 ⁱ	1.03 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.03 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
3	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
4	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
5	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
6	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
7	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
8	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁿ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
9	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--
10	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁿ	--	--
11	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
12	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
13	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
14	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
15	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
16	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
17	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
18	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
19	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
20	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
21	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
22	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
23	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
24	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
25	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
26	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
27	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
28	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
29	--	--	--	--	1.04 ⁱ	1.04 ^m	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
30	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.00 ⁱ	1.00 ⁱ	1.00 ⁱ	--	--	--
31	--	--	--	--	1.04 ⁱ	--	1.00 ⁱ	1.00 ⁱ	--	--	--	--
Total:	--	--	--	--	32.2	31.2	31.1	31.0	30.0	10.0	--	--
Mean:	--	--	--	--	1.04	1.04	1.00	1.00	1.00	1.00	--	--
Min:	--	--	--	--	1.04	1.04	1.00	1.00	1.00	1.00	--	--
Max:	--	--	--	--	1.04	1.04	1.03	1.00	1.00	1.00	--	--
AC-FT:	--	--	--	--	64.0	61.9	61.7	61.5	59.5	19.8	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 165.6

TOTAL AC-FT: 328.4

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ^m	1.90 ⁱ	--	--	--	--
2	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
3	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
4	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
5	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
6	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
7	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
8	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
9	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
10	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
12	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
13	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
14	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
15	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
16	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
17	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
18	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
19	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
20	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
21	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
22	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
23	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
24	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
25	--	--	--	1.19 ^m	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
26	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
27	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
28	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
29	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
30	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ^m	1.90 ⁱ	1.90 ^m	--	--	--	--
31	--	--	--	--	1.19 ⁱ	--	1.90 ⁱ	--	--	--	--	--
Total:	--	--	--	7.14	36.9	35.7	58.9	57.0	--	--	--	--
Mean:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
Min:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
Max:	--	--	--	1.19	1.19	1.19	1.90	1.90	--	--	--	--
AC-FT:	--	--	--	14.2	73.2	70.8	116.8	113.1	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 195.6

TOTAL AC-FT: 388.0

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.64 ⁱ	2.16 ^m	2.16 ⁱ	2.16 ⁱ	0.12 ^m	--	--	--
2	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
3	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
4	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
5	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
6	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
7	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
8	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
9	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
10	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	--	--	--	--
11	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ^m	--	--	--	--
12	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
13	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
14	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
15	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
16	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
17	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
18	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
19	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
20	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
21	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
22	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
23	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
24	--	--	--	--	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
25	--	--	--	0.64 ^m	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
26	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
27	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
28	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
29	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
30	--	--	--	0.64 ⁱ	0.64 ⁱ	2.16 ⁱ	2.16 ⁱ	0.12 ⁱ	--	--	--	--
31	--	--	--	--	0.64 ^m	--	2.16 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	3.84	19.8	64.8	67.0	24.1	0.12	--	--	--
Mean:	--	--	--	0.64	0.64	2.16	2.16	0.78	0.12	--	--	--
Min:	--	--	--	0.64	0.64	2.16	2.16	0.12	0.12	--	--	--
Max:	--	--	--	0.64	0.64	2.16	2.16	2.16	0.12	--	--	--
AC-FT:	--	--	--	7.62	39.4	128.5	132.8	47.8	0.24	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 179.7

TOTAL AC-FT: 356.4

SCANNED
APR 14 2017

Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2015 - 12/31/2015

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.88 ^m	1.88 ⁱ	1.50 ^m	1.50 ⁱ	--	--	--	--
2	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
3	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
4	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
5	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
6	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
7	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
8	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
9	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
10	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
11	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
12	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
13	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
14	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
15	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
16	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
17	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
18	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
19	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
20	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
21	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
22	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
23	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
24	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
25	--	--	--	1.50 ^m	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
26	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
27	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
28	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
29	--	--	--	1.50 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ⁱ	1.50 ⁱ	--	--	--	--
30	--	--	--	1.50 ^m	1.88 ⁱ	1.88 ^m	1.50 ⁱ	1.50 ^m	--	--	--	--
31	--	--	--	--	1.88 ⁱ	--	1.50 ⁱ	--	--	--	--	--
Total:	--	--	--	9.00	58.3	56.4	46.5	45.0	--	--	--	--
Mean:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
Min:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
Max:	--	--	--	1.50	1.88	1.88	1.50	1.50	--	--	--	--
AC-FT:	--	--	--	17.9	115.6	111.9	92.2	89.3	--	--	--	--

CALENDAR YEAR 01/01/2015 - 12/31/2015

TOTAL CFS: 215.2

TOTAL AC-FT: 426.8

SCANNED
APR 14 2017

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

State of Idaho)
County of Custer) ss


Official Oath


I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all duties as Assistant Watermaster of District 72-A according to the best of my ability. So help me God.


Assistant Watermaster

SUBSCRIBED AND SWORN TO before me this 6th day of April, 2016

SEAL




Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED

APR 14 2017

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

State of Idaho)
County of Custer) ss


Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all duties as Assistant Watermaster of District 72-A according to the best of my ability. So help me God.

Stephen Cape
Assistant Watermaster

SUBSCRIBED AND SWORN TO before me this 16 day of May, 2016

SEAL



Linda Phelps
Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED
APR 14 2017

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

State of Idaho)
County of Custer) ss


Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all duties as Assistant Watermaster of District 72-A according to the best of my ability. So help me God.

David Rhinze
Assistant Watermaster

SUBSCRIBED AND SWORN TO before me this 5th day of April, 2016

SEAL



Linda Phelps
Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED

APR 14 2017

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO


State of Idaho)
County of Custer) ss

Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all the duties of the office of Watermaster of District 72-A according to the best of my ability. So help me God.

Rick Philips
Watermaster

SUBSCRIBED AND SWORN TO before me this 5th day of April, 2016.



Lacinda Philips
Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED
APR 14 2017

**GARDEN CREEK & CHALLIS CREEK
WATER DISTRICT NO. 72-A
ANNUAL MEETING AGENDA
MONDAY, JANUARY 25, 2016
Custer County Court House**

CHAIRMAN - Call meeting to order at 7 pm

CHAIRMAN – 2015 Annual Meeting Minutes (copy provided with your meeting announcement); questions/comments?

CHAIRMAN – 2015 Treasurer's Report with Income & Expense Breakdown (copy provided with your meeting announcement); questions, comments?

WATERMASTER REPORT – Review 2015 irrigation season;
Outline 2016 Watermaster's Proposed Budget

CHAIRMAN – Review and discuss, as necessary, Watermaster's Proposed Budget;
Determine, finalize and approve 2016 Adopted Budget

CHAIRMAN - NEW BUSINESS:

Discussion of cleaning the High Line Canal
Open To Floor - water right owner input/questions or any other issue(s)

CHAIRMAN – Election of Watermaster

CHAIRMAN – Election of Secretary/Treasurer

CHAIRMAN – Election of Advisory Committee

CHAIRMAN – Election of Chairman

2011 CHAIRMAN - Set date (January 23rd), time (7 pm) and place (Custer County Court Room) for next year's 2017 Annual Meeting.

ADJOURN

**SCANNED
JAN 26 2017**

ANNUAL MEETING MINUTES

WATER DISTRICT No. 72-A Garden Creek & Challis Creek
MEETING DATE: Monday, January 25, 2016
MEETING LOCATION: Custer County Court House
Challis, Idaho
MEETING SECRETARY NAME: Cindy Philps
MEETING LOCATION: 25035 Highway 93 North
Challis, Idaho 83226

The meeting was called to order at 7 p.m. by Chairman Corey Rice.

The 2015 Annual Meeting Minutes were approved as submitted. Steve Bauchman moved to accept the minutes. The motion was seconded by Jeri D'Orazio.

The 2015 treasures report with the accompanying income and expense breakdown were also provided to all water right owners in the mailing preceding the meeting. Craig Winstead moved to accept the treasurers report. The motion was seconded by Jeri D'Orazio.

John Winegarner asked a question about the proposed budget concerning the highline users. Winegarner was concerned about making sure that all of the water users were not paying for the charges of the highline users. Secretary Cindy Philps explained that even though the highline charges come out of the general fund, it is reimbursed by the highline users the following year. Steve Bauchman explained that due to the extreme sediment load caused from the Lodge Pole Fire it looks like the highline canal is going to need annual cleaning. Bauchman suggested that the Water District add a separate line item for the canal of \$3,500. Ted Strickler moved to approve the second line item for the highline canal with a budget of \$3,500. The motion was seconded by Craig Winstead.

Secretary Cindy Philps asked to purchase a computer for the Water District. Jeri D'Orazio moved to increase the Computer/Software Expense to \$500 to allow for a purchase of a computer and software. Seconded by Ben Beason.

Watermaster Rick Philps gave the watermaster report. Steve Bauchman discussed moving Rick to a salary instead of an hourly wage. Due to Rick enjoying being watermaster he does not bill for all hours and milage. Moved by Steve Bauchman to have Rick bill for all hours and mileage. Seconded by Christopher James.

The Chairman opened nominations for the advisory board, secretary/treasurer, watermaster and chairman. Ted Strickler made the motion to keep all those currently serving in the same positions. All were in favor. Motion passed.

The next annual meeting will be held the 23rd of January 2017 at 7 pm at the Custer County Courthouse.

Due to no further business the meeting Chairman Cory Rice adjourned the meeting.

SCANNED

JAN 26 2017

Treasurer's Report

2015 Financial Report

Fiscal Year Start Date: 01/01/2015

Fiscal Year End Date: 12/31/2015

Starting Balance: \$ 5,737.76

Ending Balance: \$ 4,286.07

Income

Total Budget Adopted: \$ 13,500.00

Amount to be Collected: \$ 9,213.93

Total Budget Collected: \$ 10,857.50

Other Income (late fees, interest, etc..) -

Total Income: \$ 10,857.50

Expenses

Watermaster Salary: \$ 2,155.00

Watermaster Mileage: 514.63

895 Miles @ 0.575 ¢/mile

Ditch Rider Salary: 195.00

Ditch Rider Mileage: -

- Miles @ 0.575 ¢/mile

Treasurer Salary: 590.00

Salary Expenses (FICA, SS, Work Comp) 300.00

Highline Cleaning/Supplies 8,044.33

Other Expenses (PO Box, Envelopes, Supplies) 510.24

Total Expenses: \$ 12,309.20

Starting Balance: \$ 5,737.76

+ Income: 10,857.50

- Expenses (12,309.20)

Ending Balance \$ 4,286.07

SCANNED

JAN 25 2017

**2016 Proposed Budget Expense Breakdown
Water District 72-A
Garden Creek & Challis Creek**

		Remuneration:
\$	1,500.00	Secretary/Treasurer Compensation
	5,500.00	Watermaster's Compensation
	2,500.00	Ditch Rider's Compensation
	3,500.00	Highline
		Pro Rata Expenses:
	2,500.00	Mileage Expense
	600.00	State Insurance Fund (Workmans Comp)
	500.00	Computer/Software Expense
	250.00	Post Office Box & Postage
	200.00	Telephone, Office Supplies & Misc.
	150.00	Copy Charges
	100.00	Watermaster/Ditch Rider Supplies
\$	17,300.00	Total Proposed Expenditures

SCANNED

JAN 26 2017

**GARDEN CREEK & CHALLIS CREEK
WATER DISTRICT NO. 72-A
ANNUAL MEETING AGENDA
MONDAY, JANUARY 25, 2016
Custer County Court House**

CHAIRMAN - Call meeting to order at 7 pm

CHAIRMAN – 2015 Annual Meeting Minutes (copy provided with your meeting announcement);
questions/comments?

CHAIRMAN – 2015 Treasurer's Report with Income & Expense Breakdown (copy provided with
your meeting announcement); questions, comments?

WATERMASTER REPORT – Review 2015 irrigation season;
Outline 2016 Watermaster's Proposed Budget

CHAIRMAN – Review and discuss, as necessary, Watermaster's Proposed Budget;
Determine, finalize and approve 2016 Adopted Budget

CHAIRMAN - NEW BUSINESS:

Discussion of cleaning the High Line Canal
Open To Floor - water right owner input/questions or any other issue(s)

CHAIRMAN – Election of Watermaster

CHAIRMAN – Election of Secretary/Treasurer

CHAIRMAN – Election of Advisory Committee

CHAIRMAN – Election of Chairman

2011 CHAIRMAN - Set date (January 23rd), time (7 pm) and place (Custer County Court Room)
for next year's 2017 Annual Meeting.

ADJOURN

ANNUAL MEETING MINUTES

WATER DISTRICT No. 72A - Challis/Garden Creeks Area Sub-District

MEETING DATE: Monday, January 26, 2015

MEETING LOCATION: Custer County Court House
Challis, Idaho

MEETING SECRETARY NAME: Cindy Philps

ADDRESS: 25035 Highway 93 North
Challis, Idaho 83226

Chairman Jon Wingarner was not present. Therefore the meeting was called to order by Corey Rice. at 7:15 pm. Steve Bauchman nominated Corey Rice to be Chairman. Seconded by Rod Evans.

The 2014 Annual Meeting Minutes were approved as submitted. Moved by Jerry D'Orazio to accept the minutes. Seconded by Julian Piva.

The 2014 Treasures Report with accompanying Income and Expense Breakdown were also provided to all water right owners in the mailing preceding the meeting. The Treasures Report was approved as submitted. Steve Cope moved to accept the treasurers report. Seconded by Julian Piva.

Watermaster Rick Philps gave the watermaster report.

The Chairman then opened nominations for watermaster. Rick Philps was nominated by Ted Strickler. Seconded by Steve Bauchman. Rick Philps was re-elected as watermaster.

The Chairman opened nominations for the Secretary/Treasurer. Cindy Philps was nominated by Julian Piva. Seconded by Mica Cox. Cindy Philps was re-elected as Secretary/Treasure.

The Chairman then opened nominations for the Advisory Board members. It was proposed for Jerry D'Orazio, Allen Henderson, and Tim Kemery representing Garden Creek; Anthony Gammache, Stephen Bauchman, and Julian Piva representing Challis Creek. Corey Rice moved to accept all nominated. Motion passed unanimously.

Steve Buchman brought up a couple of concerns pertaining to the high-line canal. The first concern is the blatter that has never worked properly and is still not working properly. Bauchman asked if the putting the money into fixing would be worth it as it could be very costly to fix it. Ted Strickler suggested the possibility for making the flat fee for all highline users instead of the percentage of cost if need be. Ted Strickler moved to assign Steve Bauchman and Rick Philps to look into fixing the highline. They will hold a special meeting to discuss the particulars. Seconded by Ryan Hughes. The second concern with the highline is the sediment that has been washing down the canal from the 2013 Lodge Pole Fire. This problem has only started and will continue. There will continue to be cleaning fees for highline users.

The next annual meeting will be held the 25th of January, 2016 at 7 pm at the Custer County Courthouse.

ANNUAL MEETING MINUTES

WATER DISTRICT No. 72-A Garden Creek & Challis Creek
MEETING DATE: Monday, January 25, 2016
MEETING LOCATION: Custer County Court House
Challis, Idaho
MEETING SECRETARY NAME: Cindy Philps
MEETING LOCATION: 25035 Highway 93 North
Challis, Idaho 83226

The meeting was called to order at 7 p.m. by Chairman Corey Rice.

The 2015 Annual Meeting Minutes were approved as submitted. Steve Bauchman moved to accept the minutes. The motion was seconded by Jeri D'Orazio.

The 2015 treasures report with the accompanying income and expense breakdown were also provided to all water right owners in the mailing preceding the meeting. Craig Winstead moved to accept the treasurers report. The motion was seconded by Jeri D'Orazio.

John Winegarner asked a question about the proposed budget concerning the highline users. Winegarner was concerned about making sure that all of the water users were not paying for the charges of the highline users. Secretary Cindy Philps explained that even though the highline charges come out of the general fund, it is reimbursed by the highline users the following year. Steve Bauchman explained that due to the extreme sediment load caused from the Lodge Pole Fire it looks like the highline canal is going to need annual cleaning. Bauchman suggested that the Water District add a separate line item for the canal of \$3,500. Ted Strickler moved to approve the second line item for the highline canal with a budget of \$3,500. The motion was seconded by Craig Winstead.

Secretary Cindy Philps asked to purchase a computer for the Water District. Jeri D'Orazio moved to increase the Computer/Software Expense to \$500 to allow for a purchase of a computer and software. Seconded by Ben Beason.

Watermaster Rick Philps gave the watermaster report. Steve Bauchman discussed moving Rick to a salary instead of an hourly wage. Due to Rick enjoying being watermaster he does not bill for all hours and milage. Moved by Steve Bauchman to have Rick bill for all hours and mileage. Seconded by Christopher James.

The Chairman opened nominations for the advisory board, secretary/treasurer, watermaster and chairman. Ted Strickler made the motion to keep all those currently serving in the same positions. All were in favor. Motion passed.

The next annual meeting will be held the 23rd of January 2017 at 7 pm at the Custer County Courthouse.

Due to no further business the meeting Chairman Cory Rice adjourned the meeting.

Treasurer's Report

2015 Financial Report

Fiscal Year Start Date: 01/01/2015

Fiscal Year End Date: 12/31/2015

Starting Balance: \$ 5,737.76

Ending Balance: \$ 4,286.07

Income

Total Budget Adopted: \$ 13,500.00

Amount to be Collected: \$ 9,213.93

Total Budget Collected: \$ 10,857.50

Other Income (late fees, interest, etc.) -

Total Income: \$ 10,857.50

Expenses

Watermaster Salary: \$ 2,155.00

Watermaster Mileage: 514.63

895 Miles @ 0.575 ¢/mile

Ditch Rider Salary: 195.00

Ditch Rider Mileage: -

- Miles @ 0.575 ¢/mile

Treasurer Salary: 590.00

Salary Expenses (FICA, SS, Work Comp) 300.00

Highline Cleaning/Supplies 8,044.33

Other Expenses (PO Box, Envelopes, Supplies) 510.24

Total Expenses: \$ 12,309.20

Starting Balance: \$ 5,737.76

+ Income: 10,857.50

- Expenses (12,309.20)

Ending Balance \$ 4,286.07

**2016 Proposed Budget Expense Breakdown
Water District 72-A
Garden Creek & Challis Creek**

Remuneration:

\$	1,500.00	Secretary/Treasurer Compensation
	5,500.00	Watermaster's Compensation
	2,500.00	Ditch Rider's Compensation
	3,500.00	Highline

Pro Rata Expenses:

	2,500.00	Mileage Expense
	600.00	State Insurance Fund (Workmans Comp)
	500.00	Computer/Software Expense
	250.00	Post Office Box & Postage
	200.00	Telephone, Office Supplies & Misc.
	150.00	Copy Charges
	100.00	Watermaster/Ditch Rider Supplies
\$	17,300.00	Total Proposed Expenditures

Treasurer's Report

2015 Financial Report

Fiscal Year Start Date: 01/01/2015

Fiscal Year End Date: 12/31/2015

Starting Balance: \$ 5,737.76

Ending Balance: \$ 4,286.07

Income

Total Budget Adopted: \$ 13,500.00

Amount to be Collected: \$ 9,213.93

Total Budget Collected: \$ 10,857.50

Other Income (late fees, interest, etc.) -

Total Income: \$ 10,857.50

Expenses

Watermaster Salary: \$ 2,155.00

Watermaster Mileage: 514.63

Ditch Rider Salary: 195.00

Ditch Rider Mileage: -

Treasurer Salary: 590.00

Salary Expenses (FICA, SS, Work Comp) 300.00

Highline Cleaning/Supplies 8,044.33

Other Expenses (PO Box, Envelopes, Supplies) 510.24

Total Expenses: \$ 12,309.20

895 Miles @ 0.575 ¢ /mile

- Miles @ 0.575 ¢ /mile

Starting Balance: \$ 5,737.76

+ Income: 10,857.50

-Expenses (12,309.20)

Ending Balance \$ 4,286.07



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5851

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

To: WD 72A Garden and Challis Creeks
From: IDWR Water Distribution Section
Date: November 3, 2015
Re: Annual Water District Meeting Information Form

Please complete this annual water district meeting information form and return it to IDWR (contact information below). Upon receipt of the completed form, IDWR sends meeting notices to each water user and interested party in the district. Notices must be mailed no later than three weeks prior to the meeting day. Therefore, to provide IDWR adequate time to create and mail the notices, please return the completed form to IDWR by as soon as possible or no later than four weeks before the meeting day.

Meeting Location

Facility Name Custer County Courthouse
Room Name/Number Courtroom (upstairs)
Street Address 801 Main St.
City Challis ID 83226

Meeting Time/Day

Date (month, day, year) Jan 25, 2016
Day of Week Monday
Time 7:00 pm

C. Yenter for Cindy Philips Sec/Treas
Signature, Water District Representative Title

208.879.2553 / 208.339.4828(c)
Representative Phone Number

cphilps@idfbins.com
Representative Email Address

Return this form via mail, fax, or email, attention: Nathan Erickson

Mail

650 Addison Ave W Ste 500
Twin Falls, ID 83301

Fax

(208)736-3037

Email

Nathan.Erickson@idwr.idaho.gov