

WATERMASTER REQUIREMENT SHEET

Date of Meeting: 1/23/2017 Time of Meeting: 7 PM

Place of Meeting: Court Room / Custer County Courthouse Challis

IDWR Employee(s) in attendance at Annual Meeting: _____

Chairman: Corey Rice
(Name) (Address) (Phone)

Watermaster:

Craig Winstead

Assistant Watermaster:

Craig Vaughn

Sec/Treasurer:

Cindy Philips

Budget for the year: \$ 3500.00, (if over \$3000.00 need oath from Sec/Treas and do certificate

Comments: _____

Appointment Requirements:

Copy of annual meeting minutes received: 4/4/17

Adopted Budget received: 4/18/17

Certificate of Appointment to Watermaster/Assistant sent: 4/5/17

(_____ daily record books & instruction to watermaster sent)

Certificate of Appointment to Secretary/Treasurer sent: 4/5/17

Water District Information:

Watermaster Report received: [Redacted] 5/31/18

Daily records book received: [Redacted] 5/31/18

RECEIVED

MAY 31 2018

WATERMASTER'S REPORT DEPT. OF WATER RESOURCES SOUTHERN REGION

From April 1, 20 17 To October 31, 20 17

Water District No. 72-A


Name of Watermaster Craig Winstead

Mailing Address PO Box 1250, Challis, ID 83226-1250

AFFIDAVIT OF WATERMASTER

STATE OF IDAHO)
) ss.
COUNTY OF Custer)

Craig Winstead, being first duly sworn, deposes and says that he/she is Watermaster of Water District 72-A, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him/her to the water right holders of the district are correct.



[Signature]
(Deputy) Watermaster District No. 72-A

Subscribed and sworn to before me, this 31st day of May, 20 18

[Signature]
Notary Public

(SEAL)

My Commission expires 3-19-19

Boise, Idaho _____, 20 _____

I HEREBY CERTIFY, that _____ was lawfully appointed by me as Watermaster of Water District No. _____, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72110002 - D - GDN02 - A0003067**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interplated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.50 ^m	0.50 ⁱ	0.25 ^m	0.25 ⁱ	--	--	--	--
2	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
3	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
4	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
5	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
6	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
7	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
8	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
9	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
10	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
11	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
12	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
13	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
14	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
15	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
16	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
17	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
18	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
19	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
20	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
21	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
22	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
23	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
24	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
25	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
26	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
27	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
28	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
29	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.25 ⁱ	0.25 ⁱ	--	--	--	--
30	--	--	--	--	0.50 ⁱ	0.50 ^m	0.25 ⁱ	0.25 ^m	--	--	--	--
31	--	--	--	--	0.50 ⁱ	--	0.25 ⁱ	--	--	--	--	--
Total:	--	--	--	--	15.5	15.0	7.75	7.50	--	--	--	--
Mean:	--	--	--	--	0.50	0.50	0.25	0.25	--	--	--	--
Min:	--	--	--	--	0.50	0.50	0.25	0.25	--	--	--	--
Max:	--	--	--	--	0.50	0.50	0.25	0.25	--	--	--	--
AC-FT:	--	--	--	--	30.7	29.8	15.4	14.9	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 45.8

TOTAL AC-FT: 90.7

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.95 ^m	0.95 ⁱ	0.43 ^m	0.43 ⁱ	0.21 ⁿ	--	--	--
2	--	--	--	--	0.95 ^m	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
3	--	--	--	--	0.95 ^m	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
4	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
5	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
6	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
7	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
8	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
9	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
10	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
11	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
12	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
13	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
14	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
15	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
16	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
17	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.43 ^m	--	--	--	--
18	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ^m	--	--	--	--
19	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
20	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
21	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
22	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
23	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
24	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
25	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
26	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
27	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
28	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
29	--	--	--	--	0.95 ⁱ	0.95 ⁱ	0.43 ⁱ	0.21 ⁱ	--	--	--	--
30	--	--	--	--	0.95 ⁱ	0.95 ^m	0.43 ⁱ	0.21 ⁱ	--	--	--	--
31	--	--	--	--	0.95 ⁱ	--	0.43 ⁱ	0.21 ⁱ	--	--	--	--
Total:	--	--	--	--	29.5	28.5	13.3	10.3	0.21	--	--	--
Mean:	--	--	--	--	0.95	0.95	0.43	0.33	0.21	--	--	--
Min:	--	--	--	--	0.95	0.95	0.43	0.21	0.21	--	--	--
Max:	--	--	--	--	0.95	0.95	0.43	0.43	0.21	--	--	--
AC-FT:	--	--	--	--	58.4	56.5	26.4	20.3	0.42	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 81.7

TOTAL AC-FT: 162.1

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.92 ^m	6.92 ⁱ	4.88 ^m	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
2	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
3	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
4	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
5	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
6	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
7	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
8	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
9	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
10	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
11	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
12	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
13	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
14	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--
15	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	4.88 ^m	2.44 ⁱ	2.44 ^m	--	--
16	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ^m	2.44 ⁱ	--	--	--
17	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
18	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
19	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
20	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
21	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
22	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
23	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
24	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
25	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
26	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
27	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
28	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
29	--	--	--	--	6.92 ⁱ	6.92 ⁱ	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
30	--	--	--	--	6.92 ⁱ	6.92 ^m	4.88 ⁱ	2.44 ⁱ	2.44 ⁱ	--	--	--
31	--	--	--	--	6.92 ⁱ	--	4.88 ⁱ	2.44 ⁱ	--	--	--	--
Total:	--	--	--	--	214.5	207.6	151.3	112.2	73.2	36.6	--	--
Mean:	--	--	--	--	6.92	6.92	4.88	3.62	2.44	2.44	--	--
Min:	--	--	--	--	6.92	6.92	4.88	2.44	2.44	2.44	--	--
Max:	--	--	--	--	6.92	6.92	4.88	4.88	2.44	2.44	--	--
AC-FT:	--	--	--	--	425.5	411.8	300.1	222.6	145.2	72.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 795.4

TOTAL AC-FT: 1577

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72110016 - D - GDN16 - A0003078**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.42 ^m	2.42 ⁿ	1.20 ^m	1.31 ⁱ	0.70 ^m	0.70 ⁱ	--	--
2	--	--	--	--	2.42 ^m	2.42 ⁱ	1.20 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
3	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
4	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.32 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
5	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.21 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
6	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.22 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
7	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.22 ⁱ	1.33 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
8	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
9	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
10	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.23 ⁱ	1.34 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
11	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.35 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
12	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.35 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
13	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.24 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
14	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
15	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.36 ⁱ	0.70 ⁱ	0.70 ^m	--	--
16	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.25 ⁱ	1.37 ⁱ	0.70 ⁱ	--	--	--
17	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.37 ⁱ	0.70 ⁱ	--	--	--
18	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.37 ⁱ	0.70 ⁱ	--	--	--
19	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.26 ⁱ	1.38 ⁱ	0.70 ⁱ	--	--	--
20	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.27 ⁱ	1.38 ⁱ	0.70 ⁱ	--	--	--
21	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.27 ⁱ	1.38 ⁱ	0.70 ⁱ	--	--	--
22	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	--	--	--
23	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	--	--	--
24	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.28 ⁱ	1.39 ⁱ	0.70 ⁱ	--	--	--
25	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.40 ⁱ	0.70 ⁱ	--	--	--
26	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.40 ⁱ	0.70 ⁱ	--	--	--
27	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.29 ⁱ	1.41 ⁱ	0.70 ⁱ	--	--	--
28	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.30 ⁱ	1.41 ⁱ	0.70 ⁱ	--	--	--
29	--	--	--	--	2.42 ⁱ	2.42 ⁱ	1.30 ⁱ	1.41 ⁱ	0.70 ⁱ	--	--	--
30	--	--	--	--	2.42 ⁱ	2.42 ^m	1.30 ⁱ	1.42 ⁱ	0.70 ⁱ	--	--	--
31	--	--	--	--	2.42 ^m	--	1.31 ⁱ	1.42 ^m	--	--	--	--
Total:	--	--	--	--	75.0	72.6	38.9	42.4	21.0	10.5	--	--
Mean:	--	--	--	--	2.42	2.42	1.25	1.37	0.70	0.70	--	--
Min:	--	--	--	--	2.42	2.42	1.20	1.31	0.70	0.70	--	--
Max:	--	--	--	--	2.42	2.42	1.31	1.42	0.70	0.70	--	--
AC-FT:	--	--	--	--	148.8	144.0	77.1	84.0	41.7	20.8	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 260.3

TOTAL AC-FT: 516.4

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.26 ^m	2.26 ⁱ	1.20 ^m	1.20 ⁱ	0.60 ⁱ	--	--	--
2	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
3	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
4	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
5	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--
6	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	0.60 ^m	--	--	--
7	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
8	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
9	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
10	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
11	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
12	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
13	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
14	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
15	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	1.20 ^m	--	--	--	--
16	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ^m	--	--	--	--
17	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
18	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
19	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
20	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
21	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
22	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
23	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
24	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
25	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
26	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
27	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
28	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
29	--	--	--	--	2.26 ⁱ	2.26 ⁱ	1.20 ⁱ	0.60 ⁱ	--	--	--	--
30	--	--	--	--	2.26 ⁱ	2.26 ^m	1.20 ⁱ	0.60 ⁱ	--	--	--	--
31	--	--	--	--	2.26 ⁱ	--	1.20 ⁱ	0.60 ⁱ	--	--	--	--
Total:	--	--	--	--	70.1	67.8	37.2	27.6	3.60	--	--	--
Mean:	--	--	--	--	2.26	2.26	1.20	0.89	0.60	--	--	--
Min:	--	--	--	--	2.26	2.26	1.20	0.60	0.60	--	--	--
Max:	--	--	--	--	2.26	2.26	1.20	1.20	0.60	--	--	--
AC-FT:	--	--	--	--	139.0	134.5	73.8	54.7	7.14	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 206.3

TOTAL AC-FT: 409.1

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.93 ⁿ	1.93 ⁱ	1.10 ^m	1.10 ⁱ	--	--	--	--
2	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
3	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
4	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
5	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
6	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
7	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
8	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
9	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
10	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
11	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
12	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
13	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
14	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ⁱ	--	--	--	--
15	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	1.10 ^m	--	--	--	--
16	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ^m	--	--	--	--
17	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
18	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
19	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
20	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
21	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
22	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
23	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
24	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
25	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
26	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
27	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
28	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
29	--	--	--	--	1.93 ⁱ	1.93 ⁱ	1.10 ⁱ	0.90 ⁱ	--	--	--	--
30	--	--	--	--	1.93 ⁱ	1.93 ^m	1.10 ⁱ	0.90 ⁱ	--	--	--	--
31	--	--	--	--	1.93 ⁱ	--	1.10 ⁱ	0.90 ^m	--	--	--	--
Total:	--	--	--	--	59.8	57.9	34.1	30.9	--	--	--	--
Mean:	--	--	--	--	1.93	1.93	1.10	1.00	--	--	--	--
Min:	--	--	--	--	1.93	1.93	1.10	0.90	--	--	--	--
Max:	--	--	--	--	1.93	1.93	1.10	1.10	--	--	--	--
AC-FT:	--	--	--	--	118.7	114.8	67.6	61.3	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 182.7

TOTAL AC-FT: 362.4

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.78 ^m	0.78 ⁱ	0.43 ^m	0.43 ⁱ	--	--	--	--
2	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
3	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
4	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
5	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
6	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
7	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
8	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
9	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
10	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
11	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
12	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
13	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
14	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
15	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
17	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
18	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
19	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
20	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
21	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
22	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
23	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
24	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
25	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
26	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
27	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
28	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
29	--	--	--	--	0.78 ⁱ	0.78 ⁱ	0.43 ⁱ	--	--	--	--	--
30	--	--	--	--	0.78 ⁱ	0.78 ^m	0.43 ⁱ	--	--	--	--	--
31	--	--	--	--	0.78 ⁱ	--	0.43 ⁱ	--	--	--	--	--
Total:	--	--	--	--	24.2	23.4	13.3	6.45	--	--	--	--
Mean:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
Min:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
Max:	--	--	--	--	0.78	0.78	0.43	0.43	--	--	--	--
AC-FT:	--	--	--	--	48.0	46.4	26.4	12.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 67.4

TOTAL AC-FT: 133.6

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.06 ^m	1.06 ⁱ	0.51 ^m	0.51 ⁱ	--	--	--	--
2	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
3	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
4	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
5	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
6	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
7	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
8	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
9	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
10	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
11	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
12	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
13	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
14	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ⁱ	--	--	--	--
15	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	0.51 ^m	--	--	--	--
16	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
17	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
18	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
19	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
20	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
21	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
22	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
23	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
24	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
25	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
26	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
27	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
28	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
29	--	--	--	--	1.06 ⁱ	1.06 ⁱ	0.51 ⁱ	--	--	--	--	--
30	--	--	--	--	1.06 ⁱ	1.06 ^m	0.51 ⁱ	--	--	--	--	--
31	--	--	--	--	1.06 ⁱ	--	0.51 ⁱ	--	--	--	--	--
Total:	--	--	--	--	32.9	31.8	15.8	7.65	--	--	--	--
Mean:	--	--	--	--	1.06	1.06	0.51	0.51	--	--	--	--
Min:	--	--	--	--	1.06	1.06	0.51	0.51	--	--	--	--
Max:	--	--	--	--	1.06	1.06	0.51	0.51	--	--	--	--
AC-FT:	--	--	--	--	65.2	63.1	31.4	15.2	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 88.1

TOTAL AC-FT: 174.8

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.62 ^m	2.62 ⁱ	1.56 ^m	0.70 ^m	--	--	--	--
2	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
3	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
4	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
5	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
6	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
7	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
8	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
9	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
10	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
11	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
12	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
13	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
14	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ⁱ	--	--	--	--
15	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	0.70 ^m	--	--	--	--
16	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
17	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
18	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
19	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
20	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
21	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
22	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
23	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
24	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
25	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
26	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
27	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
28	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
29	--	--	--	--	2.62 ⁱ	2.62 ⁱ	1.56 ⁱ	--	--	--	--	--
30	--	--	--	--	2.62 ⁱ	2.62 ^m	1.56 ⁱ	--	--	--	--	--
31	--	--	--	--	2.62 ⁱ	--	1.56 ^m	--	--	--	--	--
Total:	--	--	--	--	81.2	78.6	48.4	10.5	--	--	--	--
Mean:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
Min:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
Max:	--	--	--	--	2.62	2.62	1.56	0.70	--	--	--	--
AC-FT:	--	--	--	--	161.1	155.9	95.9	20.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 218.7

TOTAL AC-FT: 433.8

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.52 ^m	2.08 ^m	1.20 ^m	0.62 ^m	0.62 ⁱ	--	--	--
2	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
3	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
4	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
5	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
6	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
7	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
8	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
9	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
10	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
11	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
12	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
13	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ⁱ	--	--	--
14	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	0.62 ^m	--	--	--
15	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
16	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
17	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
18	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
19	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
20	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
21	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
22	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
23	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
24	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
25	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
26	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
27	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
28	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
29	--	--	--	--	4.52 ⁱ	2.08 ⁱ	1.20 ⁱ	0.62 ⁱ	--	--	--	--
30	--	--	--	--	4.52 ⁱ	2.08 ^m	1.20 ⁱ	0.62 ⁱ	--	--	--	--
31	--	--	--	--	4.52 ^m	--	1.20 ^m	0.62 ⁱ	--	--	--	--
Total:	--	--	--	--	140.1	62.4	37.2	19.2	8.68	--	--	--
Mean:	--	--	--	--	4.52	2.08	1.20	0.62	0.62	--	--	--
Min:	--	--	--	--	4.52	2.08	1.20	0.62	0.62	--	--	--
Max:	--	--	--	--	4.52	2.08	1.20	0.62	0.62	--	--	--
AC-FT:	--	--	--	--	277.9	123.8	73.8	38.1	17.2	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 267.6

TOTAL AC-FT: 530.8

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	6.66 ^m	6.66 ^m	3.38 ^m	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
2	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
3	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
4	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
5	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	3.38 ^m	2.08 ⁱ	1.19 ⁱ	--	--
6	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ^m	2.08 ⁱ	1.19 ⁱ	--	--
7	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
8	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--
9	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	2.08 ^m	1.19 ⁱ	--	--
10	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ^m	1.19 ⁱ	--	--
11	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
12	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
13	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
14	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--
15	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	1.19 ^m	--	--
16	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
17	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
18	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
19	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
20	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
21	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
22	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
23	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
24	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
25	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
26	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
27	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
28	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
29	--	--	--	--	6.66 ⁱ	6.66 ⁱ	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
30	--	--	--	--	6.66 ⁱ	6.66 ^m	3.38 ⁱ	2.08 ⁱ	1.19 ⁱ	--	--	--
31	--	--	--	--	6.66 ^m	--	3.38 ⁱ	2.08 ⁱ	--	--	--	--
Total:	--	--	--	--	206.5	199.8	104.8	71.0	43.7	17.9	--	--
Mean:	--	--	--	--	6.66	6.66	3.38	2.29	1.46	1.19	--	--
Min:	--	--	--	--	6.66	6.66	3.38	2.08	1.19	1.19	--	--
Max:	--	--	--	--	6.66	6.66	3.38	3.38	2.08	1.19	--	--
AC-FT:	--	--	--	--	409.5	396.3	207.8	140.8	86.7	35.4	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 643.6

TOTAL AC-FT: 1276

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.82 ^m	1.82 ⁱ	1.45 ^m	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
2	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
3	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
4	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
5	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.45 ^m	1.19 ⁱ	0.93 ⁱ	--	--
6	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ^m	1.19 ⁱ	0.93 ⁱ	--	--
7	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
8	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--
9	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	1.19 ^m	0.93 ⁱ	--	--
10	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ^m	0.93 ⁱ	--	--
11	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
12	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
13	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
14	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--
15	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	0.93 ^m	--	--
16	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
17	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
18	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
19	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
20	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
21	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
22	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
23	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
24	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
25	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
26	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
27	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
28	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
29	--	--	--	--	1.82 ⁱ	1.82 ⁱ	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
30	--	--	--	--	1.82 ⁱ	1.82 ^m	1.45 ⁱ	1.19 ⁱ	0.93 ⁱ	--	--	--
31	--	--	--	--	1.82 ⁱ	--	1.45 ⁱ	1.19 ⁱ	--	--	--	--
Total:	--	--	--	--	56.4	54.6	45.0	38.2	30.2	14.0	--	--
Mean:	--	--	--	--	1.82	1.82	1.45	1.23	1.01	0.93	--	--
Min:	--	--	--	--	1.82	1.82	1.45	1.19	0.93	0.93	--	--
Max:	--	--	--	--	1.82	1.82	1.45	1.45	1.19	0.93	--	--
AC-FT:	--	--	--	--	111.9	108.3	89.2	75.8	60.0	27.7	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 238.4

TOTAL AC-FT: 472.8

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120014 - D - CHLC08 - A0002592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.20 ^m	0.20 ⁱ	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ^m	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	--	--	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ^m	0.20 ⁱ	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.20 ⁱ	--	--	--	--	--
Total:	--	--	--	--	12.4	12.0	6.20	3.00	--	--	--	--
Mean:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
Min:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
Max:	--	--	--	--	0.40	0.40	0.20	0.20	--	--	--	--
AC-FT:	--	--	--	--	24.6	23.8	12.3	5.95	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 33.6

TOTAL AC-FT: 66.7

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.47 ^m	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
2	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
3	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
4	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
5	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
6	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
7	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.47 ^m	0.32 ⁱ	0.12 ⁱ	--	--	--
8	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ^m	0.32 ⁱ	0.12 ⁱ	--	--	--
9	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
10	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
11	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
12	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
13	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
14	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--
15	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.32 ^m	0.12 ⁱ	--	--	--
16	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ^m	0.12 ⁱ	--	--	--
17	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
18	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
19	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
20	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
21	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
22	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
23	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
24	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
25	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
26	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
27	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
28	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
29	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
30	--	--	--	--	0.47 ⁱ	0.47 ⁱ	0.32 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--
31	--	--	--	--	0.47 ⁱ	--	0.32 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	--	14.6	14.1	11.0	6.72	3.60	--	--	--
Mean:	--	--	--	--	0.47	0.47	0.35	0.22	0.12	--	--	--
Min:	--	--	--	--	0.47	0.47	0.32	0.12	0.12	--	--	--
Max:	--	--	--	--	0.47	0.47	0.47	0.32	0.12	--	--	--
AC-FT:	--	--	--	--	28.9	28.0	21.8	13.3	7.14	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 50.0

TOTAL AC-FT: 99.1

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120016 - D - CHLC08B**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.79 ^m	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	1.79	--	--	--	--	--	--	--
Mean:	--	--	--	--	1.79	--	--	--	--	--	--	--
Min:	--	--	--	--	1.79	--	--	--	--	--	--	--
Max:	--	--	--	--	1.79	--	--	--	--	--	--	--
AC-FT:	--	--	--	--	3.55	--	--	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 1.79

TOTAL AC-FT: 3.55

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.08 ⁿ	3.08 ⁱ	1.70 ^m	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
2	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
3	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
4	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--
5	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.70 ^m	1.19 ⁱ	0.79 ⁱ	--	--
6	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ^m	1.19 ⁱ	0.79 ⁱ	--	--
7	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ⁱ	0.79 ^m	--	--
8	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ⁱ	0.48 ^m	--	--
9	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	1.19 ^m	0.48 ⁱ	--	--
10	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ^m	0.48 ⁱ	--	--
11	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
12	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
13	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
14	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ⁱ	--	--
15	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	0.48 ^m	--	--
16	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
17	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
18	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
19	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
20	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
21	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
22	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
23	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
24	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
25	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
26	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
27	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
28	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
29	--	--	--	--	3.08 ⁱ	3.08 ⁱ	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
30	--	--	--	--	3.08 ⁱ	3.08 ^m	1.70 ⁱ	1.19 ⁱ	0.79 ⁱ	--	--	--
31	--	--	--	--	3.08 ⁱ	--	1.70 ⁱ	1.19 ⁱ	--	--	--	--
Total:	--	--	--	--	95.5	92.4	52.7	39.4	27.3	9.37	--	--
Mean:	--	--	--	--	3.08	3.08	1.70	1.27	0.91	0.62	--	--
Min:	--	--	--	--	3.08	3.08	1.70	1.19	0.79	0.48	--	--
Max:	--	--	--	--	3.08	3.08	1.70	1.70	1.19	0.79	--	--
AC-FT:	--	--	--	--	189.4	183.3	104.5	78.2	54.2	18.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 316.7

TOTAL AC-FT: 628.2

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120018 - D - CHLC10 - A0002582**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	32.0 ⁿ	32.0 ⁱ	27.0 ⁱ	16.2 ⁿ	16.2 ⁱ	7.23 ⁱ	--	--
2	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
3	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
4	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
5	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
6	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
7	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
8	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--
9	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	16.2 ^m	7.23 ⁱ	--	--
10	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ^m	7.23 ⁱ	--	--
11	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	--	--
12	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	--	--
13	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	--	--
14	--	--	--	--	32.0 ⁱ	32.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ⁱ	--	--
15	--	--	--	--	32.0 ⁱ	32.0 ^m	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	7.23 ^m	--	--
16	--	--	--	--	32.0 ⁱ	27.0 ^m	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
17	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
18	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
19	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
20	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
21	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
22	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
23	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
24	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
25	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
26	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
27	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
28	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
29	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
30	--	--	--	--	32.0 ⁱ	27.0 ⁱ	27.0 ⁱ	16.2 ⁱ	7.23 ⁱ	--	--	--
31	--	--	--	--	32.0 ⁱ	--	27.0 ^m	16.2 ⁱ	--	--	--	--
Total:	--	--	--	--	992.0	885.0	837.0	502.2	297.6	108.5	--	--
Mean:	--	--	--	--	32.0	29.5	27.0	16.2	9.92	7.23	--	--
Min:	--	--	--	--	32.0	27.0	27.0	16.2	7.23	7.23	--	--
Max:	--	--	--	--	32.0	32.0	27.0	16.2	16.2	7.23	--	--
AC-FT:	--	--	--	--	1967	1755	1660	996.1	590.4	215.1	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 3622

TOTAL AC-FT: 7184

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.08 ^m	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
2	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
3	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
4	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	--	--	--
5	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.40 ^m	0.23 ⁱ	--	--	--
6	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ^m	0.23 ⁱ	--	--	--
7	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
8	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
9	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
10	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
11	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
12	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
13	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.78 ^m	0.23 ⁱ	0.23 ⁱ	--	--	--
14	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ^m	0.23 ⁱ	0.23 ⁱ	--	--	--
15	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
16	--	--	--	--	2.08 ⁱ	2.08 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
17	--	--	--	--	2.08 ⁱ	2.08 ^m	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
18	--	--	--	--	2.08 ⁱ	0.78 ^m	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
19	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
20	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
21	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
22	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
23	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
24	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
25	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
26	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
27	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
28	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
29	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ⁱ	--	--	--
30	--	--	--	--	2.08 ⁱ	0.78 ⁱ	0.40 ⁱ	0.23 ⁱ	0.23 ^m	--	--	--
31	--	--	--	--	2.08 ⁱ	--	0.40 ⁱ	0.23 ⁱ	--	--	--	--
Total:	--	--	--	--	64.5	45.5	17.3	7.98	6.90	--	--	--
Mean:	--	--	--	--	2.08	1.52	0.56	0.26	0.23	--	--	--
Min:	--	--	--	--	2.08	0.78	0.40	0.23	0.23	--	--	--
Max:	--	--	--	--	2.08	2.08	0.78	0.40	0.23	--	--	--
AC-FT:	--	--	--	--	127.9	90.3	34.4	15.8	13.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 142.2

TOTAL AC-FT: 282.1

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ^m	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	0.12 ^m	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ⁱ	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.32 ^m	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.12 ^m	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	0.60 ^m	0.12 ⁱ	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	0.32 ^m	0.12 ⁱ	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
22	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
23	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
24	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
25	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
26	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
27	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
28	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
29	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
30	--	--	--	--	0.60 ⁱ	0.32 ⁱ	0.12 ⁱ	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	0.12 ⁱ	--	--	--	--	--
Total:	--	--	--	--	18.6	12.4	5.32	0.60	--	--	--	--
Mean:	--	--	--	--	0.60	0.41	0.17	0.12	--	--	--	--
Min:	--	--	--	--	0.60	0.32	0.12	0.12	--	--	--	--
Max:	--	--	--	--	0.60	0.60	0.32	0.12	--	--	--	--
AC-FT:	--	--	--	--	36.9	24.6	10.6	1.19	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 36.9

TOTAL AC-FT: 73.2

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120022 - D - CHLC11 - A0002586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ^m	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.06 ^m	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.06 ^m	--	--	--	--	--
Total:	--	--	--	--	3.41	2.30	1.86	--	--	--	--	--
Mean:	--	--	--	--	0.11	0.08	0.06	--	--	--	--	--
Min:	--	--	--	--	0.11	0.06	0.06	--	--	--	--	--
Max:	--	--	--	--	0.11	0.11	0.06	--	--	--	--	--
AC-FT:	--	--	--	--	6.76	4.56	3.69	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 7.57

TOTAL AC-FT: 15.0

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.47 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.48 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
3	--	--	--	--	0.13 ⁱ	0.49 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
4	--	--	--	--	0.14 ⁱ	0.51 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
5	--	--	--	--	0.16 ⁱ	0.52 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
6	--	--	--	--	0.17 ⁱ	0.53 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
7	--	--	--	--	0.18 ⁱ	0.54 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
8	--	--	--	--	0.19 ⁱ	0.55 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
9	--	--	--	--	0.20 ⁱ	0.56 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
10	--	--	--	--	0.21 ⁱ	0.58 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
11	--	--	--	--	0.23 ⁱ	0.59 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
12	--	--	--	--	0.24 ⁱ	0.60 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
13	--	--	--	--	0.25 ⁱ	0.61 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
14	--	--	--	--	0.26 ⁱ	0.62 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
15	--	--	--	--	0.27 ⁱ	0.63 ⁱ	0.75 ⁱ	0.75 ⁱ	--	--	--	--
16	--	--	--	--	0.28 ⁱ	0.65 ⁱ	0.75 ⁱ	0.75 ^m	--	--	--	--
17	--	--	--	--	0.30 ⁱ	0.66 ⁱ	0.75 ⁱ	0.11 ^m	--	--	--	--
18	--	--	--	--	0.31 ⁱ	0.67 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
19	--	--	--	--	0.32 ⁱ	0.68 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
20	--	--	--	--	0.33 ⁱ	0.69 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
21	--	--	--	--	0.34 ⁱ	0.70 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
22	--	--	--	--	0.35 ⁱ	0.72 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
23	--	--	--	--	0.37 ⁱ	0.73 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
24	--	--	--	--	0.38 ⁱ	0.74 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
25	--	--	--	--	0.39 ⁱ	0.75 ^m	0.75 ⁱ	0.11 ⁱ	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
27	--	--	--	--	0.41 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
28	--	--	--	--	0.42 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
29	--	--	--	--	0.44 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
30	--	--	--	--	0.45 ⁱ	0.75 ⁱ	0.75 ⁱ	0.11 ⁱ	--	--	--	--
31	--	--	--	--	0.46 ⁱ	--	0.75 ⁱ	0.11 ^m	--	--	--	--
Total:	--	--	--	--	8.81	19.0	23.3	13.7	--	--	--	--
Mean:	--	--	--	--	0.28	0.63	0.75	0.44	--	--	--	--
Min:	--	--	--	--	0.11	0.47	0.75	0.11	--	--	--	--
Max:	--	--	--	--	0.46	0.75	0.75	0.75	--	--	--	--
AC-FT:	--	--	--	--	17.5	37.7	46.1	27.1	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 64.7

TOTAL AC-FT: 128.4

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.56 ^m	0.56 ⁱ	0.21 ^m	0.21 ⁱ	--	--	--	--
2	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
3	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
4	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
5	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
6	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
7	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
8	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
9	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
10	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
11	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
12	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
13	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
14	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
15	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
16	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
17	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
18	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
19	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
20	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
21	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
22	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
23	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
24	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
25	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
26	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
27	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
28	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
29	--	--	--	--	0.56 ⁱ	0.56 ⁱ	0.21 ⁱ	0.21 ⁱ	--	--	--	--
30	--	--	--	--	0.56 ⁱ	0.56 ^m	0.21 ⁱ	0.21 ⁱ	--	--	--	--
31	--	--	--	--	0.56 ⁱ	--	0.21 ⁱ	0.21 ^m	--	--	--	--
Total:	--	--	--	--	17.4	16.8	6.51	6.51	--	--	--	--
Mean:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
Min:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
Max:	--	--	--	--	0.56	0.56	0.21	0.21	--	--	--	--
AC-FT:	--	--	--	--	34.4	33.3	12.9	12.9	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 47.2

TOTAL AC-FT: 93.6

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120025 - D - CHLC13 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ^m	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ^m	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ^m	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ⁱ	0.11 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.20 ^m	0.11 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ^m	0.11 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
24	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
25	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
26	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
27	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
28	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
29	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
30	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.20 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.20 ⁱ	0.11 ⁱ	--	--	--	--
Total:	--	--	--	--	21.7	21.0	11.7	5.03	3.30	1.65	--	--
Mean:	--	--	--	--	0.70	0.70	0.38	0.16	0.11	0.11	--	--
Min:	--	--	--	--	0.70	0.70	0.20	0.11	0.11	0.11	--	--
Max:	--	--	--	--	0.70	0.70	0.70	0.20	0.11	0.11	--	--
AC-FT:	--	--	--	--	43.0	41.7	23.2	9.98	6.55	3.27	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 64.4

TOTAL AC-FT: 127.7

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120027 - D - CHLC16 - A0003053**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.32 ^m	--	--	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--	--	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ^m	--	--	--	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
24	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
25	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
26	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
27	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
28	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
29	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
30	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.32 ⁱ	--	--	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.32 ⁱ	--	--	--	--	--
Total:	--	--	--	--	21.7	21.0	13.0	1.60	--	--	--	--
Mean:	--	--	--	--	0.70	0.70	0.42	0.32	--	--	--	--
Min:	--	--	--	--	0.70	0.70	0.32	0.32	--	--	--	--
Max:	--	--	--	--	0.70	0.70	0.70	0.32	--	--	--	--
AC-FT:	--	--	--	--	43.0	41.7	25.7	3.17	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 57.3

TOTAL AC-FT: 113.6

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120028 - D - CHLC17 - A0003052**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.20 ^m	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ^m	--	--	--
2	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
3	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
4	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
5	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
6	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	--	--	--	--
7	--	--	--	--	2.20 ⁱ	2.20 ⁱ	1.93 ^m	0.95 ⁱ	--	--	--	--
8	--	--	--	--	2.20 ⁱ	2.20 ⁱ	0.95 ^m	0.95 ⁱ	--	--	--	--
9	--	--	--	--	2.20 ⁱ	2.20 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
10	--	--	--	--	2.20 ⁱ	2.20 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--
11	--	--	--	--	2.20 ⁱ	1.93 ^m	0.95 ⁱ	0.95 ⁱ	--	--	--	--
12	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
13	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
14	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
15	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
16	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
17	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
18	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
19	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
20	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
21	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
22	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
23	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
24	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
25	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
26	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
27	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
28	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
29	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
30	--	--	--	--	2.20 ⁱ	1.93 ⁱ	0.95 ⁱ	0.95 ⁱ	--	--	--	--
31	--	--	--	--	2.20 ⁱ	--	0.95 ⁱ	0.95 ⁱ	--	--	--	--
Total:	--	--	--	--	68.2	60.6	36.3	29.5	0.95	--	--	--
Mean:	--	--	--	--	2.20	2.02	1.17	0.95	0.95	--	--	--
Min:	--	--	--	--	2.20	1.93	0.95	0.95	0.95	--	--	--
Max:	--	--	--	--	2.20	2.20	1.93	0.95	0.95	--	--	--
AC-FT:	--	--	--	--	135.3	120.2	72.0	58.4	1.88	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 195.5

TOTAL AC-FT: 387.8

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARCI - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.79 ^m	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
2	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
3	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
4	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
5	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
6	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
7	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--
8	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.79 ^m	0.43 ⁱ	--	--	--	--
9	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ^m	0.43 ⁱ	--	--	--	--
10	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
11	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
12	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
13	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
14	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ⁱ	--	--	--	--
15	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
17	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
18	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
19	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
20	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
21	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
22	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
23	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
24	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
25	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
26	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
27	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
28	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
29	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
30	--	--	--	--	0.79 ⁱ	0.79 ⁱ	0.43 ⁱ	--	--	--	--	--
31	--	--	--	--	0.79 ⁱ	--	0.43 ⁱ	--	--	--	--	--
Total:	--	--	--	--	24.5	23.7	16.2	6.45	--	--	--	--
Mean:	--	--	--	--	0.79	0.79	0.52	0.43	--	--	--	--
Min:	--	--	--	--	0.79	0.79	0.43	0.43	--	--	--	--
Max:	--	--	--	--	0.79	0.79	0.79	0.43	--	--	--	--
AC-FT:	--	--	--	--	48.6	47.0	32.2	12.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 70.9

TOTAL AC-FT: 140.5

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120104 - D - DARC4 - A0002612**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.41 ^m	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
2	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
3	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
4	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
5	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
6	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
7	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--
8	--	--	--	--	1.41 ⁱ	1.41 ⁱ	1.00 ^m	0.95 ^m	--	--	--	--
9	--	--	--	--	1.41 ⁱ	1.41 ⁱ	0.95 ^m	--	--	--	--	--
10	--	--	--	--	1.41 ⁱ	1.41 ^m	0.95 ⁱ	--	--	--	--	--
11	--	--	--	--	1.41 ⁱ	1.00 ^m	0.95 ⁱ	--	--	--	--	--
12	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
13	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
14	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
15	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
16	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
17	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
18	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
19	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
20	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
21	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
22	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
23	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
24	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
25	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
26	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
27	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
28	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
29	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
30	--	--	--	--	1.41 ⁱ	1.00 ⁱ	0.95 ⁱ	--	--	--	--	--
31	--	--	--	--	1.41 ⁱ	--	0.95 ⁱ	--	--	--	--	--
Total:	--	--	--	--	43.7	34.1	29.9	7.60	--	--	--	--
Mean:	--	--	--	--	1.41	1.14	0.96	0.95	--	--	--	--
Min:	--	--	--	--	1.41	1.00	0.95	0.95	--	--	--	--
Max:	--	--	--	--	1.41	1.41	1.00	0.95	--	--	--	--
AC-FT:	--	--	--	--	86.7	67.6	59.2	15.1	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 115.3

TOTAL AC-FT: 228.6

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.90 ^m	0.90 ⁱ	0.43 ⁱ	0.20 ^m	--	--	--	--
2	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
3	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
4	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
5	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
6	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
7	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ⁱ	--	--	--	--	--
8	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.43 ^m	--	--	--	--	--
9	--	--	--	--	0.90 ⁱ	0.90 ⁱ	0.20 ^m	--	--	--	--	--
10	--	--	--	--	0.90 ⁱ	0.90 ^m	0.20 ⁱ	--	--	--	--	--
11	--	--	--	--	0.90 ⁱ	0.43 ^m	0.20 ⁱ	--	--	--	--	--
12	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
13	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
14	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
15	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
16	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
17	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
18	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
19	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
20	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
21	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
22	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
23	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
24	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
25	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
26	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
27	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
28	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
29	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
30	--	--	--	--	0.90 ⁱ	0.43 ⁱ	0.20 ⁱ	--	--	--	--	--
31	--	--	--	--	0.90 ⁱ	--	0.20 ⁱ	--	--	--	--	--
Total:	--	--	--	--	27.9	17.6	8.04	0.20	--	--	--	--
Mean:	--	--	--	--	0.90	0.59	0.26	0.20	--	--	--	--
Min:	--	--	--	--	0.90	0.43	0.20	0.20	--	--	--	--
Max:	--	--	--	--	0.90	0.90	0.43	0.20	--	--	--	--
AC-FT:	--	--	--	--	55.3	34.9	16.0	0.40	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 53.7

TOTAL AC-FT: 106.6

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.75 ^m	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
2	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
3	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
4	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
5	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.18 ^m	0.10 ⁱ	0.10 ⁱ	--	--
6	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.10 ^m	0.10 ⁱ	0.10 ⁱ	--	--
7	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
8	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.35 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
9	--	--	--	--	0.75 ⁱ	0.75 ⁱ	0.18 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
10	--	--	--	--	0.75 ⁱ	0.75 ^m	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
11	--	--	--	--	0.75 ⁱ	0.35 ^m	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
12	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
13	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
14	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--
15	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ^m	--	--
16	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
21	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
22	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
23	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
24	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
25	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
26	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
27	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	--	0.75 ⁱ	0.35 ⁱ	0.18 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--
31	--	--	--	--	0.75 ⁱ	--	0.18 ⁱ	0.10 ⁱ	--	--	--	--
Total:	--	--	--	--	23.3	14.5	6.94	3.50	3.00	1.50	--	--
Mean:	--	--	--	--	0.75	0.48	0.22	0.11	0.10	0.10	--	--
Min:	--	--	--	--	0.75	0.35	0.18	0.10	0.10	0.10	--	--
Max:	--	--	--	--	0.75	0.75	0.35	0.18	0.10	0.10	--	--
AC-FT:	--	--	--	--	46.1	28.8	13.8	6.94	5.95	2.98	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 52.7

TOTAL AC-FT: 104.5

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.00 ^m	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
2	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
3	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
4	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
5	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
6	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
7	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--	--	--
8	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.60 ^m	--	--	--	--	--
9	--	--	--	--	1.00 ⁱ	1.00 ⁱ	0.35 ^m	--	--	--	--	--
10	--	--	--	--	1.00 ⁱ	1.00 ^m	0.35 ⁱ	--	--	--	--	--
11	--	--	--	--	1.00 ⁱ	0.60 ^m	0.35 ⁱ	--	--	--	--	--
12	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
13	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
14	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
15	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
16	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
17	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
18	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
19	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
20	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
21	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
22	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
23	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
24	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
25	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
26	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
27	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
28	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
29	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
30	--	--	--	--	1.00 ⁱ	0.60 ⁱ	0.35 ⁱ	--	--	--	--	--
31	--	--	--	--	1.00 ⁱ	--	0.35 ^m	--	--	--	--	--
Total:	--	--	--	--	31.0	22.0	12.9	--	--	--	--	--
Mean:	--	--	--	--	1.00	0.73	0.41	--	--	--	--	--
Min:	--	--	--	--	1.00	0.60	0.35	--	--	--	--	--
Max:	--	--	--	--	1.00	1.00	0.60	--	--	--	--	--
AC-FT:	--	--	--	--	61.5	43.6	25.5	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 65.9

TOTAL AC-FT: 130.6

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120401 - D - PTC1 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.60 ^m	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
2	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
3	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
4	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
5	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ⁱ	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.30 ^m	--	--	--	--	--
9	--	--	--	--	0.60 ⁱ	0.60 ⁱ	0.15 ^m	--	--	--	--	--
10	--	--	--	--	0.60 ⁱ	0.60 ^m	0.15 ⁱ	--	--	--	--	--
11	--	--	--	--	0.60 ⁱ	0.30 ^m	0.15 ⁱ	--	--	--	--	--
12	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
13	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
14	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
15	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
16	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
17	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
18	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
19	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
20	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
21	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
22	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
23	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
24	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
25	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
26	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
27	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
28	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
29	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
30	--	--	--	--	0.60 ⁱ	0.30 ⁱ	0.15 ⁱ	--	--	--	--	--
31	--	--	--	--	0.60 ⁱ	--	0.15 ^m	--	--	--	--	--
Total:	--	--	--	--	18.6	12.0	5.85	--	--	--	--	--
Mean:	--	--	--	--	0.60	0.40	0.19	--	--	--	--	--
Min:	--	--	--	--	0.60	0.30	0.15	--	--	--	--	--
Max:	--	--	--	--	0.60	0.60	0.30	--	--	--	--	--
AC-FT:	--	--	--	--	36.9	23.8	11.6	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 36.5

TOTAL AC-FT: 72.3

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120501 - D - BRC1 - A0002588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	13.5 ⁿ	15.6 ⁱ	13.2 ⁱ	12.4 ⁱ	9.14 ⁱ	4.24 ⁱ	--	--
2	--	--	--	--	13.6 ⁱ	15.7 ⁱ	13.0 ⁱ	12.4 ⁱ	9.03 ⁱ	4.24 ⁱ	--	--
3	--	--	--	--	13.6 ⁱ	15.7 ⁱ	12.9 ⁱ	12.3 ⁱ	8.91 ⁱ	4.24 ⁱ	--	--
4	--	--	--	--	13.7 ⁱ	15.8 ⁱ	12.7 ⁱ	12.2 ⁱ	8.80 ⁱ	4.24 ⁱ	--	--
5	--	--	--	--	13.8 ⁱ	15.9 ⁱ	12.6 ⁱ	12.1 ^m	8.69 ⁱ	4.24 ⁱ	--	--
6	--	--	--	--	13.8 ⁱ	15.9 ⁱ	12.4 ⁱ	12.1 ^m	8.57 ⁱ	4.24 ⁱ	--	--
7	--	--	--	--	13.9 ⁱ	16.0 ⁱ	12.3 ⁱ	12.0 ⁱ	8.46 ⁱ	4.24 ^m	--	--
8	--	--	--	--	14.0 ⁱ	16.1 ⁱ	12.1 ^m	11.9 ⁱ	8.34 ⁱ	3.44 ^m	--	--
9	--	--	--	--	14.0 ⁱ	16.1 ⁱ	14.4 ^m	11.8 ⁱ	8.23 ^m	3.44 ⁱ	--	--
10	--	--	--	--	14.1 ⁱ	16.2 ^m	14.3 ⁱ	11.6 ⁱ	4.24 ^m	3.44 ⁱ	--	--
11	--	--	--	--	14.2 ⁱ	16.2 ^m	14.2 ⁱ	11.5 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
12	--	--	--	--	14.2 ⁱ	16.1 ⁱ	14.1 ⁱ	11.4 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
13	--	--	--	--	14.3 ⁱ	15.9 ⁱ	14.1 ⁱ	11.3 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
14	--	--	--	--	14.4 ⁱ	15.7 ⁱ	14.0 ⁱ	11.2 ⁱ	4.24 ⁱ	3.44 ⁱ	--	--
15	--	--	--	--	14.5 ⁱ	15.6 ⁱ	13.9 ⁱ	11.1 ⁱ	4.24 ⁱ	3.44 ^m	--	--
16	--	--	--	--	14.5 ⁱ	15.4 ⁱ	13.8 ⁱ	11.0 ⁱ	4.24 ⁱ	--	--	--
17	--	--	--	--	14.6 ⁱ	15.3 ⁱ	13.7 ⁱ	10.9 ⁱ	4.24 ⁱ	--	--	--
18	--	--	--	--	14.7 ⁱ	15.1 ⁱ	13.6 ⁱ	10.7 ⁱ	4.24 ⁱ	--	--	--
19	--	--	--	--	14.7 ⁱ	15.0 ⁱ	13.6 ⁱ	10.6 ⁱ	4.24 ⁱ	--	--	--
20	--	--	--	--	14.8 ⁱ	14.8 ⁱ	13.5 ⁱ	10.5 ⁱ	4.24 ⁱ	--	--	--
21	--	--	--	--	14.9 ⁱ	14.7 ⁱ	13.4 ⁱ	10.4 ⁱ	4.24 ⁱ	--	--	--
22	--	--	--	--	14.9 ⁱ	14.5 ⁱ	13.3 ⁱ	10.3 ⁱ	4.24 ⁱ	--	--	--
23	--	--	--	--	15.0 ⁱ	14.4 ⁱ	13.2 ⁱ	10.2 ⁱ	4.24 ⁱ	--	--	--
24	--	--	--	--	15.1 ⁱ	14.2 ⁱ	13.1 ⁱ	10.1 ⁱ	4.24 ⁱ	--	--	--
25	--	--	--	--	15.1 ⁱ	14.1 ⁱ	13.0 ⁱ	9.94 ⁱ	4.24 ⁱ	--	--	--
26	--	--	--	--	15.2 ⁱ	13.9 ⁱ	13.0 ⁱ	9.82 ⁱ	4.24 ⁱ	--	--	--
27	--	--	--	--	15.3 ⁱ	13.8 ⁱ	12.9 ⁱ	9.71 ⁱ	4.24 ⁱ	--	--	--
28	--	--	--	--	15.3 ⁱ	13.6 ⁱ	12.8 ⁱ	9.60 ⁱ	4.24 ⁱ	--	--	--
29	--	--	--	--	15.4 ⁱ	13.5 ⁱ	12.7 ⁱ	9.48 ⁱ	4.24 ⁱ	--	--	--
30	--	--	--	--	15.5 ⁱ	13.3 ⁱ	12.6 ⁱ	9.37 ⁱ	4.24 ⁱ	--	--	--
31	--	--	--	--	15.5 ⁱ	--	12.5 ⁱ	9.25 ⁱ	--	--	--	--
Total:	--	--	--	--	449.9	454.1	410.7	339.0	167.2	57.2	--	--
Mean:	--	--	--	--	14.5	15.1	13.3	10.9	5.57	3.81	--	--
Min:	--	--	--	--	13.5	13.3	12.1	9.25	4.24	3.44	--	--
Max:	--	--	--	--	15.5	16.2	14.4	12.4	9.14	4.24	--	--
AC-FT:	--	--	--	--	892.4	900.8	814.6	672.4	331.7	113.5	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 1878

TOTAL AC-FT: 3725

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.83 ^m	1.83 ⁱ	1.18 ⁱ	0.63 ⁱ	--	--	--	--
2	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.15 ⁱ	0.61 ⁱ	--	--	--	--
3	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.11 ⁱ	0.60 ⁱ	--	--	--	--
4	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.08 ⁱ	0.58 ⁱ	--	--	--	--
5	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.05 ⁱ	0.57 ⁱ	--	--	--	--
6	--	--	--	--	1.83 ⁱ	1.83 ⁱ	1.02 ⁱ	0.56 ⁱ	--	--	--	--
7	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.98 ⁱ	0.54 ⁱ	--	--	--	--
8	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.95 ^m	0.53 ⁱ	--	--	--	--
9	--	--	--	--	1.83 ⁱ	1.83 ⁱ	0.95 ^m	0.51 ⁱ	--	--	--	--
10	--	--	--	--	1.83 ⁱ	1.83 ^m	0.94 ⁱ	0.50 ⁱ	--	--	--	--
11	--	--	--	--	1.83 ⁱ	1.83 ^m	0.92 ⁱ	0.49 ⁱ	--	--	--	--
12	--	--	--	--	1.83 ⁱ	1.80 ⁱ	0.91 ⁱ	0.47 ⁱ	--	--	--	--
13	--	--	--	--	1.83 ⁱ	1.76 ⁱ	0.89 ⁱ	0.46 ⁱ	--	--	--	--
14	--	--	--	--	1.83 ⁱ	1.73 ⁱ	0.88 ⁱ	0.44 ⁱ	--	--	--	--
15	--	--	--	--	1.83 ⁱ	1.70 ⁱ	0.87 ⁱ	0.43 ^m	--	--	--	--
16	--	--	--	--	1.83 ⁱ	1.67 ⁱ	0.85 ⁱ	0.43 ^m	--	--	--	--
17	--	--	--	--	1.83 ⁱ	1.63 ⁱ	0.84 ⁱ	0.42 ⁱ	--	--	--	--
18	--	--	--	--	1.83 ⁱ	1.60 ⁱ	0.82 ⁱ	0.42 ⁱ	--	--	--	--
19	--	--	--	--	1.83 ⁱ	1.57 ⁱ	0.81 ⁱ	0.41 ⁱ	--	--	--	--
20	--	--	--	--	1.83 ⁱ	1.54 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--	--
21	--	--	--	--	1.83 ⁱ	1.50 ⁱ	0.78 ⁱ	0.40 ⁱ	--	--	--	--
22	--	--	--	--	1.83 ⁱ	1.47 ⁱ	0.77 ⁱ	0.39 ⁱ	--	--	--	--
23	--	--	--	--	1.83 ⁱ	1.44 ⁱ	0.75 ⁱ	0.38 ⁱ	--	--	--	--
24	--	--	--	--	1.83 ⁱ	1.41 ⁱ	0.74 ⁱ	0.38 ⁱ	--	--	--	--
25	--	--	--	--	1.83 ⁱ	1.37 ⁱ	0.73 ⁱ	0.37 ⁱ	--	--	--	--
26	--	--	--	--	1.83 ⁱ	1.34 ⁱ	0.71 ⁱ	0.36 ⁱ	--	--	--	--
27	--	--	--	--	1.83 ⁱ	1.31 ⁱ	0.70 ⁱ	0.36 ⁱ	--	--	--	--
28	--	--	--	--	1.83 ⁱ	1.28 ⁱ	0.68 ⁱ	0.35 ⁱ	--	--	--	--
29	--	--	--	--	1.83 ⁱ	1.24 ⁱ	0.67 ⁱ	0.34 ⁱ	--	--	--	--
30	--	--	--	--	1.83 ⁱ	1.21 ⁱ	0.65 ⁱ	0.34 ⁱ	--	--	--	--
31	--	--	--	--	1.83 ⁱ	--	0.64 ⁱ	0.33 ^m	--	--	--	--
Total:	--	--	--	--	56.7	48.7	26.8	14.0	--	--	--	--
Mean:	--	--	--	--	1.83	1.62	0.87	0.45	--	--	--	--
Min:	--	--	--	--	1.83	1.21	0.64	0.33	--	--	--	--
Max:	--	--	--	--	1.83	1.83	1.18	0.63	--	--	--	--
AC-FT:	--	--	--	--	112.5	96.6	53.2	27.8	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 146.3

TOTAL AC-FT: 290.1

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.35 ^m	1.35 ⁱ	1.18 ⁱ	0.92 ^m	0.59 ⁱ	0.36 ^m	--	--
2	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.17 ⁱ	0.91 ⁱ	0.58 ⁱ	0.35 ⁱ	--	--
3	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.16 ⁱ	0.90 ⁱ	0.56 ⁱ	0.34 ⁱ	--	--
4	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.15 ⁱ	0.89 ⁱ	0.55 ⁱ	0.34 ⁱ	--	--
5	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.14 ⁱ	0.88 ⁱ	0.54 ⁱ	0.33 ⁱ	--	--
6	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.14 ⁱ	0.87 ⁱ	0.53 ⁱ	0.32 ⁱ	--	--
7	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.13 ⁱ	0.86 ⁱ	0.52 ⁱ	0.31 ⁱ	--	--
8	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.12 ⁱ	0.84 ⁱ	0.51 ⁱ	0.31 ⁱ	--	--
9	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.11 ⁱ	0.83 ⁱ	0.50 ^m	0.30 ⁱ	--	--
10	--	--	--	--	1.35 ⁱ	1.35 ^m	1.10 ⁱ	0.82 ⁱ	0.50 ^m	0.29 ⁱ	--	--
11	--	--	--	--	1.35 ⁱ	1.35 ^m	1.09 ⁱ	0.81 ⁱ	0.49 ⁱ	0.28 ⁱ	--	--
12	--	--	--	--	1.35 ⁱ	1.34 ⁱ	1.08 ⁱ	0.80 ⁱ	0.49 ⁱ	0.27 ⁱ	--	--
13	--	--	--	--	1.35 ⁱ	1.33 ⁱ	1.07 ⁱ	0.79 ⁱ	0.48 ⁱ	0.27 ⁱ	--	--
14	--	--	--	--	1.35 ⁱ	1.32 ⁱ	1.07 ⁱ	0.78 ⁱ	0.47 ⁱ	0.26 ⁱ	--	--
15	--	--	--	--	1.35 ⁱ	1.32 ⁱ	1.06 ⁱ	0.77 ⁱ	0.47 ⁱ	0.25 ^m	--	--
16	--	--	--	--	1.35 ⁱ	1.31 ⁱ	1.05 ⁱ	0.76 ⁱ	0.46 ⁱ	--	--	--
17	--	--	--	--	1.35 ⁱ	1.30 ⁱ	1.04 ⁱ	0.75 ⁱ	0.45 ⁱ	--	--	--
18	--	--	--	--	1.35 ⁱ	1.29 ⁱ	1.03 ⁱ	0.74 ⁱ	0.44 ⁱ	--	--	--
19	--	--	--	--	1.35 ⁱ	1.28 ⁱ	1.02 ⁱ	0.73 ⁱ	0.44 ⁱ	--	--	--
20	--	--	--	--	1.35 ⁱ	1.27 ⁱ	1.01 ⁱ	0.72 ⁱ	0.43 ⁱ	--	--	--
21	--	--	--	--	1.35 ⁱ	1.26 ⁱ	1.01 ⁱ	0.70 ⁱ	0.42 ⁱ	--	--	--
22	--	--	--	--	1.35 ⁱ	1.26 ⁱ	1.00 ⁱ	0.69 ⁱ	0.42 ⁱ	--	--	--
23	--	--	--	--	1.35 ⁱ	1.25 ⁱ	0.99 ⁱ	0.68 ⁱ	0.41 ⁱ	--	--	--
24	--	--	--	--	1.35 ⁱ	1.24 ⁱ	0.98 ⁱ	0.67 ⁱ	0.40 ⁱ	--	--	--
25	--	--	--	--	1.35 ⁱ	1.23 ⁱ	0.97 ⁱ	0.66 ⁱ	0.39 ⁱ	--	--	--
26	--	--	--	--	1.35 ⁱ	1.22 ⁱ	0.96 ⁱ	0.65 ⁱ	0.39 ⁱ	--	--	--
27	--	--	--	--	1.35 ⁱ	1.21 ⁱ	0.95 ⁱ	0.64 ⁱ	0.38 ⁱ	--	--	--
28	--	--	--	--	1.35 ⁱ	1.20 ⁱ	0.95 ⁱ	0.63 ⁱ	0.37 ⁱ	--	--	--
29	--	--	--	--	1.35 ⁱ	1.20 ⁱ	0.94 ⁱ	0.62 ⁱ	0.37 ⁱ	--	--	--
30	--	--	--	--	1.35 ⁱ	1.19 ⁱ	0.93 ⁱ	0.61 ⁱ	0.36 ^m	--	--	--
31	--	--	--	--	1.35 ⁱ	--	0.92 ^m	0.60 ⁱ	--	--	--	--
Total:	--	--	--	--	41.9	38.9	32.5	23.5	13.9	4.58	--	--
Mean:	--	--	--	--	1.35	1.30	1.05	0.76	0.46	0.31	--	--
Min:	--	--	--	--	1.35	1.19	0.92	0.60	0.36	0.25	--	--
Max:	--	--	--	--	1.35	1.35	1.18	0.92	0.59	0.36	--	--
AC-FT:	--	--	--	--	83.0	77.1	64.5	46.7	27.6	9.08	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 155.3

TOTAL AC-FT: 307.9

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.25 ^m	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
2	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
3	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
4	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
5	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--
6	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	0.25 ⁱ	0.25 ^m	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	0.25 ⁱ	0.25 ^m	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	0.20 ^m	--	--	--
16	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--	--
17	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.22 ⁱ	--	--	--	--
18	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
19	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
20	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
21	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
22	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
23	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
24	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
25	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
26	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
27	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
28	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
29	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.23 ⁱ	0.21 ⁱ	--	--	--	--
30	--	--	--	--	0.25 ⁱ	0.24 ⁱ	0.22 ⁱ	0.21 ⁱ	--	--	--	--
31	--	--	--	--	0.25 ⁱ	--	0.22 ⁱ	0.21 ⁱ	--	--	--	--
Total:	--	--	--	--	7.75	7.40	7.20	6.68	3.05	--	--	--
Mean:	--	--	--	--	0.25	0.25	0.23	0.22	0.20	--	--	--
Min:	--	--	--	--	0.25	0.24	0.22	0.21	0.20	--	--	--
Max:	--	--	--	--	0.25	0.25	0.24	0.22	0.21	--	--	--
AC-FT:	--	--	--	--	15.4	14.7	14.3	13.3	6.05	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 32.1

TOTAL AC-FT: 63.6

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.29 ^m	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
2	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
3	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
4	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
5	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
6	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
7	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
8	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
9	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
10	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
11	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
12	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
13	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
14	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--
15	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	0.29 ^m	--	--	--	--
16	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
17	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
18	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
19	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
20	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
21	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
22	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
23	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
24	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
25	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
26	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
27	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
28	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
29	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
30	--	--	--	--	0.29 ⁱ	0.29 ⁱ	0.29 ⁱ	--	--	--	--	--
31	--	--	--	--	0.29 ⁱ	--	0.29 ⁱ	--	--	--	--	--
Total:	--	--	--	--	8.99	8.70	8.99	4.35	--	--	--	--
Mean:	--	--	--	--	0.29	0.29	0.29	0.29	--	--	--	--
Min:	--	--	--	--	0.29	0.29	0.29	0.29	--	--	--	--
Max:	--	--	--	--	0.29	0.29	0.29	0.29	--	--	--	--
AC-FT:	--	--	--	--	17.8	17.3	17.8	8.63	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 31.0

TOTAL AC-FT: 61.6

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.22 ⁿ	2.22 ⁱ	2.22 ⁱ	1.96 ⁱ	1.61 ⁱ	1.27 ⁱ	--	--
2	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.95 ⁱ	1.60 ⁱ	1.26 ⁱ	--	--
3	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.94 ⁱ	1.59 ⁱ	1.25 ⁱ	--	--
4	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.93 ⁱ	1.57 ⁱ	1.23 ⁱ	--	--
5	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.91 ⁱ	1.56 ⁱ	1.22 ⁱ	--	--
6	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.90 ⁱ	1.55 ⁱ	1.21 ⁱ	--	--
7	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ⁱ	1.89 ⁱ	1.54 ⁱ	1.20 ⁱ	--	--
8	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ^m	1.88 ⁱ	1.53 ⁱ	1.19 ⁱ	--	--
9	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.22 ^m	1.87 ⁱ	1.52 ⁱ	1.18 ⁱ	--	--
10	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.21 ⁱ	1.86 ⁱ	1.51 ⁱ	1.17 ⁱ	--	--
11	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.20 ⁱ	1.85 ⁱ	1.50 ⁱ	1.16 ⁱ	--	--
12	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.19 ⁱ	1.83 ⁱ	1.48 ⁱ	1.14 ⁱ	--	--
13	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.17 ⁱ	1.82 ⁱ	1.47 ⁱ	1.13 ⁱ	--	--
14	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.16 ⁱ	1.81 ⁱ	1.46 ⁱ	1.12 ⁱ	--	--
15	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.15 ⁱ	1.80 ⁱ	1.45 ⁱ	1.11 ^m	--	--
16	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.14 ⁱ	1.79 ⁱ	1.44 ⁱ	--	--	--
17	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.13 ⁱ	1.78 ⁱ	1.43 ⁱ	--	--	--
18	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.12 ⁱ	1.77 ⁱ	1.42 ⁱ	--	--	--
19	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.11 ⁱ	1.76 ⁱ	1.40 ⁱ	--	--	--
20	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.10 ⁱ	1.74 ⁱ	1.39 ⁱ	--	--	--
21	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.08 ⁱ	1.73 ⁱ	1.38 ⁱ	--	--	--
22	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.07 ⁱ	1.72 ⁱ	1.37 ⁱ	--	--	--
23	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.06 ⁱ	1.71 ⁱ	1.36 ⁱ	--	--	--
24	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.05 ⁱ	1.70 ⁱ	1.35 ⁱ	--	--	--
25	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.04 ⁱ	1.69 ⁱ	1.34 ⁱ	--	--	--
26	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.03 ⁱ	1.68 ⁱ	1.33 ⁱ	--	--	--
27	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.02 ⁱ	1.67 ⁱ	1.31 ⁱ	--	--	--
28	--	--	--	--	2.22 ⁱ	2.22 ⁱ	2.00 ⁱ	1.65 ⁱ	1.30 ⁱ	--	--	--
29	--	--	--	--	2.22 ⁱ	2.22 ⁱ	1.99 ⁱ	1.64 ⁱ	1.29 ⁱ	--	--	--
30	--	--	--	--	2.22 ⁱ	2.22 ⁱ	1.98 ⁱ	1.63 ⁱ	1.28 ⁱ	--	--	--
31	--	--	--	--	2.22 ⁱ	--	1.97 ⁱ	1.62 ⁱ	--	--	--	--
Total:	--	--	--	--	68.8	66.6	66.0	55.5	43.3	17.8	--	--
Mean:	--	--	--	--	2.22	2.22	2.13	1.79	1.44	1.19	--	--
Min:	--	--	--	--	2.22	2.22	1.97	1.62	1.28	1.11	--	--
Max:	--	--	--	--	2.22	2.22	2.22	1.96	1.61	1.27	--	--
AC-FT:	--	--	--	--	136.5	132.1	130.8	110.0	86.0	35.4	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 318.0

TOTAL AC-FT: 630.8

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.19 ^m	1.19 ⁱ	0.77 ⁱ	0.43 ⁱ	0.33 ⁱ	0.26 ⁱ	--	--
2	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.75 ⁱ	0.42 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
3	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.73 ⁱ	0.42 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
4	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.70 ⁱ	0.41 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--
5	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.68 ⁱ	0.40 ^m	0.32 ⁱ	0.25 ⁱ	--	--
6	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.66 ⁱ	0.40 ^m	0.32 ⁱ	0.24 ⁱ	--	--
7	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.64 ⁱ	0.40 ⁱ	0.32 ⁱ	0.24 ⁱ	--	--
8	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.62 ^m	0.39 ⁱ	0.32 ⁱ	0.24 ⁱ	--	--
9	--	--	--	--	1.19 ⁱ	1.19 ⁱ	0.62 ^m	0.39 ⁱ	0.31 ⁱ	0.24 ⁱ	--	--
10	--	--	--	--	1.19 ⁱ	1.19 ^m	0.61 ⁱ	0.39 ⁱ	0.31 ⁱ	0.23 ⁱ	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ^m	0.60 ⁱ	0.39 ⁱ	0.31 ⁱ	0.23 ⁱ	--	--
12	--	--	--	--	1.19 ⁱ	1.17 ⁱ	0.60 ⁱ	0.38 ⁱ	0.30 ⁱ	0.23 ⁱ	--	--
13	--	--	--	--	1.19 ⁱ	1.15 ⁱ	0.59 ⁱ	0.38 ⁱ	0.30 ⁱ	0.23 ⁱ	--	--
14	--	--	--	--	1.19 ⁱ	1.13 ⁱ	0.58 ⁱ	0.38 ⁱ	0.30 ⁱ	0.22 ⁱ	--	--
15	--	--	--	--	1.19 ⁱ	1.11 ⁱ	0.57 ⁱ	0.38 ⁱ	0.30 ⁱ	0.22 ^m	--	--
16	--	--	--	--	1.19 ⁱ	1.08 ⁱ	0.56 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
17	--	--	--	--	1.19 ⁱ	1.06 ⁱ	0.55 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
18	--	--	--	--	1.19 ⁱ	1.04 ⁱ	0.55 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
19	--	--	--	--	1.19 ⁱ	1.02 ⁱ	0.54 ⁱ	0.37 ⁱ	0.29 ⁱ	--	--	--
20	--	--	--	--	1.19 ⁱ	1.00 ⁱ	0.53 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
21	--	--	--	--	1.19 ⁱ	0.98 ⁱ	0.52 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
22	--	--	--	--	1.19 ⁱ	0.96 ⁱ	0.51 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
23	--	--	--	--	1.19 ⁱ	0.94 ⁱ	0.51 ⁱ	0.36 ⁱ	0.28 ⁱ	--	--	--
24	--	--	--	--	1.19 ⁱ	0.92 ⁱ	0.50 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
25	--	--	--	--	1.19 ⁱ	0.89 ⁱ	0.49 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	--	1.19 ⁱ	0.87 ⁱ	0.48 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
27	--	--	--	--	1.19 ⁱ	0.85 ⁱ	0.47 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
28	--	--	--	--	1.19 ⁱ	0.83 ⁱ	0.47 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
29	--	--	--	--	1.19 ⁱ	0.81 ⁱ	0.46 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
30	--	--	--	--	1.19 ⁱ	0.79 ⁱ	0.45 ⁱ	0.34 ⁱ	0.26 ⁱ	--	--	--
31	--	--	--	--	1.19 ⁱ	--	0.44 ⁱ	0.34 ⁱ	--	--	--	--
Total:	--	--	--	--	36.9	31.7	17.8	11.6	8.87	3.58	--	--
Mean:	--	--	--	--	1.19	1.06	0.57	0.38	0.30	0.24	--	--
Min:	--	--	--	--	1.19	0.79	0.44	0.34	0.26	0.22	--	--
Max:	--	--	--	--	1.19	1.19	0.77	0.43	0.33	0.26	--	--
AC-FT:	--	--	--	--	73.2	62.9	35.2	23.1	17.6	7.10	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 110.4

TOTAL AC-FT: 219.0

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.12 ^m	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
2	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
3	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.07 ⁱ	--	--	--	--
4	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.06 ⁱ	--	--	--	--
5	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.06 ^m	--	--	--	--
6	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
7	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
8	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
9	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
10	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
11	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
12	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
13	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
14	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
15	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--
16	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--	--	--
17	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--	--
18	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
19	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
20	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.11 ⁱ	--	--	--	--	--
21	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
22	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
23	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
24	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.10 ⁱ	--	--	--	--	--
25	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
26	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
27	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.09 ⁱ	--	--	--	--	--
28	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
29	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
30	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.08 ⁱ	--	--	--	--	--
31	--	--	--	--	0.12 ⁱ	--	0.07 ⁱ	--	--	--	--	--
Total:	--	--	--	--	3.72	3.60	3.35	0.33	--	--	--	--
Mean:	--	--	--	--	0.12	0.12	0.11	0.07	--	--	--	--
Min:	--	--	--	--	0.12	0.12	0.07	0.06	--	--	--	--
Max:	--	--	--	--	0.12	0.12	0.12	0.07	--	--	--	--
AC-FT:	--	--	--	--	7.38	7.14	6.64	0.65	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 11.0

TOTAL AC-FT: 21.8

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.80 ^m	4.80 ⁱ	8.00 ⁱ	6.90 ⁱ	4.32 ⁱ	2.81 ⁱ	--	--
2	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.85 ⁱ	4.21 ⁱ	2.78 ⁱ	--	--
3	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.80 ⁱ	4.11 ⁱ	2.75 ⁱ	--	--
4	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.76 ⁱ	4.00 ⁱ	2.72 ⁱ	--	--
5	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.71 ⁱ	3.90 ⁱ	2.68 ⁱ	--	--
6	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.66 ⁱ	3.79 ⁱ	2.65 ⁱ	--	--
7	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ⁱ	6.61 ⁱ	3.69 ⁱ	2.62 ^m	--	--
8	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ^m	6.56 ⁱ	3.58 ⁱ	2.48 ⁱ	--	--
9	--	--	--	--	4.80 ⁱ	4.80 ⁱ	8.00 ^m	6.52 ⁱ	3.48 ^m	2.34 ⁱ	--	--
10	--	--	--	--	4.80 ⁱ	4.80 ^m	7.95 ⁱ	6.47 ⁱ	3.48 ^m	2.21 ⁱ	--	--
11	--	--	--	--	4.80 ⁱ	8.00 ^m	7.90 ⁱ	6.42 ^m	3.45 ⁱ	2.07 ⁱ	--	--
12	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.86 ⁱ	6.42 ^m	3.42 ⁱ	1.93 ⁱ	--	--
13	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.81 ⁱ	6.31 ⁱ	3.38 ⁱ	1.79 ⁱ	--	--
14	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.76 ⁱ	6.21 ⁱ	3.35 ⁱ	1.66 ⁱ	--	--
15	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.71 ⁱ	6.10 ⁱ	3.32 ⁱ	1.52 ^m	--	--
16	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.66 ⁱ	6.00 ⁱ	3.29 ⁱ	--	--	--
17	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.62 ⁱ	5.89 ⁱ	3.26 ⁱ	--	--	--
18	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.57 ⁱ	5.79 ⁱ	3.23 ⁱ	--	--	--
19	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.52 ⁱ	5.68 ⁱ	3.19 ⁱ	--	--	--
20	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.47 ⁱ	5.58 ⁱ	3.16 ⁱ	--	--	--
21	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.43 ⁱ	5.47 ⁱ	3.13 ⁱ	--	--	--
22	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.38 ⁱ	5.37 ⁱ	3.10 ⁱ	--	--	--
23	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.33 ⁱ	5.26 ⁱ	3.07 ⁱ	--	--	--
24	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.28 ⁱ	5.16 ⁱ	3.03 ⁱ	--	--	--
25	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.23 ⁱ	5.05 ⁱ	3.00 ⁱ	--	--	--
26	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.19 ⁱ	4.95 ⁱ	2.97 ⁱ	--	--	--
27	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.14 ⁱ	4.84 ⁱ	2.94 ⁱ	--	--	--
28	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.09 ⁱ	4.74 ⁱ	2.91 ⁱ	--	--	--
29	--	--	--	--	4.80 ⁱ	8.00 ⁱ	7.04 ⁱ	4.63 ⁱ	2.87 ⁱ	--	--	--
30	--	--	--	--	4.80 ⁱ	8.00 ⁱ	6.99 ⁱ	4.53 ⁱ	2.84 ⁱ	--	--	--
31	--	--	--	--	4.80 ⁱ	--	6.95 ⁱ	4.42 ⁱ	--	--	--	--
Total:	--	--	--	--	148.8	208.0	235.9	181.7	101.5	35.0	--	--
Mean:	--	--	--	--	4.80	6.93	7.61	5.86	3.38	2.33	--	--
Min:	--	--	--	--	4.80	4.80	6.95	4.42	2.84	1.52	--	--
Max:	--	--	--	--	4.80	8.00	8.00	6.90	4.32	2.81	--	--
AC-FT:	--	--	--	--	295.1	412.6	467.9	360.3	201.3	69.4	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 910.8

TOTAL AC-FT: 1806

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ⁿ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.24 ⁱ	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.24 ⁱ	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.23 ⁱ	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.32 ⁱ	0.23 ⁱ	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.31 ⁱ	0.23 ⁱ	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ^m	0.31 ⁱ	0.23 ⁱ	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.31 ⁱ	0.22 ⁱ	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.31 ⁱ	0.22 ⁱ	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.22 ⁱ	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.21 ⁱ	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.39 ⁱ	0.30 ⁱ	0.21 ⁱ	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.21 ⁱ	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.21 ⁱ	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.38 ⁱ	0.29 ⁱ	0.20 ⁱ	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.29 ⁱ	0.20 ^m	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.37 ⁱ	0.28 ⁱ	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.36 ⁱ	0.27 ⁱ	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.27 ⁱ	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.35 ⁱ	0.26 ⁱ	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.34 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.33 ⁱ	0.24 ⁱ	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.40 ⁱ	0.33 ⁱ	--	--	--	--
Total:	--	--	--	--	12.4	12.0	12.4	11.5	8.53	3.30	--	--
Mean:	--	--	--	--	0.40	0.40	0.40	0.37	0.28	0.22	--	--
Min:	--	--	--	--	0.40	0.40	0.40	0.33	0.24	0.20	--	--
Max:	--	--	--	--	0.40	0.40	0.40	0.40	0.33	0.24	--	--
AC-FT:	--	--	--	--	24.6	23.8	24.6	22.8	16.9	6.55	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 60.1

TOTAL AC-FT: 119.2

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130011 - D - HLCNL-11 - A0007585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.71 ⁱ	1.48 ⁱ	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.70 ⁱ	1.48 ⁱ	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.69 ⁱ	1.47 ⁱ	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.68 ⁱ	1.46 ⁱ	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.68 ⁱ	1.45 ⁱ	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.67 ⁱ	1.45 ⁱ	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.89 ⁱ	1.66 ⁱ	1.44 ⁱ	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.89 ⁱ	1.65 ⁱ	1.43 ⁱ	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.88 ⁱ	1.65 ⁱ	1.42 ⁱ	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.87 ⁱ	1.64 ⁱ	1.42 ⁱ	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.63 ⁱ	1.41 ⁱ	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.63 ⁱ	1.40 ⁱ	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.85 ⁱ	1.62 ⁱ	1.39 ⁱ	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.84 ⁱ	1.61 ⁱ	1.39 ⁱ	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.83 ⁱ	1.60 ⁱ	1.38 ^m	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.83 ⁱ	1.60 ⁱ	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.82 ⁱ	1.59 ⁱ	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.81 ⁱ	1.58 ⁱ	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	1.57 ⁱ	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	1.57 ⁱ	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.79 ⁱ	1.56 ⁱ	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.78 ⁱ	1.55 ⁱ	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	1.54 ⁱ	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	1.54 ⁱ	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.76 ⁱ	1.53 ⁱ	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.75 ⁱ	1.52 ⁱ	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.74 ⁱ	1.51 ⁱ	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.74 ⁱ	1.51 ⁱ	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.73 ⁱ	1.50 ⁱ	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.72 ⁱ	1.49 ⁱ	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	1.71 ⁱ	--	--	--	--
Total:	--	--	--	--	58.9	57.0	58.9	56.5	48.0	21.5	--	--
Mean:	--	--	--	--	1.90	1.90	1.90	1.82	1.60	1.43	--	--
Min:	--	--	--	--	1.90	1.90	1.90	1.71	1.49	1.38	--	--
Max:	--	--	--	--	1.90	1.90	1.90	1.90	1.71	1.48	--	--
AC-FT:	--	--	--	--	116.8	113.1	116.8	112.1	95.2	42.6	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 300.7

TOTAL AC-FT: 596.5

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.51 ^m	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.04 ⁱ	1.50 ⁱ	--	--
2	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.02 ⁱ	1.48 ⁱ	--	--
3	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.01 ⁱ	1.47 ⁱ	--	--
4	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	1.99 ⁱ	1.45 ⁱ	--	--
5	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	1.97 ⁱ	1.43 ⁱ	--	--
6	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.51 ^m	1.95 ⁱ	1.41 ⁱ	--	--
7	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.49 ⁱ	1.93 ⁱ	1.39 ⁱ	--	--
8	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.47 ⁱ	1.92 ⁱ	1.38 ⁱ	--	--
9	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.46 ⁱ	1.90 ⁱ	1.36 ⁱ	--	--
10	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.44 ⁱ	1.88 ⁱ	1.34 ⁱ	--	--
11	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.42 ⁱ	1.86 ⁱ	1.32 ⁱ	--	--
12	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.40 ⁱ	1.84 ⁱ	1.30 ⁱ	--	--
13	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.38 ⁱ	1.83 ⁱ	1.29 ⁱ	--	--
14	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.37 ⁱ	1.81 ⁱ	1.27 ⁱ	--	--
15	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.35 ⁱ	1.79 ⁱ	1.25 ^m	--	--
16	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.33 ⁱ	1.77 ⁱ	--	--	--
17	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.31 ⁱ	1.75 ⁱ	--	--	--
18	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.29 ⁱ	1.74 ⁱ	--	--	--
19	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.28 ⁱ	1.72 ⁱ	--	--	--
20	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.26 ⁱ	1.70 ⁱ	--	--	--
21	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.24 ⁱ	1.68 ⁱ	--	--	--
22	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.22 ⁱ	1.66 ⁱ	--	--	--
23	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.20 ⁱ	1.65 ⁱ	--	--	--
24	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.19 ⁱ	1.63 ⁱ	--	--	--
25	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.17 ⁱ	1.61 ⁱ	--	--	--
26	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.15 ⁱ	1.59 ⁱ	--	--	--
27	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.13 ⁱ	1.57 ⁱ	--	--	--
28	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.11 ⁱ	1.56 ⁱ	--	--	--
29	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.10 ⁱ	1.54 ⁱ	--	--	--
30	--	--	--	--	2.51 ⁱ	2.51 ⁱ	2.51 ⁱ	2.08 ⁱ	1.52 ⁱ	--	--	--
31	--	--	--	--	2.51 ⁱ	--	2.51 ⁱ	2.06 ⁱ	--	--	--	--
Total:	--	--	--	--	77.8	75.3	77.8	72.0	53.4	20.6	--	--
Mean:	--	--	--	--	2.51	2.51	2.51	2.32	1.78	1.38	--	--
Min:	--	--	--	--	2.51	2.51	2.51	2.06	1.52	1.25	--	--
Max:	--	--	--	--	2.51	2.51	2.51	2.51	2.04	1.50	--	--
AC-FT:	--	--	--	--	154.3	149.4	154.3	142.7	106.0	40.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 377.0

TOTAL AC-FT: 747.7

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ^m	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
2	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
3	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
4	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
5	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
6	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
7	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
8	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
9	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
10	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
11	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
12	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
13	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
14	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
15	--	--	--	--	0.06 ⁱ	0.05 ⁱ	0.04 ⁱ	--	--	--	--	--
16	--	--	--	--	0.06 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
17	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
18	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
19	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
20	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
21	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
22	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
23	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
24	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
25	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
26	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
27	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
28	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
29	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
30	--	--	--	--	0.05 ⁱ	0.04 ⁱ	0.03 ⁱ	--	--	--	--	--
31	--	--	--	--	0.05 ⁱ	--	0.03 ^m	--	--	--	--	--
Total:	--	--	--	--	1.71	1.35	1.08	--	--	--	--	--
Mean:	--	--	--	--	0.06	0.05	0.03	--	--	--	--	--
Min:	--	--	--	--	0.05	0.04	0.03	--	--	--	--	--
Max:	--	--	--	--	0.06	0.05	0.04	--	--	--	--	--
AC-FT:	--	--	--	--	3.39	2.68	2.14	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 4.14

TOTAL AC-FT: 8.21

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.64 ⁱ	0.57 ⁱ	0.51 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
2	--	--	--	--	0.70 ⁱ	0.63 ⁱ	0.57 ⁱ	0.51 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
3	--	--	--	--	0.70 ⁱ	0.63 ⁱ	0.57 ⁱ	0.50 ⁱ	0.44 ⁱ	0.38 ⁱ	--	--
4	--	--	--	--	0.69 ⁱ	0.63 ⁱ	0.57 ⁱ	0.50 ⁱ	0.44 ⁱ	0.37 ⁱ	--	--
5	--	--	--	--	0.69 ⁱ	0.63 ⁱ	0.56 ⁱ	0.50 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
6	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.50 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
7	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.37 ⁱ	--	--
8	--	--	--	--	0.69 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.36 ⁱ	--	--
9	--	--	--	--	0.68 ⁱ	0.62 ⁱ	0.56 ⁱ	0.49 ⁱ	0.43 ⁱ	0.36 ⁱ	--	--
10	--	--	--	--	0.68 ⁱ	0.62 ⁱ	0.55 ⁱ	0.49 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
11	--	--	--	--	0.68 ⁱ	0.61 ⁱ	0.55 ⁱ	0.49 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
12	--	--	--	--	0.68 ⁱ	0.61 ⁱ	0.55 ⁱ	0.48 ⁱ	0.42 ⁱ	0.36 ⁱ	--	--
13	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.55 ⁱ	0.48 ⁱ	0.42 ⁱ	0.35 ⁱ	--	--
14	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	0.35 ⁱ	--	--
15	--	--	--	--	0.67 ⁱ	0.61 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	0.35 ^m	--	--
16	--	--	--	--	0.67 ⁱ	0.60 ⁱ	0.54 ⁱ	0.48 ⁱ	0.41 ⁱ	--	--	--
17	--	--	--	--	0.67 ⁱ	0.60 ⁱ	0.54 ⁱ	0.47 ⁱ	0.41 ⁱ	--	--	--
18	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.54 ⁱ	0.47 ⁱ	0.41 ⁱ	--	--	--
19	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	0.66 ⁱ	0.60 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	0.66 ⁱ	0.59 ⁱ	0.53 ⁱ	0.47 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	--	0.66 ⁱ	0.59 ⁱ	0.53 ⁱ	0.46 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	--	0.65 ⁱ	0.59 ⁱ	0.53 ⁱ	0.46 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	--	0.65 ⁱ	0.59 ⁱ	0.52 ⁱ	0.46 ⁱ	0.39 ⁱ	--	--	--
25	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.46 ⁱ	0.39 ⁱ	--	--	--
26	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
27	--	--	--	--	0.65 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
28	--	--	--	--	0.64 ⁱ	0.58 ⁱ	0.52 ⁱ	0.45 ⁱ	0.39 ⁱ	--	--	--
29	--	--	--	--	0.64 ⁱ	0.58 ⁱ	0.51 ⁱ	0.45 ⁱ	0.38 ⁱ	--	--	--
30	--	--	--	--	0.64 ⁱ	0.57 ⁱ	0.51 ⁱ	0.45 ⁱ	0.38 ⁱ	--	--	--
31	--	--	--	--	0.64 ⁱ	--	0.51 ⁱ	0.44 ⁱ	--	--	--	--
Total:	--	--	--	--	20.7	18.1	16.8	14.8	12.4	5.47	--	--
Mean:	--	--	--	--	0.67	0.60	0.54	0.48	0.41	0.36	--	--
Min:	--	--	--	--	0.64	0.57	0.51	0.44	0.38	0.35	--	--
Max:	--	--	--	--	0.70	0.64	0.57	0.51	0.44	0.38	--	--
AC-FT:	--	--	--	--	41.1	36.0	33.2	29.3	24.5	10.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 88.2

TOTAL AC-FT: 175.0

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130018 - D - HLCNL-18 - A0002716**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.00 ^m	2.00 ⁱ	2.00 ⁱ	1.57 ⁱ	1.02 ⁱ	0.59 ⁱ	--	--
2	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.56 ⁱ	1.00 ^m	0.57 ⁱ	--	--
3	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.54 ⁱ	1.00 ^m	0.56 ⁱ	--	--
4	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.52 ⁱ	0.99 ⁱ	0.54 ⁱ	--	--
5	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.50 ^m	0.97 ⁱ	0.53 ⁱ	--	--
6	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.50 ^m	0.96 ⁱ	0.51 ⁱ	--	--
7	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	1.48 ⁱ	0.94 ⁱ	0.50 ^m	--	--
8	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ^m	1.46 ⁱ	0.93 ⁱ	--	--	--
9	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ^m	1.44 ⁱ	0.91 ⁱ	--	--	--
10	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.98 ⁱ	1.43 ⁱ	0.90 ⁱ	--	--	--
11	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.96 ⁱ	1.41 ⁱ	0.88 ⁱ	--	--	--
12	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.94 ⁱ	1.39 ⁱ	0.87 ⁱ	--	--	--
13	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.93 ⁱ	1.37 ⁱ	0.85 ⁱ	--	--	--
14	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.91 ⁱ	1.35 ⁱ	0.84 ⁱ	--	--	--
15	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.89 ⁱ	1.33 ⁱ	0.82 ⁱ	--	--	--
16	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.87 ⁱ	1.31 ⁱ	0.81 ⁱ	--	--	--
17	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.85 ⁱ	1.30 ⁱ	0.79 ⁱ	--	--	--
18	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.83 ⁱ	1.28 ⁱ	0.78 ⁱ	--	--	--
19	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.81 ⁱ	1.26 ⁱ	0.76 ⁱ	--	--	--
20	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.80 ⁱ	1.24 ⁱ	0.75 ⁱ	--	--	--
21	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.78 ⁱ	1.22 ⁱ	0.74 ⁱ	--	--	--
22	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.76 ⁱ	1.20 ⁱ	0.72 ⁱ	--	--	--
23	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.74 ⁱ	1.19 ⁱ	0.71 ⁱ	--	--	--
24	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.72 ⁱ	1.17 ⁱ	0.69 ⁱ	--	--	--
25	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.70 ⁱ	1.15 ⁱ	0.68 ⁱ	--	--	--
26	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.69 ⁱ	1.13 ⁱ	0.66 ⁱ	--	--	--
27	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.67 ⁱ	1.11 ⁱ	0.65 ⁱ	--	--	--
28	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.65 ⁱ	1.09 ⁱ	0.63 ⁱ	--	--	--
29	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.63 ⁱ	1.07 ⁱ	0.62 ⁱ	--	--	--
30	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.61 ⁱ	1.06 ⁱ	0.60 ⁱ	--	--	--
31	--	--	--	--	2.00 ⁱ	--	1.59 ⁱ	1.04 ⁱ	--	--	--	--
Total:	--	--	--	--	62.0	60.0	57.3	40.7	24.5	3.80	--	--
Mean:	--	--	--	--	2.00	2.00	1.85	1.31	0.82	0.54	--	--
Min:	--	--	--	--	2.00	2.00	1.59	1.04	0.60	0.50	--	--
Max:	--	--	--	--	2.00	2.00	2.00	1.57	1.02	0.59	--	--
AC-FT:	--	--	--	--	123.0	119.0	113.7	80.7	48.5	7.54	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 248.3

TOTAL AC-FT: 492.4

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.54 ^m	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.40 ⁱ	--	--	--
2	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.40 ⁱ	--	--	--
3	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.39 ⁱ	--	--	--
4	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.39 ⁱ	--	--	--
5	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.38 ⁱ	--	--	--
6	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	0.38 ⁱ	--	--	--
7	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.53 ⁱ	0.37 ⁱ	--	--	--
8	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.53 ⁱ	0.37 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.52 ⁱ	0.36 ^m	--	--	--
10	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.52 ⁱ	0.36 ^m	--	--	--
11	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.51 ⁱ	0.36 ⁱ	--	--	--
12	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.51 ⁱ	0.35 ⁱ	--	--	--
13	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.50 ⁱ	0.35 ⁱ	--	--	--
14	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.50 ⁱ	0.34 ⁱ	--	--	--
15	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.49 ⁱ	0.34 ⁱ	--	--	--
16	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.49 ⁱ	0.33 ⁱ	--	--	--
17	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.48 ⁱ	0.33 ⁱ	--	--	--
18	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.48 ⁱ	0.32 ⁱ	--	--	--
19	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.47 ⁱ	0.32 ⁱ	--	--	--
20	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.47 ⁱ	0.31 ⁱ	--	--	--
21	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.46 ⁱ	0.31 ⁱ	--	--	--
22	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.46 ⁱ	0.31 ⁱ	--	--	--
23	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.45 ⁱ	0.30 ⁱ	--	--	--
24	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.44 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.44 ⁱ	0.29 ⁱ	--	--	--
26	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.43 ⁱ	0.29 ⁱ	--	--	--
27	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.43 ⁱ	0.28 ⁱ	--	--	--
28	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.42 ⁱ	0.28 ⁱ	--	--	--
29	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.42 ⁱ	0.27 ⁱ	--	--	--
30	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.41 ⁱ	0.27 ^m	--	--	--
31	--	--	--	--	0.54 ⁱ	--	0.54 ⁱ	0.41 ⁱ	--	--	--	--
Total:	--	--	--	--	16.7	16.2	16.7	15.0	10.1	--	--	--
Mean:	--	--	--	--	0.54	0.54	0.54	0.48	0.34	--	--	--
Min:	--	--	--	--	0.54	0.54	0.54	0.41	0.27	--	--	--
Max:	--	--	--	--	0.54	0.54	0.54	0.54	0.40	--	--	--
AC-FT:	--	--	--	--	33.2	32.1	33.2	29.8	19.9	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 74.7

TOTAL AC-FT: 148.2

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130021 - D - HLCNL-21 - A0002718**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.45 ^m	1.45 ⁱ	1.45 ⁱ	1.45 ^m	1.02 ⁱ	0.55 ⁱ	--	--
2	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.44 ⁱ	1.01 ⁱ	0.54 ⁱ	--	--
3	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.42 ⁱ	0.99 ⁱ	0.52 ⁱ	--	--
4	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.41 ⁱ	0.98 ⁱ	0.50 ⁱ	--	--
5	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.39 ⁱ	0.97 ⁱ	0.48 ⁱ	--	--
6	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.38 ⁱ	0.95 ⁱ	0.47 ⁱ	--	--
7	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.37 ⁱ	0.94 ⁱ	0.45 ^m	--	--
8	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.35 ⁱ	0.92 ⁱ	0.45 ^m	--	--
9	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.34 ⁱ	0.91 ^m	0.43 ⁱ	--	--
10	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.33 ⁱ	0.91 ^m	0.41 ⁱ	--	--
11	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.31 ⁱ	0.89 ⁱ	0.39 ⁱ	--	--
12	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.30 ⁱ	0.88 ⁱ	0.36 ⁱ	--	--
13	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.28 ⁱ	0.86 ⁱ	0.34 ⁱ	--	--
14	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.27 ⁱ	0.84 ⁱ	0.32 ⁱ	--	--
15	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.26 ⁱ	0.82 ⁱ	0.30 ^m	--	--
16	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.24 ⁱ	0.81 ⁱ	--	--	--
17	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.23 ⁱ	0.79 ⁱ	--	--	--
18	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.21 ⁱ	0.77 ⁱ	--	--	--
19	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.20 ⁱ	0.76 ⁱ	--	--	--
20	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.19 ⁱ	0.74 ⁱ	--	--	--
21	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.17 ⁱ	0.72 ⁱ	--	--	--
22	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.16 ⁱ	0.71 ⁱ	--	--	--
23	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.15 ⁱ	0.69 ⁱ	--	--	--
24	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.13 ⁱ	0.67 ⁱ	--	--	--
25	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.12 ⁱ	0.65 ⁱ	--	--	--
26	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.10 ⁱ	0.64 ⁱ	--	--	--
27	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.09 ⁱ	0.62 ⁱ	--	--	--
28	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.08 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.06 ⁱ	0.59 ⁱ	--	--	--
30	--	--	--	--	1.45 ⁱ	1.45 ⁱ	1.45 ⁱ	1.05 ⁱ	0.57 ⁱ	--	--	--
31	--	--	--	--	1.45 ⁱ	--	1.45 ^m	1.03 ⁱ	--	--	--	--
Total:	--	--	--	--	45.0	43.5	45.0	38.5	24.2	6.51	--	--
Mean:	--	--	--	--	1.45	1.45	1.45	1.24	0.81	0.43	--	--
Min:	--	--	--	--	1.45	1.45	1.45	1.03	0.57	0.30	--	--
Max:	--	--	--	--	1.45	1.45	1.45	1.45	1.02	0.55	--	--
AC-FT:	--	--	--	--	89.2	86.3	89.2	76.4	48.0	12.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 202.6

TOTAL AC-FT: 401.9

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.09 ⁱ	0.07 ⁱ	--	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
23	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
24	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
25	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
26	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
27	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
28	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
29	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
30	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
31	--	--	--	--	0.09 ⁱ	--	0.05 ^m	--	--	--	--	--
Total:	--	--	--	--	3.10	2.40	1.86	--	--	--	--	--
Mean:	--	--	--	--	0.10	0.08	0.06	--	--	--	--	--
Min:	--	--	--	--	0.09	0.07	0.05	--	--	--	--	--
Max:	--	--	--	--	0.11	0.09	0.07	--	--	--	--	--
AC-FT:	--	--	--	--	6.15	4.76	3.69	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 7.36

TOTAL AC-FT: 14.6

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ^m	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
11	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
12	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
13	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
14	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
15	--	--	--	--	0.09 ⁱ	0.08 ⁱ	0.06 ⁱ	--	--	--	--	--
16	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
17	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
18	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
19	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
20	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
21	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--	--	--
22	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
23	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
24	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
25	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
26	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
27	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
28	--	--	--	--	0.09 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
29	--	--	--	--	0.08 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
30	--	--	--	--	0.08 ⁱ	0.07 ⁱ	0.05 ⁱ	--	--	--	--	--
31	--	--	--	--	0.08 ⁱ	--	0.05 ^m	--	--	--	--	--
Total:	--	--	--	--	2.86	2.25	1.79	--	--	--	--	--
Mean:	--	--	--	--	0.09	0.08	0.06	--	--	--	--	--
Min:	--	--	--	--	0.08	0.07	0.05	--	--	--	--	--
Max:	--	--	--	--	0.10	0.08	0.07	--	--	--	--	--
AC-FT:	--	--	--	--	5.67	4.46	3.55	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 6.90

TOTAL AC-FT: 13.7

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130024 - D - HLCNL-24 - A0007590**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.62 ^m	0.51 ⁱ	0.41 ⁱ	--	--	--	--	--
2	--	--	--	--	0.62 ⁱ	0.51 ⁱ	0.41 ⁱ	--	--	--	--	--
3	--	--	--	--	0.61 ⁱ	0.51 ⁱ	0.41 ⁱ	--	--	--	--	--
4	--	--	--	--	0.61 ⁱ	0.50 ⁱ	0.40 ⁱ	--	--	--	--	--
5	--	--	--	--	0.61 ⁱ	0.50 ⁱ	0.40 ⁱ	--	--	--	--	--
6	--	--	--	--	0.60 ⁱ	0.50 ⁱ	0.40 ⁱ	--	--	--	--	--
7	--	--	--	--	0.60 ⁱ	0.49 ⁱ	0.39 ⁱ	--	--	--	--	--
8	--	--	--	--	0.60 ⁱ	0.49 ⁱ	0.39 ⁱ	--	--	--	--	--
9	--	--	--	--	0.59 ⁱ	0.49 ⁱ	0.38 ⁱ	--	--	--	--	--
10	--	--	--	--	0.59 ⁱ	0.48 ⁱ	0.38 ⁱ	--	--	--	--	--
11	--	--	--	--	0.59 ⁱ	0.48 ⁱ	0.38 ⁱ	--	--	--	--	--
12	--	--	--	--	0.58 ⁱ	0.48 ⁱ	0.37 ⁱ	--	--	--	--	--
13	--	--	--	--	0.58 ⁱ	0.47 ⁱ	0.37 ⁱ	--	--	--	--	--
14	--	--	--	--	0.58 ⁱ	0.47 ⁱ	0.37 ⁱ	--	--	--	--	--
15	--	--	--	--	0.57 ⁱ	0.47 ⁱ	0.36 ⁱ	--	--	--	--	--
16	--	--	--	--	0.57 ⁱ	0.46 ⁱ	0.36 ⁱ	--	--	--	--	--
17	--	--	--	--	0.57 ⁱ	0.46 ⁱ	0.36 ⁱ	--	--	--	--	--
18	--	--	--	--	0.56 ⁱ	0.46 ⁱ	0.35 ⁱ	--	--	--	--	--
19	--	--	--	--	0.56 ⁱ	0.45 ⁱ	0.35 ⁱ	--	--	--	--	--
20	--	--	--	--	0.56 ⁱ	0.45 ⁱ	0.35 ⁱ	--	--	--	--	--
21	--	--	--	--	0.55 ⁱ	0.45 ⁱ	0.34 ⁱ	--	--	--	--	--
22	--	--	--	--	0.55 ⁱ	0.44 ⁱ	0.34 ⁱ	--	--	--	--	--
23	--	--	--	--	0.55 ⁱ	0.44 ⁱ	0.34 ⁱ	--	--	--	--	--
24	--	--	--	--	0.54 ⁱ	0.44 ⁱ	0.33 ⁱ	--	--	--	--	--
25	--	--	--	--	0.54 ⁱ	0.43 ⁱ	0.33 ⁱ	--	--	--	--	--
26	--	--	--	--	0.53 ⁱ	0.43 ⁱ	0.33 ⁱ	--	--	--	--	--
27	--	--	--	--	0.53 ⁱ	0.43 ⁱ	0.32 ⁱ	--	--	--	--	--
28	--	--	--	--	0.53 ⁱ	0.42 ⁱ	0.32 ⁱ	--	--	--	--	--
29	--	--	--	--	0.52 ⁱ	0.42 ⁱ	0.32 ⁱ	--	--	--	--	--
30	--	--	--	--	0.52 ⁱ	0.42 ⁱ	0.31 ⁱ	--	--	--	--	--
31	--	--	--	--	0.52 ⁱ	--	0.31 ^m	--	--	--	--	--
Total:	--	--	--	--	17.7	14.0	11.2	--	--	--	--	--
Mean:	--	--	--	--	0.57	0.47	0.36	--	--	--	--	--
Min:	--	--	--	--	0.52	0.42	0.31	--	--	--	--	--
Max:	--	--	--	--	0.62	0.51	0.41	--	--	--	--	--
AC-FT:	--	--	--	--	35.0	27.7	22.2	--	--	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 42.8

TOTAL AC-FT: 84.9

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130025 - D - HLCNL-25 - A0007589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interplated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ^m	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.59 ⁱ	--	--	--
2	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.56 ⁱ	--	--	--
3	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.52 ⁱ	--	--	--
4	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.49 ⁱ	--	--	--
5	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ^m	1.46 ⁱ	--	--	--
6	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.40 ^m	1.43 ⁱ	--	--	--
7	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.37 ⁱ	1.40 ⁱ	--	--	--
8	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.34 ⁱ	1.37 ⁱ	--	--	--
9	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.31 ⁱ	1.34 ⁱ	--	--	--
10	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.27 ⁱ	1.31 ⁱ	--	--	--
11	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	1.27 ⁱ	--	--	--
12	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.21 ⁱ	1.24 ⁱ	--	--	--
13	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.18 ⁱ	1.21 ⁱ	--	--	--
14	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.15 ⁱ	1.18 ⁱ	--	--	--
15	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.12 ⁱ	1.15 ^m	--	--	--
16	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.09 ⁱ	--	--	--	--
17	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.06 ⁱ	--	--	--	--
18	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	2.02 ⁱ	--	--	--	--
19	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.99 ⁱ	--	--	--	--
20	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.96 ⁱ	--	--	--	--
21	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.93 ⁱ	--	--	--	--
22	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.90 ⁱ	--	--	--	--
23	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.87 ⁱ	--	--	--	--
24	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.84 ⁱ	--	--	--	--
25	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.81 ⁱ	--	--	--	--
26	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.77 ⁱ	--	--	--	--
27	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.74 ⁱ	--	--	--	--
28	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.71 ⁱ	--	--	--	--
29	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.68 ⁱ	--	--	--	--
30	--	--	--	--	2.40 ⁱ	2.40 ⁱ	2.40 ⁱ	1.65 ⁱ	--	--	--	--
31	--	--	--	--	2.40 ⁱ	--	2.40 ⁱ	1.62 ⁱ	--	--	--	--
Total:	--	--	--	--	74.4	72.0	74.4	64.2	20.5	--	--	--
Mean:	--	--	--	--	2.40	2.40	2.40	2.07	1.37	--	--	--
Min:	--	--	--	--	2.40	2.40	2.40	1.62	1.15	--	--	--
Max:	--	--	--	--	2.40	2.40	2.40	2.40	1.59	--	--	--
AC-FT:	--	--	--	--	147.6	142.8	147.6	127.4	40.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 305.6

TOTAL AC-FT: 606.1

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
2	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
3	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
4	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
5	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
6	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
7	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
8	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
9	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
10	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
11	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
12	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
13	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
14	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--
15	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ^m	--	--
16	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
21	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
22	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
23	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
24	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
25	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.08 ⁱ	0.07 ⁱ	--	--	--
26	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
27	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
28	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.07 ⁱ	--	--	--
29	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--
30	--	--	--	--	0.10 ⁱ	0.09 ⁱ	0.08 ⁱ	0.07 ⁱ	0.06 ⁱ	--	--	--
31	--	--	--	--	0.10 ⁱ	--	0.08 ⁱ	0.07 ⁱ	--	--	--	--
Total:	--	--	--	--	3.27	2.90	2.71	2.42	2.08	0.90	--	--
Mean:	--	--	--	--	0.11	0.10	0.09	0.08	0.07	0.06	--	--
Min:	--	--	--	--	0.10	0.09	0.08	0.07	0.06	0.06	--	--
Max:	--	--	--	--	0.11	0.10	0.09	0.08	0.07	0.06	--	--
AC-FT:	--	--	--	--	6.49	5.75	5.38	4.80	4.13	1.79	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 14.3

TOTAL AC-FT: 28.3

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.63 ^m	1.54 ⁱ	1.45 ^m	0.86 ⁱ	0.48 ⁱ	--	--	--
2	--	--	--	--	1.63 ⁱ	1.53 ⁱ	1.43 ⁱ	0.84 ⁱ	0.48 ⁱ	--	--	--
3	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.41 ⁱ	0.82 ⁱ	0.47 ⁱ	--	--	--
4	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.39 ⁱ	0.80 ⁱ	0.46 ⁱ	--	--	--
5	--	--	--	--	1.62 ⁱ	1.53 ⁱ	1.37 ⁱ	0.78 ⁱ	0.46 ⁱ	--	--	--
6	--	--	--	--	1.62 ⁱ	1.52 ⁱ	1.35 ⁱ	0.76 ⁱ	0.45 ⁱ	--	--	--
7	--	--	--	--	1.61 ⁱ	1.52 ⁱ	1.34 ⁱ	0.74 ⁱ	0.44 ⁱ	--	--	--
8	--	--	--	--	1.61 ⁱ	1.52 ⁱ	1.32 ⁱ	0.72 ⁱ	0.44 ⁱ	--	--	--
9	--	--	--	--	1.61 ⁱ	1.51 ⁱ	1.30 ⁱ	0.70 ⁱ	0.43 ⁱ	--	--	--
10	--	--	--	--	1.60 ⁱ	1.51 ⁱ	1.28 ⁱ	0.69 ⁱ	0.42 ⁱ	--	--	--
11	--	--	--	--	1.60 ⁱ	1.51 ⁱ	1.26 ⁱ	0.67 ⁱ	0.42 ⁱ	--	--	--
12	--	--	--	--	1.60 ⁱ	1.50 ⁱ	1.24 ⁱ	0.65 ⁱ	0.41 ⁱ	--	--	--
13	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.22 ⁱ	0.63 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.20 ⁱ	0.61 ⁱ	0.40 ⁱ	--	--	--
15	--	--	--	--	1.59 ⁱ	1.50 ⁱ	1.18 ⁱ	0.59 ^m	0.39 ⁱ	--	--	--
16	--	--	--	--	1.59 ⁱ	1.49 ⁱ	1.16 ⁱ	0.59 ^m	0.38 ⁱ	--	--	--
17	--	--	--	--	1.58 ⁱ	1.49 ⁱ	1.14 ⁱ	0.58 ⁱ	0.38 ⁱ	--	--	--
18	--	--	--	--	1.58 ⁱ	1.49 ⁱ	1.13 ⁱ	0.58 ⁱ	0.37 ⁱ	--	--	--
19	--	--	--	--	1.58 ⁱ	1.48 ⁱ	1.11 ⁱ	0.57 ⁱ	0.36 ⁱ	--	--	--
20	--	--	--	--	1.57 ⁱ	1.48 ⁱ	1.09 ⁱ	0.56 ⁱ	0.36 ⁱ	--	--	--
21	--	--	--	--	1.57 ⁱ	1.48 ⁱ	1.07 ⁱ	0.56 ⁱ	0.35 ⁱ	--	--	--
22	--	--	--	--	1.57 ⁱ	1.47 ⁱ	1.05 ⁱ	0.55 ⁱ	0.34 ⁱ	--	--	--
23	--	--	--	--	1.56 ⁱ	1.47 ⁱ	1.03 ⁱ	0.54 ⁱ	0.34 ⁱ	--	--	--
24	--	--	--	--	1.56 ⁱ	1.47 ⁱ	1.01 ⁱ	0.54 ⁱ	0.33 ⁱ	--	--	--
25	--	--	--	--	1.56 ⁱ	1.47 ⁱ	0.99 ⁱ	0.53 ⁱ	0.32 ⁱ	--	--	--
26	--	--	--	--	1.56 ⁱ	1.46 ⁱ	0.97 ⁱ	0.52 ⁱ	0.32 ⁱ	--	--	--
27	--	--	--	--	1.55 ⁱ	1.46 ⁱ	0.95 ⁱ	0.52 ⁱ	0.31 ⁱ	--	--	--
28	--	--	--	--	1.55 ⁱ	1.46 ⁱ	0.93 ⁱ	0.51 ⁱ	0.30 ⁱ	--	--	--
29	--	--	--	--	1.55 ⁱ	1.45 ⁱ	0.91 ⁱ	0.50 ⁱ	0.30 ⁱ	--	--	--
30	--	--	--	--	1.54 ⁱ	1.45 ^m	0.90 ⁱ	0.50 ⁱ	0.29 ^m	--	--	--
31	--	--	--	--	1.54 ⁱ	--	0.88 ⁱ	0.49 ⁱ	--	--	--	--
Total:	--	--	--	--	49.2	44.8	36.1	19.5	11.6	--	--	--
Mean:	--	--	--	--	1.59	1.49	1.16	0.63	0.39	--	--	--
Min:	--	--	--	--	1.54	1.45	0.88	0.49	0.29	--	--	--
Max:	--	--	--	--	1.63	1.54	1.45	0.86	0.48	--	--	--
AC-FT:	--	--	--	--	97.5	88.9	71.5	38.7	23.0	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 161.1

TOTAL AC-FT: 319.6

SCANNED

MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130028 - D - HLCNL-28 - A0002722**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.30 ^m	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
2	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
3	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	--	--	--
4	--	--	--	--	0.30 ⁱ	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.13 ⁱ	--	--	--
5	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
6	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
7	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
8	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
9	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
10	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
11	--	--	--	--	0.29 ⁱ	0.25 ⁱ	0.21 ⁱ	0.17 ⁱ	0.13 ⁱ	--	--	--
12	--	--	--	--	0.29 ⁱ	0.24 ⁱ	0.21 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
13	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
14	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
15	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
16	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
17	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
18	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.12 ⁱ	--	--	--
19	--	--	--	--	0.28 ⁱ	0.24 ⁱ	0.20 ⁱ	0.16 ⁱ	0.11 ⁱ	--	--	--
20	--	--	--	--	0.28 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
21	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
22	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
23	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
24	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
25	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
26	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.15 ⁱ	0.11 ⁱ	--	--	--
27	--	--	--	--	0.27 ⁱ	0.23 ⁱ	0.19 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	--	0.26 ⁱ	0.22 ⁱ	0.18 ⁱ	0.14 ⁱ	0.10 ^m	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.18 ⁱ	0.14 ⁱ	--	--	--	--
Total:	--	--	--	--	8.69	7.21	6.20	4.94	3.58	--	--	--
Mean:	--	--	--	--	0.28	0.24	0.20	0.16	0.12	--	--	--
Min:	--	--	--	--	0.26	0.22	0.18	0.14	0.10	--	--	--
Max:	--	--	--	--	0.30	0.26	0.22	0.18	0.14	--	--	--
AC-FT:	--	--	--	--	17.2	14.3	12.3	9.80	7.10	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 30.6

TOTAL AC-FT: 60.7

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.40 ^m	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.32 ⁱ	--	--
2	--	--	--	--	3.40 ⁱ	2.27 ⁱ	--	--				
3	--	--	--	--	3.40 ⁱ	2.22 ⁱ	--	--				
4	--	--	--	--	3.40 ⁱ	2.17 ⁱ	--	--				
5	--	--	--	--	3.40 ⁱ	2.11 ⁱ	--	--				
6	--	--	--	--	3.40 ⁱ	2.06 ⁱ	--	--				
7	--	--	--	--	3.40 ⁱ	2.01 ⁱ	--	--				
8	--	--	--	--	3.40 ⁱ	1.96 ⁱ	--	--				
9	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.91 ⁱ	--	--
10	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ^m	1.86 ⁱ	--	--
11	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.35 ⁱ	1.81 ⁱ	--	--
12	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.30 ⁱ	1.75 ⁱ	--	--
13	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.25 ⁱ	1.70 ⁱ	--	--
14	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.19 ⁱ	1.65 ⁱ	--	--
15	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.14 ⁱ	1.60 ^m	--	--
16	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.09 ⁱ	--	--	--
17	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.04 ⁱ	--	--	--
18	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.99 ⁱ	--	--	--
19	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.94 ⁱ	--	--	--
20	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.89 ⁱ	--	--	--
21	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.83 ⁱ	--	--	--
22	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.78 ⁱ	--	--	--
23	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.73 ⁱ	--	--	--
24	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.68 ⁱ	--	--	--
25	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.63 ⁱ	--	--	--
26	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.58 ⁱ	--	--	--
27	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.53 ⁱ	--	--	--
28	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.47 ⁱ	--	--	--
29	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.42 ⁱ	--	--	--
30	--	--	--	--	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	3.40 ⁱ	2.37 ⁱ	--	--	--
31	--	--	--	--	3.40 ⁱ	--	3.40 ⁱ	3.40 ⁱ	--	--	--	--
Total:	--	--	--	--	105.4	102.0	105.4	105.4	91.2	29.4	--	--
Mean:	--	--	--	--	3.40	3.40	3.40	3.40	3.04	1.96	--	--
Min:	--	--	--	--	3.40	3.40	3.40	3.40	2.37	1.60	--	--
Max:	--	--	--	--	3.40	3.40	3.40	3.40	3.40	2.32	--	--
AC-FT:	--	--	--	--	209.1	202.3	209.1	209.1	180.9	58.3	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 538.8

TOTAL AC-FT: 1068

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ^m	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
3	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
4	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
5	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
6	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.02 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
7	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
8	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--
9	--	--	--	--	1.04 ⁱ	1.03 ⁱ	1.01 ⁱ	1.00 ⁱ	1.00 ^m	0.60 ⁱ	--	--
10	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ^m	0.60 ⁱ	--	--
11	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
12	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
14	--	--	--	--	1.04 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	0.60 ⁱ	--	--
15	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ^m	0.60 ⁱ	0.60 ^m	--	--
16	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ^m	0.60 ⁱ	--	--	--
17	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
18	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
19	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
20	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
21	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
22	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
23	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
24	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
25	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
26	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
27	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
28	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
29	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
30	--	--	--	--	1.03 ⁱ	1.02 ⁱ	1.01 ⁱ	1.00 ⁱ	0.60 ⁱ	--	--	--
31	--	--	--	--	1.03 ⁱ	--	1.01 ⁱ	1.00 ⁱ	--	--	--	--
Total:	--	--	--	--	32.1	30.7	31.4	31.0	21.6	9.00	--	--
Mean:	--	--	--	--	1.03	1.02	1.01	1.00	0.72	0.60	--	--
Min:	--	--	--	--	1.03	1.02	1.01	1.00	0.60	0.60	--	--
Max:	--	--	--	--	1.04	1.03	1.02	1.01	1.00	0.60	--	--
AC-FT:	--	--	--	--	63.6	60.9	62.2	61.5	42.8	17.9	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 155.7

TOTAL AC-FT: 308.9

**SCANNED
MAY 31 2018**

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.36 ⁱ	--	--	--
2	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.34 ⁱ	--	--	--
3	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.32 ⁱ	--	--	--
4	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.29 ⁱ	--	--	--
5	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	1.27 ⁱ	--	--	--
6	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁿ	1.25 ⁱ	--	--	--
7	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.88 ⁱ	1.23 ⁱ	--	--	--
8	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.86 ⁱ	1.21 ⁱ	--	--	--
9	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.84 ⁱ	1.19 ^m	--	--	--
10	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.82 ⁱ	--	--	--	--
11	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.80 ⁱ	--	--	--	--
12	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.77 ⁱ	--	--	--	--
13	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.75 ⁱ	--	--	--	--
14	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.73 ⁱ	--	--	--	--
15	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.71 ⁱ	--	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.69 ⁱ	--	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.67 ⁱ	--	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.65 ⁱ	--	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.63 ⁱ	--	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.61 ⁱ	--	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.59 ⁱ	--	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.57 ⁱ	--	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.55 ⁱ	--	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.52 ⁱ	--	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.50 ⁱ	--	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.48 ⁱ	--	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.46 ⁱ	--	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.44 ⁱ	--	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.42 ⁱ	--	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.40 ⁱ	--	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	1.38 ⁱ	--	--	--	--
Total:	--	--	--	--	58.9	57.0	58.9	52.1	11.5	--	--	--
Mean:	--	--	--	--	1.90	1.90	1.90	1.68	1.27	--	--	--
Min:	--	--	--	--	1.90	1.90	1.90	1.38	1.19	--	--	--
Max:	--	--	--	--	1.90	1.90	1.90	1.90	1.36	--	--	--
AC-FT:	--	--	--	--	116.8	113.1	116.8	103.4	22.7	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 238.4

TOTAL AC-FT: 472.8

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.16 ^m	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--
2	--	--	--	--	2.16 ⁱ	--	--	--				
3	--	--	--	--	2.16 ⁱ	--	--	--				
4	--	--	--	--	2.16 ⁱ	--	--	--				
5	--	--	--	--	2.16 ⁱ	--	--	--				
6	--	--	--	--	2.16 ⁱ	--	--	--				
7	--	--	--	--	2.16 ⁱ	--	--	--				
8	--	--	--	--	2.16 ⁱ	--	--	--				
9	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	--	--	--
10	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	--	--	--
11	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.11 ⁱ	--	--	--
12	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.05 ⁱ	--	--	--
13	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.94 ⁱ	--	--	--
15	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.89 ⁱ	--	--	--
16	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.84 ⁱ	--	--	--
17	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.78 ⁱ	--	--	--
18	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.73 ⁱ	--	--	--
19	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.67 ⁱ	--	--	--
20	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.62 ⁱ	--	--	--
21	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.57 ⁱ	--	--	--
22	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.51 ⁱ	--	--	--
23	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.46 ⁱ	--	--	--
24	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.40 ⁱ	--	--	--
25	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.35 ⁱ	--	--	--
26	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.30 ⁱ	--	--	--
27	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.24 ⁱ	--	--	--
28	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.19 ⁱ	--	--	--
29	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.13 ⁱ	--	--	--
30	--	--	--	--	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	1.08 ^m	--	--	--
31	--	--	--	--	2.16 ⁱ	--	2.16 ⁱ	2.16 ⁱ	--	--	--	--
Total:	--	--	--	--	67.0	64.8	67.0	67.0	53.5	--	--	--
Mean:	--	--	--	--	2.16	2.16	2.16	2.16	1.78	--	--	--
Min:	--	--	--	--	2.16	2.16	2.16	2.16	1.08	--	--	--
Max:	--	--	--	--	2.16	2.16	2.16	2.16	2.16	--	--	--
AC-FT:	--	--	--	--	132.8	128.5	132.8	132.8	106.0	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 319.1

TOTAL AC-FT: 633.0

SCANNED
MAY 31 2018

**Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2017 - 12/31/2017

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.88 ^m	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ^m	--	--	--
2	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.87 ⁱ	--	--	--
3	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.85 ⁱ	--	--	--
4	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.84 ⁱ	--	--	--
5	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.83 ⁱ	--	--	--
6	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.81 ⁱ	--	--	--
7	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.80 ⁱ	--	--	--
8	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.79 ⁱ	--	--	--
9	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.78 ⁱ	--	--	--
10	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.76 ⁱ	--	--	--
11	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.75 ⁱ	--	--	--
12	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.74 ⁱ	--	--	--
13	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.72 ⁱ	--	--	--
14	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.71 ⁱ	--	--	--
15	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.70 ⁱ	--	--	--
16	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.68 ⁱ	--	--	--
17	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.67 ⁱ	--	--	--
18	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.66 ⁱ	--	--	--
19	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.64 ⁱ	--	--	--
20	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.63 ⁱ	--	--	--
21	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.62 ⁱ	--	--	--
22	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.60 ⁱ	--	--	--
23	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.59 ⁱ	--	--	--
24	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.58 ⁱ	--	--	--
25	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.57 ⁱ	--	--	--
26	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.55 ⁱ	--	--	--
27	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.54 ⁱ	--	--	--
28	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.53 ⁱ	--	--	--
29	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.51 ⁱ	--	--	--
30	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.88 ⁱ	1.50 ^m	--	--	--
31	--	--	--	--	1.88 ⁱ	--	1.88 ⁱ	1.88 ^m	--	--	--	--
Total:	--	--	--	--	58.3	56.4	58.3	56.3	50.7	--	--	--
Mean:	--	--	--	--	1.88	1.88	1.88	1.88	1.69	--	--	--
Min:	--	--	--	--	1.88	1.88	1.88	1.88	1.50	--	--	--
Max:	--	--	--	--	1.88	1.88	1.88	1.88	1.88	--	--	--
AC-FT:	--	--	--	--	115.6	111.9	115.6	115.6	100.6	--	--	--

CALENDAR YEAR 01/01/2017 - 12/31/2017

TOTAL CFS: 281.9

TOTAL AC-FT: 559.2

SCANNED
MAY 31 2018

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO


State of Idaho)
County of Custer) ss

Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all duties as Assistant Watermaster of District 72-A according to the best of my ability. So help me God.

Roger Braun
Assistant Watermaster

SUBSCRIBED AND SWORN TO before me this 1st day of June 2017



Lacinda Philips
Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED
FEB 27 2018



State of Idaho

Department of Water Resources

322 East Front St, PO Box 83720, Boise, ID 83720-0098 • 208-287-4800 • www.idwr.idaho.gov

Certificate of Appointment

This is to certify that I have appointed Cindy Philps as *Treasurer* of *Water District* 72A, from this day until the 2018 annual meeting or until his/her successor is appointed and qualified under the provisions of Idaho Code Section 42-605, at such rate of compensation as established by applicable law.



This certificate has been issued and the seal of the Director fixed at Boise, Idaho, this day, April 5, 2017.

Gary Spackman
IDWR Director

SCANNED
APR 14 2017



State of Idaho

Department of Water Resources

322 East Front St, PO Box 83720, Boise, ID 83720-0098 • 208-287-4800 • www.idwr.idaho.gov

Certificate of Appointment

This is to certify that I have appointed Craig Winstead as *Watermaster* of *Water District* 72A, from this day until the 2018 annual meeting or until his/her successor is appointed and qualified under the provisions of Idaho Code Section 42-605, at such rate of compensation as established by applicable law.



This certificate has been issued and the seal of the Director fixed at Boise, Idaho, this day, April 5, 2017.

Gary Spackman
IDWR Director

SCANNED
APR 14 2017



State of Idaho

Department of Water Resources

322 East Front St, PO Box 83720, Boise, ID 83720-0098 • 208-287-4800 • www.idwr.idaho.gov

Certificate of Appointment

This is to certify that I have appointed Craig Vaughn as *Assistant Watermaster* of *Water District* 72A, from this day until the 2018 annual meeting or until his/her successor is appointed and qualified under the provisions of Idaho Code Section 42-605, at such rate of compensation as established by applicable law.



This certificate has been issued and the seal of the Director fixed at Boise, Idaho, this day, April 5, 2017.

Gary Spackman
IDWR Director

SCANNED
APR 14 2017

RECEIVED

APR 04 2017

DEPT OF WATER RESOURCES
SOUTHERN REGION

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO


State of Idaho)
County of Custer) ss


Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all the duties of the office of Watermaster of District 72-A according to the best of my ability. So help me God.


Watermaster CRAIG WINSTEAD

SUBSCRIBED AND SWORN TO before me this 28th day of March, 2017.




Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED
APR 14 2017

Craig Winstead
Water Master

RECEIVED

APR 04 2017

DEPT OF WATER RESOURCES
SOUTHERN REGION

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

State of Idaho)
County of Custer) ss


Official Oath

I do solemnly swear or affirm that I will support the Constitution of the United States, the Constitution and laws of the State of Idaho, specifically including the provisions of Section 42-605 and 42-607, Idaho Code, and that I will faithfully discharge all duties as Assistant Watermaster of District 72-A according to the best of my ability. So help me God.

Craig Vaughn
Assistant Watermaster

SUBSCRIBED AND SWORN TO before me this 30 day of JAN, 2017

SEAL



Lucinda Philips
Notary Public
Residing At Challis, Idaho
Commission Expires 3-19-19

SCANNED
APR 14 2017

Craig Vaughn
Assistant Water Master

APR 04 2017

DEPT OF WATER RESOURCES
SOUTHERN REGION**ANNUAL MEETING MINUTES**

WATER DISTRICT No. 72-A Garden Creek & Challis Creek
MEETING DATE: Monday, January 23, 2017
MEETING LOCATION: Custer County Court House
Challis, Idaho 83226
MEETING SECRETARY NAME: Cindy Philps
MEETING LOCATION: 25035 Highway 93 North
Challis, Idaho 83226

The meeting was called to order at 7:06 p.m. by Chairman Corey Rice.

The floor was opened to nominations for the Chairman. Alan Henderson moved to nominate Corey Rice as the Chairman. Motion was seconded by Jeri D'Orazio.

The 2016 Annual Meeting Minutes were approved as submitted. Jeri D'Orazio moved to accept the minutes. The motion was seconded by Alan Henderson.

The 2016 treasures report with the accompanying income and expense breakdown were also provided to all water right owners. Travis Bullock moved to accept the treasurers report. The motion was seconded by Tim Kemery.

Watermaster Rick Philps was unable to attend as he was at a doctors appointment. Craig Vaughn representing Steve Bauchman discussed moving Rick to a salary instead of an hourly wage. Due to Rick enjoying being Watermaster he does not bill for all hours and mileage. Craig made the motion on behalf of Steve Bauchman to have Mr. Philps have a set salary of \$4,000 to include all wages and transportation expenses. The 2017 season shall commence from April 1st and terminate November 1st. Alan Henderson moved for Mr. Philps to be salaried at \$4,000 for the 2017 season. The motion was seconded by Jeri D'Orazio.

On behalf of Steve Bauchman, Mr. Vaughn also brought up the issue of diversions not having proper measuring devices and are not lockable. Mr. Bauchman would like to propose that after all devices meet the districts standards. Devices that are not up to standard should be given 30 days. After 30 days if the devices is not brought up to standard, deliveries to noncompliant diversions will not be made until they are brought into compliance.

Also Mr. Vaughn brought up the issue of shared lateral administration on behalf of Mr. Bauchman. The problem seems to be growing among the shared lateral diversions. This is not a problem that the Watermaster should be in conflict with. The Watermaster is only responsible for delivery of water to starting point of the diversion, not beyond the lateral diversions. These shared lateral users should have one representative that will call on the Watermaster for water.

Jeri D'Orazio moved to adopt a resolution for the shared lateral administration:

Shared Lateral Administration Resolution

Be it resolved on all diversions with multiple users, pipelines and ditches, said water right holders shall designate a representative that will represent all water right holders on the said diversion. The representative shall be the point of contact between the Watermaster and water users on the shared diversion. The representative shall be responsible for ordering water and delivery of water beyond the diversion. The representative shall also notifying users of water cuts.

The motion was seconded by Alan Henderson.

The Chairman opened nominations for the Watermaster. Travis Bullock nominated Rick Philps for the Watermaster and Craig Vaughn as Ditch Rider. The motion was seconded by Jeri D'Orazio.

The Chairman opened nominations for the secretary/treasurer. Tim Kemery nominated Cindy Philps for the secretary/treasurer. Motion was seconded by Brenda Bullock.

The Chairman opened nominations for the advisory board. Chuck Babb made the motion to keep all those currently serving in the same positions:

Garden Creek Representatives: Tim Kemery, Jeri D'Orazio and Alan Henderson

Challis Creek Representatives: Steve Bauchman, Anthony Gammache and Julian Piva

All in favor. Motion passed.

The next annual meeting will be held the 22nd of January, 2018 at 7 p.m. at the Custer County Courthouse.

Due to no further business the meeting Chairman Cory Rice adjourned the meeting at 7:55 p.m.

RECEIVED

APR 04 2017

DEPT OF WATER RESOURCES
SOUTHERN REGION

WATER DISTRICT 72A
Special Advisory Board Meeting

In accordance with Idaho Code 42, Section 605; Subsection 10a, the Water District 72A Advisory Committee met on March 7, 2017, to nominate a successor watermaster and other related matters resulting from the passing of Mr. Rick Philips.

Upon receipt of the majority of the Advisory Committee members as attested to by their signature, they are recommending that Mr. Craig Winstead serve as watermaster for the 2017 irrigation season. The water masters contact information is:


Mr. Craig Winstead
P.O. Box 1250
Challis, Idaho 83226
Cwinstead45@gmail.com
208-879-5968


Watermaster salary was fixed at \$22.00/hr with the anticipation that anticipated duties would not exceed 250 hours, without further authorization from the Advisory Board.

It is recognized that there is significant amount of work involved in assembling the necessary paperwork and becoming familiar with the issues on the district. He is advised to address the issue of measuring devices in the district and all related lateral ditches. Furthermore by resolution, the water master is directed to address all lateral ditches of two or more water right holders to appoint a representative, or upon the failure to do so, shall appoint a manager for said lateral, direct as required in accordance with Idaho Code 42-905 to 910.



Mr. Anthony Gammache

Affirmed by phone 3-11-17
Mr. Julian Piva 208-833-5853


Mr. Jerry Dorazio 208-339-4326
Doraz1963@gmail.com


Mr. Alan Henderson 208-879-4563
harrietmagee@hotmail.com

Affirmed by phone 3-11-17
Mr. Tim Kemery 208-879-2148
tek@custertel.net


Mr. Stephen Bauchman 208-833-5515
sbauchman@challisrck.com

SCANNED
APR 14 2017

2017 Budget Expense Breakdown
Garden Creek & Challis Creek
Water District 72-A

Remuneration:

\$ 1,500.00	Secretary/Treasurer Compensation
4,000.00	Watermaster's Compensation
4,000.00	Ditch Rider's Compensation

Pro Rata Expenses:

2,500.00	Mileage Expense
600.00	State Insurance Fund (Workman's Comp)
200.00	Computer/PDA/Software Expense
250.00	P. O. Box & Postage
200.00	Telephone, Office Supplies & Miscellaneous
150.00	Copy Charges
100.00	Watermaster/Ditch Rider Supplies
\$ 13,500.00	Total Budgeted

\$ 3,500.00	Total Highline Budgeted
--------------------	--------------------------------

SCANNED
JUN 05 2017

WATER MASTER VACANCY

Idaho Code 42; Section 605; Subsection 10

If a duly elected or appointed watermaster resigns, dies or is physically unable to perform his duties during the remainder of the elected or appointed watermaster term of service, then the director of the department of water resources is authorized to appoint a successor for the unexpired term as provided in paragraphs (a) and (b) of this subsection.

(a) If a water district advisory committee has been chosen as provided in subsection (6) of this section, the water district advisory committee shall meet to either nominate a successor watermaster or request a special meeting as provided in subsection (11) of this section to elect a new watermaster. Upon receipt of a nomination from a majority of the members of the water district advisory committee, the director of the department of water resources is authorized to appoint the nominated successor watermaster for the unexpired term.

(b) If a water district advisory committee has not been chosen, the director of the department of water resources is authorized to appoint a temporary successor watermaster. The temporary appointment extends through the unexpired term unless a special meeting is requested as provided in subsection (11) of this section and water users elect a new watermaster.

SCANNED
APR 14 2017

Reeder, Jana

From: Reeder, Jana
Sent: Wednesday, April 05, 2017 9:15 AM
To: Yenter, Cindy
Subject: FW: Water District 72-A, Garden Creek & Challis Creek
Attachments: 72A.pdf

From: Reeder, Jana
Sent: Wednesday, April 05, 2017 8:57 AM
To: 'Cindy Philps' <cphilps@idfbins.com>
Cc: Erickson, Nathan <Nathan.Erickson@idwr.idaho.gov>
Subject: RE: Water District 72-A, Garden Creek & Challis Creek

Hi Cindy,

I still need the Water District's approved budget for 2017. Please send me a copy as soon as possible. I have attached the 2017 Certificates for the Watermaster, his Assistant and yourself. Let me know if I can be of any assistance this coming season and have a great year.

Thank you,

Jana

From: Erickson, Nathan
Sent: Tuesday, April 04, 2017 10:47 AM
To: Reeder, Jana <Jana.Reeder@idwr.idaho.gov>
Subject: FW: Water District 72-A, Garden Creek & Challis Creek

From: Cindy Philps [<mailto:cphilps@idfbins.com>]
Sent: Tuesday, April 04, 2017 10:44 AM
To: Erickson, Nathan <Nathan.Erickson@idwr.idaho.gov>
Subject: Water District 72-A, Garden Creek & Challis Creek

Hi Nathan,

I hope I have what you need to appoint Craig Winstead as the Watermaster for 72-A.

Please let me know if you need something else. ☺

Thank you,

Cindy Philps
Water District 72-A
Secretary

	A	B	C	D	E	F	G
1	WATER DISTRICT 72A NOTICE LIST NEW ENTRIES						
2		OwnerName	Lastname	StreetAddress1	City	StateCode	PostalCode
3	ADD	GEM 2000 LP	GEM 2000 LP	PO BOX 1176	CHALLIS	ID	83226
4	ADD	GEMMA M AND STEVEN JAMES SEIDEMAN	SEIDEMAN	PO BOX 644	CHALLIS	ID	83226-0644
5	ADD	HEATHER D AND JOSHUA J GRAHAM	GRAHAM	1185 CHALLIS CREEK RD	CHALLIS	ID	83226
6	ADD	IRINA GORBUNOV	GORBUNOV	2652 CHALLIS CREEK RD	CHALLIS	ID	83226
7	ADD	JOEL AND SABRINA PETERSON	PETERSON	2862 CHALLIS CREEK RD	CHALLIS	ID	83226
8	CHANGE	JUDY A AND ROGER J BRAUN	BRAUN	598 MEADOW RD	CHALLIS	ID	83226
9	ADD	JUSTIN AND PATRICIA FARR	FARR	PO BOX 1255	CHALLIS	ID	83226
10	ADD	MELISSA E AND ROLF J GUERRERO	GUERRERO	PO BOX 342	DURHAM	CA	95938
11	ADD	MICHAEL R AND SHANA D WILLIAMS	WILLIAMS	PO BOX 1129	CHALLIS	ID	83226
12	ADD	ALETHEA WINCHESTER	WINCHESTER	175 COWBOY WAY	CHALLIS	ID	83226

Changes per Cindy Yenter
10/25/16

	H	I
1		
2	WaterRights	COMMENTS
3	72-2109, 72-24F, 72-31, 72-32A AND 72-4231F	ADDRESS VERIFIED FROM TAXLOT
4	72-116A	ADDRESS VERIFIED FROM TAXLOT
5	72-16911	ADDRESS VERIFIED FROM TAXLOT
6	72-7291	ADDRESS VERIFIED FROM TAXLOT
7	72-4D	ADDRESS VERIFIED FROM TAXLOT
8	72-12G AND 72-2104D	OWNER CHANGE 2/2016 - REPLACES JIM/WATANA DUNGEN
9	72-16909 AND 72-7569	ADDRESS VERIFIED FROM TAXLOT. NEW PERMIT 2015
10	72-4117 AND 72-7509	ADDRESS VERIFIED FROM TAXLOT
11	72-29A	ADDRESS VERIFIED FROM TAXLOT
12	72-4J	ADDRESS VERIFIED FROM TAXLOT

RECEIVED

DEC 15 2016



State of Idaho

DEPT OF WATER RESOURCES
SOUTHERN REGION

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5851
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

To: WD 72A Garden and Challis Creeks
From: IDWR Water Distribution Section
Date: November 25, 2016
Re: Annual Water District Meeting Information Form

Please complete this annual water district meeting information form and return it to IDWR (contact information below). Upon receipt of the completed form, IDWR sends meeting notices to each water user and interested party in the district. Notices must be mailed no later than three weeks prior to the meeting day. Therefore, to provide IDWR adequate time to create and mail the notices, please return the completed form to IDWR by as soon as possible or no later than four weeks before the meeting day.

Meeting Location

Facility Name Custer County Court House
Room Name/Number Court Room
Street Address 801 E Main Ave
City Challis, ID

Meeting Time/Day

Date (month, day, year) ^{23rd} January 25, 2017
Day of Week Monday 4 Monday of Jan - per cphilps
Time 7 pm 12/15/16
cd

Signature, Water District Representative *[Handwritten Signature]*
Title Secretary

Representative Phone Number (208) 339-4828

Representative Email Address cphilps@idfbins.com

Return this form via mail, fax, or email, attention: Nathan Erickson

Mail
650 Addison Ave W Ste 500
Twin Falls, ID 83301

Fax
(208)736-3037

Email
Nathan.Erickson@idwr.idaho.gov



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

December 15, 2016

ALAN AND HARRIET HENDERSON
PO BOX 645
CHALLIS ID 83226-0645

Dear Water User,

Notice is hereby given, that pursuant to law, the regular **annual meeting** for adoption of a budget and election of a water master for **Water District 72A, Garden and Challis Creeks**, is scheduled for the time and location listed below.

Day & Date: Monday, January 23, 2017
Time: 7:00 PM
Location: Custer County Court House
Court Room
801 E Main St
Challis, ID

For more information regarding water rights and water districts, including forms and records, visit the Idaho Department of Water Resources (IDWR) website, www.idwr.idaho.gov.

If you have questions regarding this notice, please contact the IDWR Southern Region office at (208) 736-3033.

Sincerely,

A handwritten signature in black ink that reads "Gary Spackman". The signature is written in a cursive style with a large, sweeping 'G' and 'S'.

Gary Spackman
Director