

Water District 72A

2019

WATERMASTER REQUIREMENT SHEET

Date of Meeting: Jan. 22 Time of Meeting: 7:15

Place of Meeting: Custer County Courthouse

IDWR Employee(s) in attendance at Annual Meeting: Cindy Yenter

Chairman: Corey Rice
(Name) (Address) (Phone)

Watermaster: David Philips

Assistant Watermaster:

Sec/Treasurer: Cindy Philips

Budget for the year : 13000.00, (if over \$3000.00 need oath from Sec/Treas and do certificate

Comments: _____

Appointment Requirements:

Copy of annual meeting minutes received: 4/18/19

Adopted Budget received: 4/18/19

Certificate of Appointment to Watermaster/Assistant sent: 5/14/19

(_____ daily record books & instruction to watermaster sent)

Certificate of Appointment to Secretary/Treasurer sent: 5/14/19

Water District Information:

Watermaster Report received: _____

Daily records book received: _____

RECEIVED

MAY 06 2020

DEPT OF WATER RESOURCES
SOUTHERN REGION

WATERMASTER'S REPORT

WATER DISTRICT No. 72A

WATER DISTRICT NAME: CHALLIS/GARDEN CREEKS
AREA SUB-DISTRICT _____

January/2020 through December/2020

WATERMASTER NAME: David Philps

WATERMASTER ADDRESS: 25035 Highway 93 N., Challis, ID 83226

SECTION 42-606, IDAHO CODE

REPORTS OF WATERMASTERS. All watermasters shall make an annual report to the department of water resources prior to the expiration of the watermaster's appointment for the current year. This report shall show the total amount of water delivered by the watermaster during the preceding year, the amount delivered to each water user, the total expense of delivery and the apportionment of expenses among users and all debits and credits to be carried over to the following year. Such report shall also include records of stream flow the watermaster used or made in the process of distributing water supplies. The director may ask for other information deemed necessary in assuring proper distribution of water supplies within the district. The reports of watermasters to the department of water resources shall be filed and kept in the office of the department.


State of Idaho)
County of Custer) ss

AFFIDAVIT OF WATERMASTER

David Philps, being first duly sworn deposes and says that he is Watermaster of Water District No. 72A, having been lawfully appointed by _____, Director, Idaho Department of Water Resources, and that the volumes of water as stated in this report and prorated by him to the water right holders of the district are correct.

David Philps
Watermaster, District No. 72A

SUBSCRIBED AND SWORN to before me this 1st day of April, 2020



LaCinda Philps
Notary Public

Residing at Challis, Idaho

Commission Expires 3-19-25

I HEREBY CERTIFY that, David Philps was lawfully appointed by me as Watermaster of Water District No. 72A, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

SCANNED

MAY 06 2020

RECEIVED
MAY 06 2020
DEPT OF WATER RESOURCES
SOUTHERN REGION

WATERMASTER'S REPORT 2020 Delivery Records

See attached pages/log books

SCANNED
MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72110002 - D - GDN02 - A0003067

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
2	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
3	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
4	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
5	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
6	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
7	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
8	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
9	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
10	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
11	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
12	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
13	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
14	--	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
15	--	--	--	--	0.50 ^m	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
16	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
17	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
18	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
19	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
20	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
21	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
22	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
23	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
24	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
25	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
26	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
27	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
28	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
29	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	--	--	--
30	--	--	--	--	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ⁱ	0.50 ^m	--	--	--
31	--	--	--	--	0.50 ⁱ	--	0.50 ⁱ	0.50 ⁱ	--	--	--	--
Total:	--	--	--	--	8.50	15.0	15.5	15.5	15.0	--	--	--
Mean:	--	--	--	--	0.50	0.50	0.50	0.50	0.50	--	--	--
Min:	--	--	--	--	0.50	0.50	0.50	0.50	0.50	--	--	--
Max:	--	--	--	--	0.50	0.50	0.50	0.50	0.50	--	--	--
AC-FT:	--	--	--	--	16.9	29.8	30.7	30.7	29.8	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 69.5

TOTAL AC-FT: 137.8

SCANNED

MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72110005 - D - GDN05 - A0003065

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
2	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
3	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
4	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
5	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
6	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
7	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
8	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
9	--	--	--	--	--	--	0.40 ⁱ	--	--	--	--	--
10	--	--	--	--	--	0.40 ⁿ	0.40 ⁱ	--	--	--	--	--
11	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
12	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
13	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
14	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
15	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
16	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
17	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
18	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
19	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
20	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
21	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
22	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
23	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
24	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
25	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
26	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
27	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
28	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
29	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
30	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
31	--	--	--	--	--	--	0.40 ^m	--	--	--	--	--
Total:	--	--	--	--	--	8.40	12.4	--	--	--	--	--
Mean:	--	--	--	--	--	0.40	0.40	--	--	--	--	--
Min:	--	--	--	--	--	0.40	0.40	--	--	--	--	--
Max:	--	--	--	--	--	0.40	0.40	--	--	--	--	--
AC-FT:	--	--	--	--	--	16.7	24.6	--	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 20.8

TOTAL AC-FT: 41.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110012 - D - GDN12 - A0002509**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.20 ^m	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ^m	2.20 ^m	--	--
2	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ^m	--	--	--
3	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
4	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
5	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
6	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
7	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
8	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
9	--	--	--	--	2.20 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
10	--	--	--	--	2.20 ^m	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
11	--	--	--	--	3.40 ^m	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
12	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
13	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
14	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
15	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
16	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
17	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
18	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
19	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
20	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
21	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
22	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
23	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ⁱ	--	--	--
24	--	--	--	--	3.40 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	4.63 ^m	--	--	--
25	--	--	--	--	3.40 ^m	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ^m	--	--	--
26	--	--	--	--	5.36 ^m	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ⁱ	--	--	--
27	--	--	--	--	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ⁱ	--	--	--
28	--	--	--	--	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ⁱ	--	--	--
29	--	--	--	--	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ⁱ	--	--	--
30	--	--	--	--	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	5.36 ⁱ	2.20 ⁱ	--	--	--
31	--	--	--	--	5.36 ⁱ	--	5.36 ⁱ	5.36 ⁱ	--	--	--	--
Total:	--	--	--	--	105.2	160.8	166.2	166.2	125.1	2.20	--	--
Mean:	--	--	--	--	3.39	5.36	5.36	5.36	4.17	2.20	--	--
Min:	--	--	--	--	2.20	5.36	5.36	5.36	2.20	2.20	--	--
Max:	--	--	--	--	5.36	5.36	5.36	5.36	5.36	2.20	--	--
AC-FT:	--	--	--	--	208.6	319.0	329.6	329.6	248.0	4.36	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 725.5

TOTAL AC-FT: 1439

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110016 - D - GDN16 - A0003078**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ^m	2.40 ^m	--	--
2	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ^m	--	--	--
3	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
4	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
5	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
6	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
7	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
8	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
9	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
10	--	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
11	--	--	--	--	2.40 ^m	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
12	--	--	--	--	4.80 ^m	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
13	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
14	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
15	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
16	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
17	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
18	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
19	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
20	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
21	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
22	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
23	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
24	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
25	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
26	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
27	--	--	--	--	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
28	--	--	--	2.40 ^m	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
29	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
30	--	--	--	2.40 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	4.80 ⁱ	2.40 ⁱ	--	--	--
31	--	--	--	--	4.80 ⁱ	--	4.80 ⁱ	4.80 ⁱ	--	--	--	--
Total:	--	--	--	7.20	122.4	144.0	148.8	148.8	74.4	2.40	--	--
Mean:	--	--	--	2.40	3.95	4.80	4.80	4.80	2.48	2.40	--	--
Min:	--	--	--	2.40	2.40	4.80	4.80	4.80	2.40	2.40	--	--
Max:	--	--	--	2.40	4.80	4.80	4.80	4.80	4.80	2.40	--	--
AC-FT:	--	--	--	14.3	242.8	285.6	295.1	295.1	147.6	4.76	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 648.0

TOTAL AC-FT: 1285

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110018 - D - GDN18 - A0002511**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ^m	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ^m	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ^m	2.16 ⁱ	2.16 ⁱ	--	--	--	--
3	--	--	--	--	0.10 ⁱ	2.16 ^m	2.16 ⁱ	2.16 ⁱ	--	--	--	--
4	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
5	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
6	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
7	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
8	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
9	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
10	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
11	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
12	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
13	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
14	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
15	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
16	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
17	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
18	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
19	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
20	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
21	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
22	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
23	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
24	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
25	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
26	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
27	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
28	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
29	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
30	--	--	--	--	0.10 ⁱ	2.16 ⁱ	2.16 ⁱ	2.16 ⁱ	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	2.16 ⁱ	2.16 ⁱ	--	--	--	--
Total:	--	--	--	--	3.10	60.7	67.0	67.0	2.16	--	--	--
Mean:	--	--	--	--	0.10	2.02	2.16	2.16	2.16	--	--	--
Min:	--	--	--	--	0.10	0.10	2.16	2.16	2.16	--	--	--
Max:	--	--	--	--	0.10	2.16	2.16	2.16	2.16	--	--	--
AC-FT:	--	--	--	--	6.15	120.4	132.8	132.8	4.28	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 199.9

TOTAL AC-FT: 396.4

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110019 - D - GDN19 - A0002510**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.50 ^m	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
2	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
3	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
4	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
5	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
6	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
7	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
8	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
9	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
10	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
11	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
12	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
13	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
14	--	--	--	--	0.50 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
15	--	--	--	--	0.50 ^m	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
16	--	--	--	--	1.76 ^m	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
17	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
18	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
19	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
20	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
21	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
22	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
23	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--
24	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ^m	--	--	--
25	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
26	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
27	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
28	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
29	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
30	--	--	--	--	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	1.76 ⁱ	--	--	--	--
31	--	--	--	--	1.76 ⁱ	--	1.76 ⁱ	1.76 ⁱ	--	--	--	--
Total:	--	--	--	--	35.7	52.8	54.6	54.6	42.2	--	--	--
Mean:	--	--	--	--	1.15	1.76	1.76	1.76	1.76	--	--	--
Min:	--	--	--	--	0.50	1.76	1.76	1.76	1.76	--	--	--
Max:	--	--	--	--	1.76	1.76	1.76	1.76	1.76	--	--	--
AC-FT:	--	--	--	--	70.7	104.7	108.2	108.2	83.8	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 239.8

TOTAL AC-FT: 475.7

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110025 - D - GDN25 - A0002512**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.46 ^m	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
2	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
3	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
4	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
5	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
6	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
7	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
8	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
9	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
10	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
11	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
12	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
13	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
14	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
15	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
16	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
17	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
18	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
19	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
20	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
21	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--
22	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ^m	--	--	--
23	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
24	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
25	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
26	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
27	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
28	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
29	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
30	--	--	--	--	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	0.46 ⁱ	--	--	--	--
31	--	--	--	--	0.46 ⁱ	--	0.46 ⁱ	0.46 ⁱ	--	--	--	--
Total:	--	--	--	--	14.3	13.8	14.3	14.3	10.1	--	--	--
Mean:	--	--	--	--	0.46	0.46	0.46	0.46	0.46	--	--	--
Min:	--	--	--	--	0.46	0.46	0.46	0.46	0.46	--	--	--
Max:	--	--	--	--	0.46	0.46	0.46	0.46	0.46	--	--	--
AC-FT:	--	--	--	--	28.3	27.4	28.3	28.3	20.1	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 66.7

TOTAL AC-FT: 132.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72110027 - D - GDN27 - A0003068**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.02 ^m	1.02 ⁱ	1.02 ⁱ	0.70 ^m	0.70 ^m	--	--
2	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
3	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
4	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
5	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
6	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
7	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
8	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
9	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
10	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
11	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
12	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
13	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
14	--	--	--	--	--	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
15	--	--	--	--	0.70 ^m	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
16	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
17	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
22	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
23	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
24	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
25	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
26	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
27	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
28	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
29	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
30	--	--	--	--	0.70 ⁱ	1.02 ⁱ	1.02 ⁱ	1.02 ⁱ	0.70 ⁱ	--	--	--
31	--	--	--	--	0.70 ^m	--	1.02 ⁱ	1.02 ^m	--	--	--	--
Total:	--	--	--	--	11.9	30.6	31.6	31.6	21.0	0.70	--	--
Mean:	--	--	--	--	0.70	1.02	1.02	1.02	0.70	0.70	--	--
Min:	--	--	--	--	0.70	1.02	1.02	1.02	0.70	0.70	--	--
Max:	--	--	--	--	0.70	1.02	1.02	1.02	0.70	0.70	--	--
AC-FT:	--	--	--	--	23.6	60.7	62.7	62.7	41.7	1.39	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 127.4

TOTAL AC-FT: 252.8

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120001 - D - CHLC01 - A0002608**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	1.50 ⁱ	--	--
2	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	1.50 ⁱ	--	--
3	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	1.50 ⁱ	--	--
4	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	1.50 ⁱ	--	--
5	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	1.50 ^m	--	--
6	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
7	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
8	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
9	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
10	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
11	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
12	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
13	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
14	--	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
15	--	--	--	--	5.97 ^m	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
16	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
17	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
18	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
19	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
20	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
21	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
22	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
23	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
24	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
25	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
26	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ⁱ	--	--	--
27	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ⁱ	2.07 ^m	--	--	--
28	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ⁱ	3.17 ^m	1.50 ^m	--	--	--
29	--	--	--	--	5.97 ⁱ	5.97 ⁱ	5.97 ^m	2.07 ^m	1.50 ⁱ	--	--	--
30	--	--	--	--	5.97 ⁱ	5.97 ⁱ	3.17 ^m	2.07 ⁱ	1.50 ⁱ	--	--	--
31	--	--	--	--	5.97 ⁱ	--	3.17 ⁱ	2.07 ⁱ	--	--	--	--
Total:	--	--	--	--	101.5	179.1	179.5	95.0	60.4	7.50	--	--
Mean:	--	--	--	--	5.97	5.97	5.79	3.06	2.01	1.50	--	--
Min:	--	--	--	--	5.97	5.97	3.17	2.07	1.50	1.50	--	--
Max:	--	--	--	--	5.97	5.97	5.97	3.17	2.07	1.50	--	--
AC-FT:	--	--	--	--	201.3	355.2	356.0	188.4	119.8	14.9	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 622.9

TOTAL AC-FT: 1235

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120002 - D - CHLC02 - A0002707**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.92 ^m	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
2	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
3	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
4	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
5	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
6	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
7	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
8	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
9	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
10	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
11	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
12	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
13	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
14	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
15	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
16	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
17	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
18	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
19	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
20	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
21	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
22	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
23	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
24	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
25	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
26	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
27	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
28	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
29	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	--	--	--
30	--	--	--	--	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ⁱ	0.92 ^m	--	--	--
31	--	--	--	--	0.92 ⁱ	--	0.92 ⁱ	0.92 ⁱ	--	--	--	--
Total:	--	--	--	--	28.5	27.6	28.5	28.5	27.6	--	--	--
Mean:	--	--	--	--	0.92	0.92	0.92	0.92	0.92	--	--	--
Min:	--	--	--	--	0.92	0.92	0.92	0.92	0.92	--	--	--
Max:	--	--	--	--	0.92	0.92	0.92	0.92	0.92	--	--	--
AC-FT:	--	--	--	--	56.6	54.7	56.6	56.6	54.7	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 140.8

TOTAL AC-FT: 279.2

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120006 - D - CHLC03 - A0002705**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.44 ^m	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--
2	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁿ	--	--
3	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	--	--	--
4	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	--	--	--
5	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	--	--	--
6	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	--	--	--
7	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	--	--	--
8	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁿ	--	--	--
9	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ^m	--	--	--
10	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
11	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
12	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
13	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
14	--	--	--	--	3.44 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
15	--	--	--	--	3.44 ^m	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
16	--	--	--	--	5.94 ^m	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
17	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
18	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
19	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
20	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
21	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
22	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
23	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
24	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
25	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
26	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
27	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
28	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
29	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
30	--	--	--	--	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	5.94 ⁱ	1.08 ⁱ	--	--	--
31	--	--	--	--	5.94 ⁱ	--	5.94 ⁱ	5.94 ⁱ	--	--	--	--
Total:	--	--	--	--	146.6	178.2	184.1	184.1	71.3	2.16	--	--
Mean:	--	--	--	--	4.73	5.94	5.94	5.94	2.38	1.08	--	--
Min:	--	--	--	--	3.44	5.94	5.94	5.94	1.08	1.08	--	--
Max:	--	--	--	--	5.94	5.94	5.94	5.94	5.94	1.08	--	--
AC-FT:	--	--	--	--	290.9	353.5	365.2	365.2	141.4	4.28	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 766.6

TOTAL AC-FT: 1520

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120007 - D - CHLC04 - A0002600**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.97 ^m	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ^m	--	--
2	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
3	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
4	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
5	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
6	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
7	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
8	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
9	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
10	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	--	--	--
11	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ^m	--	--	--
12	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ^m	--	--	--
13	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
14	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
15	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
16	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
17	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
18	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
19	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
20	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
21	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
22	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
23	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
24	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
25	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
26	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
27	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
28	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
29	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
30	--	--	--	--	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.97 ⁱ	1.39 ⁱ	--	--	--
31	--	--	--	--	1.97 ⁱ	--	1.97 ⁱ	1.97 ⁱ	--	--	--	--
Total:	--	--	--	--	61.1	59.1	61.1	61.1	48.1	1.39	--	--
Mean:	--	--	--	--	1.97	1.97	1.97	1.97	1.60	1.39	--	--
Min:	--	--	--	--	1.97	1.97	1.97	1.97	1.39	1.39	--	--
Max:	--	--	--	--	1.97	1.97	1.97	1.97	1.97	1.39	--	--
AC-FT:	--	--	--	--	121.1	117.2	121.1	121.1	95.4	2.76	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 291.8

TOTAL AC-FT: 578.7

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120009 - D - CHLC06 - A0002598**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.41 ^m	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
2	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
3	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
4	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
5	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
6	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
7	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
8	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
9	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
10	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
11	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
12	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
13	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
14	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
15	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
16	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
17	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
18	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
19	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
20	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
21	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
22	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
23	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
24	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
25	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
26	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
27	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--
28	--	--	--	--	0.41 ⁱ	0.41 ⁱ	0.41 ^m	--	--	--	--	--
29	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.41 ⁱ	0.41 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.41 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.7	12.3	11.5	--	--	--	--	--
Mean:	--	--	--	--	0.41	0.41	0.41	--	--	--	--	--
Min:	--	--	--	--	0.41	0.41	0.41	--	--	--	--	--
Max:	--	--	--	--	0.41	0.41	0.41	--	--	--	--	--
AC-FT:	--	--	--	--	25.2	24.4	22.8	--	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 36.5

TOTAL AC-FT: 72.4

SCANNED

MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72120010 - D - CHLC07 - A0002599

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
2	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
3	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
4	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
5	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
6	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
7	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
8	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
9	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
10	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
11	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
12	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
13	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
14	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
15	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
16	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
17	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--
18	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ^m	--	--	--	--
19	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
20	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
21	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
22	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
23	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
24	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
25	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
26	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
27	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
28	--	--	--	--	--	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
29	--	--	--	--	0.26 ^m	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
30	--	--	--	--	0.26 ⁱ	0.26 ⁱ	0.26 ⁱ	--	--	--	--	--
31	--	--	--	--	0.26 ⁱ	--	0.26 ⁱ	--	--	--	--	--
Total:	--	--	--	--	0.78	7.80	8.06	4.68	--	--	--	--
Mean:	--	--	--	--	0.26	0.26	0.26	0.26	--	--	--	--
Min:	--	--	--	--	0.26	0.26	0.26	0.26	--	--	--	--
Max:	--	--	--	--	0.26	0.26	0.26	0.26	--	--	--	--
AC-FT:	--	--	--	--	1.55	15.5	16.0	9.28	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 21.3

TOTAL AC-FT: 42.3

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120015 - D - CHLC08A - A0002593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.20 ^m	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
2	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
3	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
4	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--
5	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ^m	--	--
6	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
7	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
8	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
9	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
10	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
11	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
12	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
13	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
14	--	--	--	--	--	0.20 ⁱ	0.20 ^m	0.08 ⁱ	0.08 ⁱ	--	--	--
15	--	--	--	--	--	0.20 ⁱ	0.08 ^m	0.08 ⁱ	0.08 ⁱ	--	--	--
16	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
17	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
18	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
19	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
20	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
21	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
22	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
23	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
24	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
25	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
26	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
27	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
28	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
29	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
30	--	--	--	--	--	0.20 ⁱ	0.08 ⁱ	0.08 ⁱ	0.08 ⁱ	--	--	--
31	--	--	--	--	--	--	0.08 ⁱ	0.08 ⁱ	--	--	--	--
Total:	--	--	--	--	--	6.00	4.16	2.48	2.40	0.40	--	--
Mean:	--	--	--	--	--	0.20	0.13	0.08	0.08	0.08	--	--
Min:	--	--	--	--	--	0.20	0.08	0.08	0.08	0.08	--	--
Max:	--	--	--	--	--	0.20	0.20	0.08	0.08	0.08	--	--
AC-FT:	--	--	--	--	--	11.9	8.25	4.92	4.76	0.79	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 15.4

TOTAL AC-FT: 30.6

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120017 - D - CHLC09 - A0002611**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.15 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--	--
2	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
3	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
4	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
5	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
6	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
7	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
8	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
9	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
10	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
11	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
12	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
13	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
14	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
15	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
16	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
17	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
18	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
19	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
20	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
21	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
22	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
23	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
24	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
25	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
26	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
27	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ^m	--	--	--	--
28	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--	--
29	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--	--
30	--	--	--	--	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--	--
31	--	--	--	--	--	--	0.15 ⁱ	--	--	--	--	--
Total:	--	--	--	--	--	4.50	4.65	4.05	--	--	--	--
Mean:	--	--	--	--	--	0.15	0.15	0.15	--	--	--	--
Min:	--	--	--	--	--	0.15	0.15	0.15	--	--	--	--
Max:	--	--	--	--	--	0.15	0.15	0.15	--	--	--	--
AC-FT:	--	--	--	--	--	8.93	9.22	8.03	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 13.2

TOTAL AC-FT: 26.2

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120018 - D - CHLC10 - A0002582**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	1.88 ⁱ	1.88 ^m	1.52 ⁿ	--	--	--
2	--	--	--	--	--	--	1.88 ⁱ	1.52 ^m	--	--	--	--
3	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
4	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
5	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
6	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
7	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
8	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
9	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
10	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
11	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
12	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
13	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
14	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
15	--	--	--	--	--	1.88 ^m	1.88 ⁱ	1.52 ⁱ	--	--	--	--
16	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
17	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
18	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
19	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
20	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
21	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
22	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
23	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
24	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
25	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
26	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
27	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
28	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
29	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
30	--	--	--	--	--	1.88 ⁱ	1.88 ⁱ	1.52 ⁱ	--	--	--	--
31	--	--	--	--	--	--	1.88 ⁱ	1.52 ⁱ	--	--	--	--
Total:	--	--	--	--	--	30.1	58.3	47.5	1.52	--	--	--
Mean:	--	--	--	--	--	1.88	1.88	1.53	1.52	--	--	--
Min:	--	--	--	--	--	1.88	1.88	1.52	1.52	--	--	--
Max:	--	--	--	--	--	1.88	1.88	1.88	1.52	--	--	--
AC-FT:	--	--	--	--	--	59.7	115.6	94.2	3.01	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 137.4

TOTAL AC-FT: 272.5

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120019 - D - CHLC10A - A0002581**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.20 ^m	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--
2	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--	--	--
3	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
4	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
5	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
6	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
7	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
8	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
9	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
10	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
11	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
12	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
13	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
14	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
15	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
16	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
17	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
18	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
19	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
20	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
21	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
22	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
23	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
24	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
25	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
26	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
27	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
28	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
29	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
30	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--	--	--
31	--	--	--	--	0.20 ⁱ	--	0.20 ⁱ	--	--	--	--	--
Total:	--	--	--	--	6.20	6.00	6.20	0.40	--	--	--	--
Mean:	--	--	--	--	0.20	0.20	0.20	0.20	--	--	--	--
Min:	--	--	--	--	0.20	0.20	0.20	0.20	--	--	--	--
Max:	--	--	--	--	0.20	0.20	0.20	0.20	--	--	--	--
AC-FT:	--	--	--	--	12.3	11.9	12.3	0.79	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 18.8

TOTAL AC-FT: 37.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120020 - D - CHLC10B - A0002583**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--
2	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ^m	--	--	--
3	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
4	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
5	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
6	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
7	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
8	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
9	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
10	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
11	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
12	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
13	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
14	--	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
15	--	--	--	--	1.20 ^m	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
16	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
17	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
18	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
19	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
20	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
21	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
22	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
23	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
24	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
25	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
26	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
27	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
28	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
29	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
30	--	--	--	--	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	1.20 ⁱ	--	--	--	--
31	--	--	--	--	1.20 ⁱ	--	1.20 ⁱ	1.20 ⁱ	--	--	--	--
Total:	--	--	--	--	20.4	36.0	37.2	37.2	2.40	--	--	--
Mean:	--	--	--	--	1.20	1.20	1.20	1.20	1.20	--	--	--
Min:	--	--	--	--	1.20	1.20	1.20	1.20	1.20	--	--	--
Max:	--	--	--	--	1.20	1.20	1.20	1.20	1.20	--	--	--
AC-FT:	--	--	--	--	40.5	71.4	73.8	73.8	4.76	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 133.2

TOTAL AC-FT: 264.2

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120023 - D - CHLC11A - A0002585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.22 ^m	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
2	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
3	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
4	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
5	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
6	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
7	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--
8	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	0.22 ^m	--	--	--
9	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
10	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
11	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
12	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
13	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
14	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
15	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
16	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
17	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
18	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
19	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
20	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
21	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
22	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
23	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
24	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
25	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
26	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
27	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
28	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
29	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
30	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	0.22 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.22 ⁱ	0.22 ⁱ	--	--	--	--
Total:	--	--	--	--	--	6.60	6.82	6.82	1.76	--	--	--
Mean:	--	--	--	--	--	0.22	0.22	0.22	0.22	--	--	--
Min:	--	--	--	--	--	0.22	0.22	0.22	0.22	--	--	--
Max:	--	--	--	--	--	0.22	0.22	0.22	0.22	--	--	--
AC-FT:	--	--	--	--	--	13.1	13.5	13.5	3.49	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 22.0

TOTAL AC-FT: 43.6

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120024 - D - CHLC12 - A0007594**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	0.20 ⁿ	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ⁿ	--	--
3	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
4	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	--	--	0.20 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	--	--	6.20	6.20	6.00	0.40	--	--
Mean:	--	--	--	--	--	--	0.20	0.20	0.20	0.20	--	--
Min:	--	--	--	--	--	--	0.20	0.20	0.20	0.20	--	--
Max:	--	--	--	--	--	--	0.20	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	--	--	12.3	12.3	11.9	0.79	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 18.8

TOTAL AC-FT: 37.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120027 - D - CHLC16 - A0003053**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--
2	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ^m	--	--
3	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
4	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
5	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
6	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
7	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
8	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
9	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
10	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
11	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
12	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
13	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
14	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
15	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
16	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
17	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
18	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
19	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
20	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
21	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
22	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
23	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
24	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
25	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
26	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
27	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
28	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
29	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
30	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	--	--	--
31	--	--	--	--	--	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--
Total:	--	--	--	--	--	21.0	21.7	21.7	21.0	1.40	--	--
Mean:	--	--	--	--	--	0.70	0.70	0.70	0.70	0.70	--	--
Min:	--	--	--	--	--	0.70	0.70	0.70	0.70	0.70	--	--
Max:	--	--	--	--	--	0.70	0.70	0.70	0.70	0.70	--	--
AC-FT:	--	--	--	--	--	41.7	43.0	43.0	41.7	2.78	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 86.8

TOTAL AC-FT: 172.2

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120028 - D - CHLC17 - A0003052**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--
2	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	--	--
3	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
4	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
5	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
6	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
7	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
8	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
9	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
10	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
11	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
12	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
13	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
14	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
15	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
16	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
17	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
18	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
19	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
20	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
21	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
22	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
23	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
24	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
25	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
26	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
27	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
28	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
29	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
30	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
31	--	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--
Total:	--	--	--	--	--	57.0	58.9	58.9	57.0	3.80	--	--
Mean:	--	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--
Min:	--	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--
Max:	--	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--
AC-FT:	--	--	--	--	--	113.1	116.8	116.8	113.1	7.54	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 235.6

TOTAL AC-FT: 467.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120101 - D - DARCl - A0007596**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.79 ^m	0.79 ⁱ	--	--	--	--	--
2	--	--	--	--	--	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
3	--	--	--	--	--	0.79 ⁱ	0.79 ⁱ	--	--	--	--	--
4	--	--	--	--	--	0.79 ⁱ	0.79 ^m	--	--	--	--	--
5	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
6	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
7	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
8	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
9	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
10	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
11	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
12	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
13	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
14	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
15	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
16	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
17	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
18	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
19	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
20	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
21	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
22	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
23	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
24	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
25	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
26	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
27	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
28	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
29	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
30	--	--	--	--	--	0.79 ⁱ	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	23.7	3.16	--	--	--	--	--
Mean:	--	--	--	--	--	0.79	0.79	--	--	--	--	--
Min:	--	--	--	--	--	0.79	0.79	--	--	--	--	--
Max:	--	--	--	--	--	0.79	0.79	--	--	--	--	--
AC-FT:	--	--	--	--	--	47.0	6.27	--	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 26.9

TOTAL AC-FT: 53.3

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120103 - D - DARCS - A0002597**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
2	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
3	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--
4	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ^m	--	--	--	--	--
5	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
6	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
7	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
8	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
9	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
10	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
11	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
12	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
13	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
14	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
15	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁱ	--	--	--	--	--	--
31	--	--	--	--	0.40 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	--	12.4	12.0	1.60	--	--	--	--	--
Mean:	--	--	--	--	0.40	0.40	0.40	--	--	--	--	--
Min:	--	--	--	--	0.40	0.40	0.40	--	--	--	--	--
Max:	--	--	--	--	0.40	0.40	0.40	--	--	--	--	--
AC-FT:	--	--	--	--	24.6	23.8	3.17	--	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 26.0

TOTAL AC-FT: 51.6

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120201 - D - MLC1 - A0002591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.15 ^m	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ^m	--	--	--
2	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
3	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
4	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
5	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
6	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
7	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
8	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
9	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
10	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
11	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
12	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
13	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
14	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
15	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
16	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
17	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
18	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
19	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
20	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
21	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
22	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
23	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
24	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
25	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
26	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
27	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
28	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
29	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
30	--	--	--	--	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--	--
31	--	--	--	--	0.15 ⁱ	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--
Total:	--	--	--	--	4.65	4.50	4.65	4.65	0.15	--	--	--
Mean:	--	--	--	--	0.15	0.15	0.15	0.15	0.15	--	--	--
Min:	--	--	--	--	0.15	0.15	0.15	0.15	0.15	--	--	--
Max:	--	--	--	--	0.15	0.15	0.15	0.15	0.15	--	--	--
AC-FT:	--	--	--	--	9.22	8.93	9.22	9.22	0.30	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 18.6

TOTAL AC-FT: 36.9

SCANNED

MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72120301 - D - EDC1 - A0002589

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.90 ⁿ	0.90 ⁱ	--	--	--	--	--
2	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
3	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
4	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
5	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
6	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
7	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
8	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
9	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
10	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
11	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
12	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
13	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
14	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
15	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
16	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
17	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
18	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
19	--	--	--	--	--	0.90 ⁱ	0.90 ⁱ	--	--	--	--	--
20	--	--	--	--	--	0.90 ⁱ	0.90 ^m	--	--	--	--	--
21	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
22	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
23	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
24	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
25	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
26	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
27	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
28	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
29	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
30	--	--	--	--	--	0.90 ⁱ	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	27.0	18.0	--	--	--	--	--
Mean:	--	--	--	--	--	0.90	0.90	--	--	--	--	--
Min:	--	--	--	--	--	0.90	0.90	--	--	--	--	--
Max:	--	--	--	--	--	0.90	0.90	--	--	--	--	--
AC-FT:	--	--	--	--	--	53.6	35.7	--	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 45.0

TOTAL AC-FT: 89.3

SCANNED
MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72120302 - D - EDC2 - A0002590

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.25 ^m	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--
2	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁿ	--	--
3	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
4	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
5	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
6	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
7	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
8	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
9	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
10	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
11	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
12	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
13	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
14	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
15	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
16	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.25 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
17	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ^m	0.15 ⁱ	0.15 ⁱ	--	--	--
18	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
19	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
20	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
21	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
22	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
23	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
24	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
25	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
26	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
27	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
28	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
29	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
30	--	--	--	--	0.25 ⁱ	0.25 ⁱ	0.15 ⁱ	0.15 ⁱ	0.15 ⁱ	--	--	--
31	--	--	--	--	0.25 ⁱ	--	0.15 ⁱ	0.15 ⁱ	--	--	--	--
Total:	--	--	--	--	7.75	7.50	6.25	4.65	4.50	0.30	--	--
Mean:	--	--	--	--	0.25	0.25	0.20	0.15	0.15	0.15	--	--
Min:	--	--	--	--	0.25	0.25	0.15	0.15	0.15	0.15	--	--
Max:	--	--	--	--	0.25	0.25	0.25	0.15	0.15	0.15	--	--
AC-FT:	--	--	--	--	15.4	14.9	12.4	9.22	8.93	0.60	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 31.0

TOTAL AC-FT: 61.4

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120303 - D - EDC3 - A0002610**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.93 ⁿ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
2	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
3	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
4	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
5	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
6	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
7	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
8	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
9	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
10	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
11	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
12	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
13	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
14	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
15	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
16	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
17	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
18	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
19	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
20	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--
21	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	0.93 ^m	--	--	--
22	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
23	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
24	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
25	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
26	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
27	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
28	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
29	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
30	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	0.93 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.93 ⁱ	0.93 ⁱ	--	--	--	--
Total:	--	--	--	--	--	27.9	28.8	28.8	19.5	--	--	--
Mean:	--	--	--	--	--	0.93	0.93	0.93	0.93	--	--	--
Min:	--	--	--	--	--	0.93	0.93	0.93	0.93	--	--	--
Max:	--	--	--	--	--	0.93	0.93	0.93	0.93	--	--	--
AC-FT:	--	--	--	--	--	55.3	57.2	57.2	38.7	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 105.1

TOTAL AC-FT: 208.4

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120401 - D - PTC1 - A0002587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.33 ^m	0.33 ⁱ	0.33 ⁱ	--	--	--	--
2	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
3	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
4	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
5	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
6	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
7	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
8	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
9	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
10	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
11	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
12	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
13	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
14	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
15	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
16	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
17	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
18	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
19	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
20	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
21	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
22	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
23	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
24	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
25	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
26	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
27	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
28	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
29	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
30	--	--	--	--	--	0.33 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.33 ⁱ	0.33 ^m	--	--	--	--
Total:	--	--	--	--	--	9.90	10.2	10.2	--	--	--	--
Mean:	--	--	--	--	--	0.33	0.33	0.33	--	--	--	--
Min:	--	--	--	--	--	0.33	0.33	0.33	--	--	--	--
Max:	--	--	--	--	--	0.33	0.33	0.33	--	--	--	--
AC-FT:	--	--	--	--	--	19.6	20.3	20.3	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 30.4

TOTAL AC-FT: 60.2

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120501 - D - BRC1 - A0002588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.21 ^m	0.21 ⁱ	0.77 ⁱ	0.77 ^m	0.35 ⁱ	0.35 ⁱ	--	--
2	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ^m	0.35 ⁱ	0.35 ^m	--	--
3	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
4	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
5	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
6	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
7	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
8	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
9	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
10	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
11	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
12	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
13	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
14	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
15	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
16	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
17	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
18	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
19	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
20	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
21	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
22	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
23	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
24	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
25	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
26	--	--	--	--	0.21 ⁱ	0.21 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
27	--	--	--	--	0.21 ⁱ	0.21 ⁿ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
28	--	--	--	--	0.21 ⁱ	0.77 ^m	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
29	--	--	--	--	0.21 ⁱ	0.77 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
30	--	--	--	--	0.21 ⁱ	0.77 ⁱ	0.77 ⁱ	0.35 ⁱ	0.35 ⁱ	--	--	--
31	--	--	--	--	0.21 ⁱ	--	0.77 ⁱ	0.35 ⁱ	--	--	--	--
Total:	--	--	--	--	6.51	7.98	23.9	11.3	10.5	0.70	--	--
Mean:	--	--	--	--	0.21	0.27	0.77	0.36	0.35	0.35	--	--
Min:	--	--	--	--	0.21	0.21	0.77	0.35	0.35	0.35	--	--
Max:	--	--	--	--	0.21	0.77	0.77	0.77	0.35	0.35	--	--
AC-FT:	--	--	--	--	12.9	15.8	47.4	22.4	20.8	1.39	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 60.8

TOTAL AC-FT: 120.7

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120505 - D - BRC5 - A0002579**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.53 ^m	0.53 ⁱ	0.53 ⁿ	0.33 ⁱ	0.33 ⁱ	--	--
2	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁿ	0.33 ⁱ	0.33 ⁿ	--	--
3	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
4	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
5	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
6	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
7	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
8	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
9	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
10	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
11	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
12	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
13	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
14	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
15	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
16	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
17	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
18	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
19	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
20	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
21	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
22	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
23	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
24	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
25	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
26	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
27	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
28	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
29	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
30	--	--	--	--	--	0.53 ⁱ	0.53 ⁱ	0.33 ⁱ	0.33 ⁱ	--	--	--
31	--	--	--	--	--	--	0.53 ⁱ	0.33 ⁱ	--	--	--	--
Total:	--	--	--	--	--	15.9	16.4	10.4	9.90	0.66	--	--
Mean:	--	--	--	--	--	0.53	0.53	0.34	0.33	0.33	--	--
Min:	--	--	--	--	--	0.53	0.53	0.33	0.33	0.33	--	--
Max:	--	--	--	--	--	0.53	0.53	0.53	0.33	0.33	--	--
AC-FT:	--	--	--	--	--	31.5	32.6	20.7	19.6	1.31	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 53.3

TOTAL AC-FT: 105.8

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120506 - D - BRC6 - A0002580**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	0.97 ^m	0.97 ⁱ	0.97 ⁱ	0.97 ⁺	--	--
2	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	0.97 ^m	--	--
3	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
4	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
5	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
6	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
7	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
8	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
9	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
10	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
11	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
12	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
13	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
14	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
15	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
16	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
17	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
18	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
19	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
20	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
21	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
22	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
23	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
24	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
25	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
26	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
27	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
28	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
29	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
30	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	0.97 ⁱ	--	--	--
31	--	--	--	--	--	--	0.97 ⁱ	0.97 ⁱ	--	--	--	--
Total:	--	--	--	--	--	--	30.1	30.1	29.1	1.94	--	--
Mean:	--	--	--	--	--	--	0.97	0.97	0.97	0.97	--	--
Min:	--	--	--	--	--	--	0.97	0.97	0.97	0.97	--	--
Max:	--	--	--	--	--	--	0.97	0.97	0.97	0.97	--	--
AC-FT:	--	--	--	--	--	--	59.6	59.6	57.7	3.85	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 91.2

TOTAL AC-FT: 180.9

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72120601 - D - WVC1 - A0002578**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ^m	--	--
3	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
4	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.76 ^m	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.76 ^m	0.20 ⁱ	--	--	--
21	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ^m	0.20 ⁱ	--	--	--
22	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.76 ⁱ	0.76 ⁱ	0.76 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.76 ⁱ	--	0.76 ⁱ	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	12.9	22.8	23.6	17.4	6.00	0.40	--	--
Mean:	--	--	--	--	0.76	0.76	0.76	0.56	0.20	0.20	--	--
Min:	--	--	--	--	0.76	0.76	0.76	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.76	0.76	0.76	0.76	0.20	0.20	--	--
AC-FT:	--	--	--	--	25.6	45.2	46.7	34.5	11.9	0.79	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 83.1

TOTAL AC-FT: 164.8

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130002 - D - HLCNL-02 - A0002711**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.83 ^m	0.83 ⁱ	0.83 ⁱ	--	--	--	--
2	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
3	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
4	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
5	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
6	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
7	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
8	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
9	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
10	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
11	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
12	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
13	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
14	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
15	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
16	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
17	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
18	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
19	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
20	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
21	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
22	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
23	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
24	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
25	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
26	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
27	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
28	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
29	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
30	--	--	--	--	--	0.83 ⁱ	0.83 ⁱ	0.83 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.83 ⁱ	0.83 ^m	--	--	--	--
Total:	--	--	--	--	--	24.9	25.7	25.7	--	--	--	--
Mean:	--	--	--	--	--	0.83	0.83	0.83	--	--	--	--
Min:	--	--	--	--	--	0.83	0.83	0.83	--	--	--	--
Max:	--	--	--	--	--	0.83	0.83	0.83	--	--	--	--
AC-FT:	--	--	--	--	--	49.4	51.0	51.0	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 76.4

TOTAL AC-FT: 151.5

SCANNED
MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72130003 - D - HLCNL-03 - A0002594

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--
2	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ^m	--	--
3	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
4	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
5	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
6	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
7	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
8	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
9	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
10	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
11	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
12	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
13	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
15	--	--	--	--	2.00 ^m	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
16	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
17	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
18	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
19	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
20	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
21	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
22	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
23	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
24	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
25	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
26	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
27	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
28	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
29	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
30	--	--	--	--	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	2.00 ⁱ	--	--	--
31	--	--	--	--	2.00 ⁱ	--	2.00 ⁱ	2.00 ⁱ	--	--	--	--
Total:	--	--	--	--	34.0	60.0	62.0	62.0	60.0	4.00	--	--
Mean:	--	--	--	--	2.00	2.00	2.00	2.00	2.00	2.00	--	--
Min:	--	--	--	--	2.00	2.00	2.00	2.00	2.00	2.00	--	--
Max:	--	--	--	--	2.00	2.00	2.00	2.00	2.00	2.00	--	--
AC-FT:	--	--	--	--	67.4	119.0	123.0	123.0	119.0	7.93	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 282.0

TOTAL AC-FT: 559.4

SCANNED
MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72130004 - D - HLCNL-04 - A0002709

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.48 ^m	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ^m	0.40 ⁱ	--	--
2	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	0.40 ^m	--	--
3	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
4	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
5	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
6	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
7	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
8	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
9	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
10	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
11	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
12	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
13	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
15	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
16	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
17	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
18	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
19	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
25	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
26	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
27	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
28	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
29	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
30	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.40 ⁱ	--	--	--
31	--	--	--	--	0.48 ⁱ	--	0.48 ⁱ	0.48 ^m	--	--	--	--
Total:	--	--	--	--	14.9	14.4	14.9	14.9	12.0	0.80	--	--
Mean:	--	--	--	--	0.48	0.48	0.48	0.48	0.40	0.40	--	--
Min:	--	--	--	--	0.48	0.48	0.48	0.48	0.40	0.40	--	--
Max:	--	--	--	--	0.48	0.48	0.48	0.48	0.40	0.40	--	--
AC-FT:	--	--	--	--	29.5	28.6	29.5	29.5	23.8	1.59	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 71.8

TOTAL AC-FT: 142.5

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130007 - D - HLCNL-07 - A0002704**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.12 ^m	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
2	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
3	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
4	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
5	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
6	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
7	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--
8	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	0.12 ^m	--	--	--
9	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
10	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
11	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
12	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
13	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
14	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
15	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
16	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
17	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
18	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
19	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
20	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
21	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
22	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
23	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
24	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
25	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
26	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
27	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
28	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
29	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
30	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	0.12 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.12 ⁱ	0.12 ⁱ	--	--	--	--
Total:	--	--	--	--	--	3.60	3.72	3.72	0.96	--	--	--
Mean:	--	--	--	--	--	0.12	0.12	0.12	0.12	--	--	--
Min:	--	--	--	--	--	0.12	0.12	0.12	0.12	--	--	--
Max:	--	--	--	--	--	0.12	0.12	0.12	0.12	--	--	--
AC-FT:	--	--	--	--	--	7.14	7.38	7.38	1.90	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 12.0

TOTAL AC-FT: 23.8

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130008 - D - HLCNL-08 - A0002703**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	3.30 ^m	3.30 ⁱ	3.30 ⁱ	6.05 ^m	7.20 ^m	7.20 ⁱ	--	--
2	--	--	--	--	3.30 ⁱ	3.30 ⁱ	3.30 ⁱ	7.00 ^m	7.20 ⁱ	7.20 ^m	--	--
3	--	--	--	--	3.30 ⁱ	3.30 ⁱ	3.30 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
4	--	--	--	--	3.30 ⁱ	3.30 ⁱ	3.30 ^m	7.00 ⁱ	7.20 ⁱ	--	--	--
5	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ^m	7.00 ⁱ	7.20 ⁱ	--	--	--
6	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
7	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
8	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
9	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
10	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
11	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
12	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
13	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
14	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
15	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
16	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
17	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
18	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
19	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
20	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
21	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
22	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
23	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
24	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
25	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
26	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
27	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
28	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
29	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
30	--	--	--	--	3.30 ⁱ	3.30 ⁱ	6.05 ⁱ	7.00 ⁱ	7.20 ⁱ	--	--	--
31	--	--	--	--	3.30 ⁱ	--	6.05 ⁱ	7.00 ^m	--	--	--	--
Total:	--	--	--	--	102.3	99.0	176.6	216.1	216.0	14.4	--	--
Mean:	--	--	--	--	3.30	3.30	5.70	6.97	7.20	7.20	--	--
Min:	--	--	--	--	3.30	3.30	3.30	6.05	7.20	7.20	--	--
Max:	--	--	--	--	3.30	3.30	6.05	7.00	7.20	7.20	--	--
AC-FT:	--	--	--	--	202.9	196.4	350.2	428.5	428.4	28.6	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 824.3

TOTAL AC-FT: 1635

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130009 - D - HLCNL-09 - A0002702**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.80 ^m	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--
2	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	0.40 ⁿ	--	--
3	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
4	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
5	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
6	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
7	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
8	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
9	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
10	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
11	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
12	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
13	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
15	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
16	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
17	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
18	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
19	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
25	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
26	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	--	--	--
27	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ^m	0.40 ⁱ	--	--	--
28	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ^m	0.40 ⁱ	--	--	--
29	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
30	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
31	--	--	--	--	0.80 ⁱ	--	0.80 ⁱ	0.40 ⁱ	--	--	--	--
Total:	--	--	--	--	24.8	24.0	24.8	23.2	12.0	0.80	--	--
Mean:	--	--	--	--	0.80	0.80	0.80	0.75	0.40	0.40	--	--
Min:	--	--	--	--	0.80	0.80	0.80	0.40	0.40	0.40	--	--
Max:	--	--	--	--	0.80	0.80	0.80	0.80	0.40	0.40	--	--
AC-FT:	--	--	--	--	49.2	47.6	49.2	46.0	23.8	1.59	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 109.6

TOTAL AC-FT: 217.4

SCANNED

MAY 06 2020

Annual Summary for Water District 72A Garden and Challis Creeks
72130010 - D - HLCNL-10 - A0003058

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.06 ^m	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
2	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
3	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
4	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
5	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
6	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
7	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
8	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
9	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
10	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
11	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
12	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
13	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
14	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
15	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
16	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
17	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
18	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
19	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
20	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
21	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
22	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
23	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
24	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--
25	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ^m	--	--	--
26	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
27	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
28	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
29	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
30	--	--	--	--	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	0.06 ⁱ	--	--	--	--
31	--	--	--	--	0.06 ⁱ	--	0.06 ⁱ	0.06 ⁱ	--	--	--	--
Total:	--	--	--	--	1.86	1.80	1.86	1.86	1.50	--	--	--
Mean:	--	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--
Min:	--	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--
Max:	--	--	--	--	0.06	0.06	0.06	0.06	0.06	--	--	--
AC-FT:	--	--	--	--	3.69	3.57	3.69	3.69	2.98	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 8.88

TOTAL AC-FT: 17.6

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130011 - D - HLCNL-11 - A0007585**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.57 ^m	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	1.32 ⁱ	--	--
2	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	1.32 ^m	--	--
3	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
4	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
5	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
6	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
7	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
8	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
9	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
10	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
11	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
12	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
13	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
14	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
15	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
16	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
17	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
18	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
19	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
20	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
21	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
22	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
23	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
24	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
25	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
26	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
27	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	--	--	--
28	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	2.57 ^m	1.32 ⁱ	--	--	--
29	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ^m	1.32 ⁱ	--	--	--
30	--	--	--	--	2.57 ⁱ	2.57 ⁱ	2.57 ⁱ	1.32 ⁱ	1.32 ⁱ	--	--	--
31	--	--	--	--	2.57 ⁱ	--	2.57 ⁱ	1.32 ⁱ	--	--	--	--
Total:	--	--	--	--	79.7	77.1	79.7	75.9	39.6	2.64	--	--
Mean:	--	--	--	--	2.57	2.57	2.57	2.45	1.32	1.32	--	--
Min:	--	--	--	--	2.57	2.57	2.57	1.32	1.32	1.32	--	--
Max:	--	--	--	--	2.57	2.57	2.57	2.57	1.32	1.32	--	--
AC-FT:	--	--	--	--	158.0	152.9	158.0	150.6	78.6	5.24	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 354.6

TOTAL AC-FT: 703.4

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130012 - D - HLCNL-12 - A0007586**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
2	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
3	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
4	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
5	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
6	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
7	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
8	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
9	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--
10	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ^m	--	--	--
11	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
12	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
13	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
14	--	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
15	--	--	--	--	1.90 ^m	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
16	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
17	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
18	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
19	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
20	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
21	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
22	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
23	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
24	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
25	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
26	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
27	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
28	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
29	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
30	--	--	--	--	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	1.90 ⁱ	--	--	--	--
31	--	--	--	--	1.90 ⁱ	--	1.90 ⁱ	1.90 ⁱ	--	--	--	--
Total:	--	--	--	--	32.3	57.0	58.9	58.9	19.0	--	--	--
Mean:	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--
Min:	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--
Max:	--	--	--	--	1.90	1.90	1.90	1.90	1.90	--	--	--
AC-FT:	--	--	--	--	64.1	113.1	116.8	116.8	37.7	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 226.1

TOTAL AC-FT: 448.5

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130013 - D - HLCNL-13 - A0002701**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--
2	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ^m	--	--
3	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
4	--	--	--	--	--	2.50 ⁱ	2.50 ^m	2.50 ⁱ	2.20 ⁱ	--	--	--
5	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
6	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
7	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
8	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
9	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	--	--	--
10	--	--	--	--	--	2.50 ⁱ	2.50 ^m	2.50 ^m	2.20 ⁱ	--	--	--
11	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.44 ⁱ	2.20 ⁱ	--	--	--
12	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.38 ⁱ	2.20 ⁱ	--	--	--
13	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.32 ⁱ	2.20 ⁱ	--	--	--
14	--	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.26 ⁱ	2.20 ⁱ	--	--	--
15	--	--	--	--	2.50 ^m	2.50 ⁱ	2.50 ⁱ	2.20 ^m	2.20 ⁱ	--	--	--
16	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
17	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
18	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
19	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
20	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
21	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
22	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
23	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
24	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
25	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
26	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
27	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
28	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
29	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
30	--	--	--	--	2.50 ⁱ	2.50 ⁱ	2.50 ⁱ	2.20 ⁱ	2.20 ⁱ	--	--	--
31	--	--	--	--	2.50 ⁱ	--	2.50 ⁱ	2.20 ⁱ	--	--	--	--
Total:	--	--	--	--	42.5	75.0	77.5	71.8	66.0	4.40	--	--
Mean:	--	--	--	--	2.50	2.50	2.50	2.32	2.20	2.20	--	--
Min:	--	--	--	--	2.50	2.50	2.50	2.20	2.20	2.20	--	--
Max:	--	--	--	--	2.50	2.50	2.50	2.50	2.20	2.20	--	--
AC-FT:	--	--	--	--	84.3	148.8	153.7	142.4	130.9	8.73	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 337.2

TOTAL AC-FT: 668.8

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130014 - D - HLCNL-14 - A0002714**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.48 ^m	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ^m	--	--	--
2	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
3	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
4	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
5	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
6	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
7	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
8	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
9	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
10	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
11	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
12	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
13	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
14	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
15	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
16	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
17	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
18	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
19	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
20	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
21	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
22	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
23	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
24	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
25	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
26	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
27	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
28	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
29	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
30	--	--	--	--	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	0.48 ⁱ	--	--	--	--
31	--	--	--	--	0.48 ⁱ	--	0.48 ⁱ	0.48 ⁱ	--	--	--	--
Total:	--	--	--	--	14.9	14.4	14.9	14.9	0.48	--	--	--
Mean:	--	--	--	--	0.48	0.48	0.48	0.48	0.48	--	--	--
Min:	--	--	--	--	0.48	0.48	0.48	0.48	0.48	--	--	--
Max:	--	--	--	--	0.48	0.48	0.48	0.48	0.48	--	--	--
AC-FT:	--	--	--	--	29.5	28.6	29.5	29.5	0.95	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 59.5

TOTAL AC-FT: 118.0

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130016 - D - HLCNL-16 - A0002713**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	5.44 ^m	5.44 ⁱ	5.44 ⁱ	6.40 ^m	6.31 ⁱ	2.81 ⁱ	--	--
2	--	--	--	--	5.44 ⁱ	5.44 ⁱ	5.44 ⁱ	5.81 ^m	6.31 ⁱ	2.81 ⁱ	--	--
3	--	--	--	--	5.44 ⁱ	5.44 ⁱ	5.44 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
4	--	--	--	--	5.44 ⁱ	5.44 ⁱ	5.44 ^m	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
5	--	--	--	--	5.44 ⁱ	5.44 ⁱ	2.42 ^m	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
6	--	--	--	--	5.44 ⁱ	5.44 ⁱ	2.42 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
7	--	--	--	--	5.44 ⁱ	5.44 ⁱ	2.42 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
8	--	--	--	--	5.44 ⁱ	5.44 ⁱ	2.42 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
9	--	--	--	--	5.44 ⁱ	5.44 ⁱ	2.42 ^m	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
10	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ^m	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
11	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
12	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
13	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
14	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--
15	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	2.81 ^m	--	--
16	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
17	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
18	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
19	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
20	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
21	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ⁱ	6.31 ⁱ	--	--	--
22	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	5.81 ^m	6.31 ⁱ	--	--	--
23	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ^m	6.31 ⁱ	--	--	--
24	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	6.31 ⁱ	--	--	--
25	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	6.31 ^m	--	--	--
26	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	2.81 ^m	--	--	--
27	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--	--
28	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--	--
29	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--	--
30	--	--	--	--	5.44 ⁱ	5.44 ⁱ	6.40 ⁱ	6.31 ⁱ	2.81 ⁱ	--	--	--
31	--	--	--	--	5.44 ⁱ	--	6.40 ⁱ	6.31 ⁱ	--	--	--	--
Total:	--	--	--	--	168.6	163.2	174.7	185.2	171.8	42.2	--	--
Mean:	--	--	--	--	5.44	5.44	5.63	5.97	5.73	2.81	--	--
Min:	--	--	--	--	5.44	5.44	2.42	5.81	2.81	2.81	--	--
Max:	--	--	--	--	5.44	5.44	6.40	6.40	6.31	2.81	--	--
AC-FT:	--	--	--	--	334.5	323.7	346.4	367.3	340.8	83.6	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 905.7

TOTAL AC-FT: 1796

SCANNED

MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130017 - D - HLCNL-17 - A0002715**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.70 ^m	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ^m	0.10 ⁱ	--	--
2	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ^m	0.10 ^m	--	--
3	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
4	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
5	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
6	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
7	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
8	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
9	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
10	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
11	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
12	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
13	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
14	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
15	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
16	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
17	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
18	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
19	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
20	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
21	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
22	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
23	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
24	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
25	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
26	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
27	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
28	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
29	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
30	--	--	--	--	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.70 ⁱ	0.10 ⁱ	--	--	--
31	--	--	--	--	0.70 ⁱ	--	0.70 ⁱ	0.70 ⁱ	--	--	--	--
Total:	--	--	--	--	21.7	21.0	21.7	21.7	3.60	0.20	--	--
Mean:	--	--	--	--	0.70	0.70	0.70	0.70	0.12	0.10	--	--
Min:	--	--	--	--	0.70	0.70	0.70	0.70	0.10	0.10	--	--
Max:	--	--	--	--	0.70	0.70	0.70	0.70	0.70	0.10	--	--
AC-FT:	--	--	--	--	43.0	41.7	43.0	43.0	7.14	0.40	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 89.9

TOTAL AC-FT: 178.3

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130019 - D - HLCNL-19 - A0002717**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.54 ^m	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
2	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
3	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
4	--	--	--	--	--	0.54 ⁱ	0.54 ^m	0.54 ⁱ	0.54 ⁱ	--	--	--
5	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
6	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
7	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
8	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
9	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
10	--	--	--	--	--	0.54 ⁱ	0.54 ^m	0.54 ⁱ	0.54 ⁱ	--	--	--
11	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
12	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
13	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
14	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
15	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
16	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
17	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
18	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
19	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
20	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
21	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
22	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
23	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
24	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--
25	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	0.54 ^m	--	--	--
26	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--	--
27	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--	--
28	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--	--
29	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--	--
30	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	0.54 ⁱ	--	--	--	--
31	--	--	--	--	--	--	0.54 ⁱ	0.54 ⁱ	--	--	--	--
Total:	--	--	--	--	--	16.2	16.7	16.7	13.5	--	--	--
Mean:	--	--	--	--	--	0.54	0.54	0.54	0.54	--	--	--
Min:	--	--	--	--	--	0.54	0.54	0.54	0.54	--	--	--
Max:	--	--	--	--	--	0.54	0.54	0.54	0.54	--	--	--
AC-FT:	--	--	--	--	--	32.1	33.2	33.2	26.8	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 63.2

TOTAL AC-FT: 125.3

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130021 - D - HLCNL-21 - A0002718**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.23 ^m	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ^m	0.69 ⁱ	--	--
2	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ^m	0.69 ⁿ	--	--
3	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
4	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
5	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
6	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
7	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
8	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
9	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
10	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
11	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
12	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
13	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
14	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
15	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
16	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
17	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
18	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
19	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
20	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
21	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
22	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
23	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
24	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
25	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
26	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
27	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
28	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
29	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
30	--	--	--	--	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	1.23 ⁱ	0.69 ⁱ	--	--	--
31	--	--	--	--	1.23 ⁱ	--	1.23 ⁱ	1.23 ⁱ	--	--	--	--
Total:	--	--	--	--	38.1	36.9	38.1	38.1	21.2	1.38	--	--
Mean:	--	--	--	--	1.23	1.23	1.23	1.23	0.71	0.69	--	--
Min:	--	--	--	--	1.23	1.23	1.23	1.23	0.69	0.69	--	--
Max:	--	--	--	--	1.23	1.23	1.23	1.23	1.23	0.69	--	--
AC-FT:	--	--	--	--	75.6	73.2	75.6	75.6	42.1	2.74	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 173.9

TOTAL AC-FT: 345.0

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130022 - D - HLCNL-22 - A0002719**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	0.11 ^m	--	--	--	--
Total:	--	--	--	--	3.41	3.30	3.41	3.41	--	--	--	--
Mean:	--	--	--	--	0.11	0.11	0.11	0.11	--	--	--	--
Min:	--	--	--	--	0.11	0.11	0.11	0.11	--	--	--	--
Max:	--	--	--	--	0.11	0.11	0.11	0.11	--	--	--	--
AC-FT:	--	--	--	--	6.76	6.55	6.76	6.76	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 13.5

TOTAL AC-FT: 26.8

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130023 - D - HLCNL-23 - A0007587**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.10 ^m	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
2	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
3	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
4	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
5	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
6	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
7	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
8	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
9	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
10	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
11	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
12	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
13	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
14	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
15	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
16	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
17	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
18	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
19	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
20	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
21	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
22	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
23	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
24	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
25	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
26	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
27	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
28	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
29	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
30	--	--	--	--	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	0.10 ⁱ	--	--	--	--
31	--	--	--	--	0.10 ⁱ	--	0.10 ⁱ	0.10 ^m	--	--	--	--
Total:	--	--	--	--	3.10	3.00	3.10	3.10	--	--	--	--
Mean:	--	--	--	--	0.10	0.10	0.10	0.10	--	--	--	--
Min:	--	--	--	--	0.10	0.10	0.10	0.10	--	--	--	--
Max:	--	--	--	--	0.10	0.10	0.10	0.10	--	--	--	--
AC-FT:	--	--	--	--	6.15	5.95	6.15	6.15	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 12.3

TOTAL AC-FT: 24.4

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130025 - D - HLCNL-25 - A0007589**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	2.32 ^m	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--
2	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ^m	--	--
3	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
4	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ^m	2.32 ⁱ	1.33 ⁱ	--	--	--
5	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ^m	2.32 ⁱ	1.33 ⁱ	--	--	--
6	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
7	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
8	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
9	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
10	--	--	--	--	2.32 ⁱ	2.32 ⁱ	0.99 ^m	2.32 ⁱ	1.33 ⁱ	--	--	--
11	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ^m	2.32 ⁱ	1.33 ⁱ	--	--	--
12	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
13	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
14	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	--	--	--
15	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	2.32 ^m	1.33 ⁱ	--	--	--
16	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ^m	1.33 ⁱ	--	--	--
17	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
18	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
19	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
20	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
21	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
22	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
23	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
24	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
25	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
26	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
27	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
28	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
29	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
30	--	--	--	--	2.32 ⁱ	2.32 ⁱ	2.32 ⁱ	1.33 ⁱ	1.33 ⁱ	--	--	--
31	--	--	--	--	2.32 ⁱ	--	2.32 ⁱ	1.33 ⁱ	--	--	--	--
Total:	--	--	--	--	71.9	69.6	63.9	56.1	39.9	2.66	--	--
Mean:	--	--	--	--	2.32	2.32	2.06	1.81	1.33	1.33	--	--
Min:	--	--	--	--	2.32	2.32	0.99	1.33	1.33	1.33	--	--
Max:	--	--	--	--	2.32	2.32	2.32	2.32	1.33	1.33	--	--
AC-FT:	--	--	--	--	142.7	138.1	126.8	111.2	79.1	5.28	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 304.1

TOTAL AC-FT: 603.2

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130026 - D - HLCNL-26 - A0007591**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.11 ^m	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--
2	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ^m	--	--
3	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
4	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
5	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
6	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
7	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
8	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
9	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
10	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
11	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
12	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
13	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
14	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
15	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
16	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
17	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
18	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
19	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
20	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
21	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
22	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
23	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
24	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
25	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
26	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
27	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
28	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
29	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
30	--	--	--	--	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	0.11 ⁱ	--	--	--
31	--	--	--	--	0.11 ⁱ	--	0.11 ⁱ	0.11 ⁱ	--	--	--	--
Total:	--	--	--	--	3.41	3.30	3.41	3.41	3.30	0.22	--	--
Mean:	--	--	--	--	0.11	0.11	0.11	0.11	0.11	0.11	--	--
Min:	--	--	--	--	0.11	0.11	0.11	0.11	0.11	0.11	--	--
Max:	--	--	--	--	0.11	0.11	0.11	0.11	0.11	0.11	--	--
AC-FT:	--	--	--	--	6.76	6.55	6.76	6.76	6.55	0.44	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 17.1

TOTAL AC-FT: 33.8

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130027 - D - HLCNL-27 - A0007588**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.35 ^m	1.35 ⁱ	1.35 ⁱ	1.35 ^m	0.49 ⁱ	0.49 ⁱ	--	--
2	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ^m	0.49 ⁱ	0.49 ⁿ	--	--
3	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
4	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
5	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
6	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
7	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
8	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
9	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
10	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
11	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
12	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
13	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
14	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
15	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
16	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
17	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
18	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
19	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
20	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
21	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
22	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
23	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
24	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
25	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
26	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
27	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
28	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
29	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
30	--	--	--	--	1.35 ⁱ	1.35 ⁱ	1.35 ⁱ	0.49 ⁱ	0.49 ⁱ	--	--	--
31	--	--	--	--	1.35 ⁱ	--	1.35 ⁱ	0.49 ⁱ	--	--	--	--
Total:	--	--	--	--	41.9	40.5	41.9	16.1	14.7	0.98	--	--
Mean:	--	--	--	--	1.35	1.35	1.35	0.52	0.49	0.49	--	--
Min:	--	--	--	--	1.35	1.35	1.35	0.49	0.49	0.49	--	--
Max:	--	--	--	--	1.35	1.35	1.35	1.35	0.49	0.49	--	--
AC-FT:	--	--	--	--	83.0	80.3	83.0	31.8	29.2	1.94	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 155.9

TOTAL AC-FT: 309.3

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130028 - D - HLCNL-28 - A0002722**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ^m	0.20 ⁱ	0.20 ⁱ	--	--
2	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	0.20 ^m	--	--
3	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
4	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
5	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
6	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
7	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
8	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
9	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
10	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
11	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
12	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
13	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
14	--	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
15	--	--	--	--	0.40 ^m	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
16	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
17	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
18	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
19	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
20	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
21	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
22	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
23	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
24	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
25	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
26	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
27	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
29	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
30	--	--	--	--	0.40 ⁱ	0.40 ⁱ	0.40 ⁱ	0.20 ⁱ	0.20 ⁱ	--	--	--
31	--	--	--	--	0.40 ⁱ	--	0.40 ^m	0.20 ⁱ	--	--	--	--
Total:	--	--	--	--	6.80	12.0	12.4	6.20	6.00	0.40	--	--
Mean:	--	--	--	--	0.40	0.40	0.40	0.20	0.20	0.20	--	--
Min:	--	--	--	--	0.40	0.40	0.40	0.20	0.20	0.20	--	--
Max:	--	--	--	--	0.40	0.40	0.40	0.20	0.20	0.20	--	--
AC-FT:	--	--	--	--	13.5	23.8	24.6	12.3	11.9	0.79	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 43.8

TOTAL AC-FT: 86.9

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130030 - D - HLCNL-30 - A0007592**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	4.50 ^m	4.50 ⁱ	4.50 ⁱ	3.80 ^m	3.00 ⁱ	3.00 ⁱ	--	--
2	--	--	--	--	4.50 ⁱ	4.50 ⁱ	4.50 ⁱ	3.00 ^m	3.00 ⁱ	3.00 ^m	--	--
3	--	--	--	--	4.50 ⁱ	4.50 ⁱ	4.50 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
4	--	--	--	--	4.50 ⁱ	4.50 ⁱ	4.50 ^m	3.00 ⁱ	3.00 ⁱ	--	--	--
5	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ^m	3.00 ⁱ	3.00 ⁱ	--	--	--
6	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
7	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
8	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
9	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
10	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
11	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
12	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
13	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
14	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
15	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
16	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
17	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
18	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
19	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
20	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
21	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
22	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
23	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
24	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
25	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
26	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
27	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
28	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
29	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
30	--	--	--	--	4.50 ⁱ	4.50 ⁱ	3.80 ⁱ	3.00 ⁱ	3.00 ⁱ	--	--	--
31	--	--	--	--	4.50 ⁱ	--	3.80 ⁱ	3.00 ⁱ	--	--	--	--
Total:	--	--	--	--	139.5	135.0	120.6	93.8	90.0	6.00	--	--
Mean:	--	--	--	--	4.50	4.50	3.89	3.03	3.00	3.00	--	--
Min:	--	--	--	--	4.50	4.50	3.80	3.00	3.00	3.00	--	--
Max:	--	--	--	--	4.50	4.50	4.50	3.80	3.00	3.00	--	--
AC-FT:	--	--	--	--	276.7	267.8	239.2	186.1	178.5	11.9	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 584.9

TOTAL AC-FT: 1160

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130031 - D - HLCNL-31 - A0003063**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.04 ^m	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--
2	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ^m	--	--
3	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
4	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
5	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
6	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
7	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
8	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
9	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
10	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
11	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
12	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
13	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	--	--	--
14	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	1.04 ^m	0.40 ⁱ	--	--	--
15	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ^m	0.40 ⁱ	--	--	--
16	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
17	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
18	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
19	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
20	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
21	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
23	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
24	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
25	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
26	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
27	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
28	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
29	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
30	--	--	--	--	1.04 ⁱ	1.04 ⁱ	1.04 ⁱ	0.40 ⁱ	0.40 ⁱ	--	--	--
31	--	--	--	--	1.04 ⁱ	--	1.04 ⁱ	0.40 ⁱ	--	--	--	--
Total:	--	--	--	--	32.2	31.2	32.2	21.4	12.0	0.80	--	--
Mean:	--	--	--	--	1.04	1.04	1.04	0.69	0.40	0.40	--	--
Min:	--	--	--	--	1.04	1.04	1.04	0.40	0.40	0.40	--	--
Max:	--	--	--	--	1.04	1.04	1.04	1.04	0.40	0.40	--	--
AC-FT:	--	--	--	--	64.0	61.9	64.0	42.4	23.8	1.59	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 129.8

TOTAL AC-FT: 257.6

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130032 - D - HLCNL-32 - A0002723**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.19 ^m	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
2	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
3	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
4	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
5	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
6	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
7	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
8	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
9	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
10	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
11	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
12	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
13	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
14	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--
15	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	1.19 ^m	--	--	--	--
16	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
17	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
18	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
19	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
20	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
21	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
22	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
23	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
24	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
25	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
26	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
27	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
28	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
29	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
30	--	--	--	--	1.19 ⁱ	1.19 ⁱ	1.19 ⁱ	--	--	--	--	--
31	--	--	--	--	1.19 ⁱ	--	1.19 ⁱ	--	--	--	--	--
Total:	--	--	--	--	36.9	35.7	36.9	17.9	--	--	--	--
Mean:	--	--	--	--	1.19	1.19	1.19	1.19	--	--	--	--
Min:	--	--	--	--	1.19	1.19	1.19	1.19	--	--	--	--
Max:	--	--	--	--	1.19	1.19	1.19	1.19	--	--	--	--
AC-FT:	--	--	--	--	73.2	70.8	73.2	35.4	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 127.3

TOTAL AC-FT: 252.6

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130035 - D - HLCNL-35 - A0007593**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.56 ^m	0.56 ⁱ	4.16 ⁱ	3.20 ^m	--	--	--	--
2	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.16 ⁱ	3.20 ⁱ	--	--	--	--
3	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.16 ⁱ	3.20 ⁱ	--	--	--	--
4	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.16 ^m	3.20 ⁱ	--	--	--	--
5	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.00 ^m	3.20 ⁱ	--	--	--	--
6	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
7	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
8	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
9	--	--	--	--	0.56 ⁱ	0.56 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
10	--	--	--	--	0.56 ⁱ	0.56 ^m	4.00 ⁱ	3.20 ⁱ	--	--	--	--
11	--	--	--	--	0.56 ⁱ	4.16 ^m	4.00 ⁱ	3.20 ⁱ	--	--	--	--
12	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
13	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
14	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
15	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
16	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
17	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
18	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
19	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
20	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
21	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
22	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
23	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
24	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
25	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
26	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
27	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
28	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
29	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
30	--	--	--	--	0.56 ⁱ	4.16 ⁱ	4.00 ⁱ	3.20 ⁱ	--	--	--	--
31	--	--	--	--	0.56 ⁱ	--	4.00 ^m	3.20 ^m	--	--	--	--
Total:	--	--	--	--	17.4	88.8	124.6	99.2	--	--	--	--
Mean:	--	--	--	--	0.56	2.96	4.02	3.20	--	--	--	--
Min:	--	--	--	--	0.56	0.56	4.00	3.20	--	--	--	--
Max:	--	--	--	--	0.56	4.16	4.16	3.20	--	--	--	--
AC-FT:	--	--	--	--	34.4	176.1	247.2	196.8	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 330.0

TOTAL AC-FT: 654.5

SCANNED
MAY 06 2020

**Annual Summary for Water District 72A Garden and Challis Creeks
72130039 - D - HLCNL-39 - A0002724**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2019 - 12/31/2019

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.80 ^m	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
2	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
3	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
4	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
5	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
6	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
7	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
8	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
9	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
10	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
11	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
12	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
13	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--
14	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	0.80 ^m	--	--	--	--
15	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
16	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
17	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
18	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
19	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
20	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
21	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
22	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
23	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
24	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
25	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
26	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
27	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
28	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
29	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
30	--	--	--	--	0.80 ⁱ	0.80 ⁱ	0.80 ⁱ	--	--	--	--	--
31	--	--	--	--	0.80 ⁱ	--	0.80 ⁱ	--	--	--	--	--
Total:	--	--	--	--	24.8	24.0	24.8	11.2	--	--	--	--
Mean:	--	--	--	--	0.80	0.80	0.80	0.80	--	--	--	--
Min:	--	--	--	--	0.80	0.80	0.80	0.80	--	--	--	--
Max:	--	--	--	--	0.80	0.80	0.80	0.80	--	--	--	--
AC-FT:	--	--	--	--	49.2	47.6	49.2	22.2	--	--	--	--

CALENDAR YEAR 01/01/2019 - 12/31/2019

TOTAL CFS: 84.8

TOTAL AC-FT: 168.2

SCANNED
MAY 06 2020

ANNUAL MEETING MINUTES

WATER DISTRICT: 72-A Garden Creek & Challis Creek
MEETING DATE & TIME: Monday, January 28, 2019
MEETING LOCATION: Custer County Court House
801 E. Main Street
Challis, Idaho 83226
MEETING SECRETARY NAME: Cindy Philps

The meeting was called to order at 7:00 p.m. by Chairman Corey Rice.

The floor was opened to nominations for the Chairman. Jeri D'Orazio moved to nominate Corey Rice as the Chairman. Motion was seconded by Jan Williams.

The 2018 Annual Meeting Minutes were approved as submitted. Steve Bauchman moved to accept the minutes. The motion was seconded by Jan Williams.

The 2018 treasures report with the accompanying income and expense breakdown were also provided to all water right owners. Larry Sidlo asked for clarification on the Challis Creek slush fund of \$4,500. After much discussion, Jeri D'Orazio moved to remove the slush fund of \$4,500 and put the money back into the general fund. Seconded by Steve Bauchman.

Jeri D'Orazio moved to accept the treasures report with the changes listed above. Seconded by John Keppner.

The 2019 proposed budget was handed out to water users. Steve Bauchman discussed the highline expenses. Due to the high water and fire debris that continues to impact the highline, continuous maintenance has been required to keep the highline functional. It was proposed to continue the maintenance yearly in hopes that it will help keep the cost lower. Steve Bauchman proposed to have another \$500 added to the highline budget to bring the total budget to \$4,000. The motion was seconded by Jan Williams.

Watermaster David Philps gave a water report. So far, the water surplus is not looking the best for the upcoming year. But due to some of the weather stations not currently working; it is hard to be accurate if we will have a surplus of water for the upcoming year.

The Chairman opened nominations for the Watermaster. Jeri D'Orazio motioned to keep David Philps as the Watermaster. Seconded by Jan Williams. All in favor. Motion passed.

The Chairman opened nominations for the secretary/treasurer. Jan Long nominated Cindy Philps for the secretary/treasurer. Motion was seconded by Jeri D'Orazio.

The Chairman opened nominations for the advisory board. Jeri D'Orazio made the motion to keep all those currently serving in the same positions except to replace Josh Graham who has moved out of state. Tyler Thayne was nominated by Jerri D'Orazio to replace Josh Graham. Seconded by Jan Williams.

Garden Creek Representatives: Tim Kemery, Jeri D'Orazio and Alan Henderson

Challis Creek Representatives: Steve Bauchman, Tyler Thayne and Julian Piva

All in favor. Motion passed.

The next annual meeting will be held the 27th of January 2020 at 7 p.m. at the Custer County Courthouse.

Due to no further business the meeting Chairman Cory Rice adjourned the meeting at 8:15 p.m.

GARDEN CREEK & CHALLIS CREEK
WATER DISTRICT NO. 72-A
Annual Meeting Agenda

RECEIVED
APR 18 2019
DEPT OF WATER RESOURCES
SOUTHERN REGION

January 28, 2019
Custer County Court House

Chairman – Call meeting to Order at 7 pm

Chairman – Election of Chairman

Chairman – 2018 Annual Meeting Minutes: questions or comments

Watermaster – Review of 2018 irrigation season

Chairman – Review and discuss, as necessary, Watermaster's Proposed Budget; Determine, finalize and approve 2019 Budget

Chairman - New Business:
Head gates; locking and proper measuring equipment

Chairman – Election of Watermaster

Chairman – Election of Secretary/Treasurer

Chairman - Election of Advisory Committee

Chairman - Set date, time and place for next year's 2020 Annual Meeting
(January 27, 2020 at 7 pm Custer County Court Room)

Adjourn

SCANNED
MAY 14 2019

Water District 72-A Challis Creek & Garden Creek 2018 Financial Report

Fiscal Year: 1-1-2018 to 12/31/2018

As of January 1, 2018

Starting Water District Balance:	\$ 322.20
Starting Highline Balance:	(5,444.79)
Slush Fund (Adopted 1/22/2018):	(4,500.00)
Total Starting Balance:	\$ (9,622.59)

As of December 31, 2018

Ending Water District Balance:	2,098.53
Ending Highline Balance:	3,500.00
Ending Slush Fund	4,500.00
Ending Balance	10,098.53

Income 2018

Amount Income Collected:	19,990.98
--------------------------	-----------

Expenses 2018

Watermaster Salary:	\$ 3,322.00
Ditch Rider Salary:	1,485.00
Secretary Salary:	595.00
Mileage:	1,034.96
Salary Expenses (FICA, SS, Work Comp):	303.00
Highline Maintenance:	3,012.50
Misc. Office Expenses:	462.19
Total Expenses:	10,214.65

Starting Balance:	322.20
+ Income:	19,990.98
-Expenses	(10,214.65)
Ending Balance	\$ 10,098.53

SCANNED
MAY 14 2019

**2019 Adopted Budget Expense Breakdown
Water District 72-A
Garden Creek & Challis Creek**

Remuneration:

\$	1,500.00	Secretary/Treasurer Compensation
	3,500.00	Ditch Rider's Compensation
	4,500.00	Watermaster's Compensation

Pro Rata Expenses:

	2,000.00	Mileage Expense
	600.00	State Insurance Fund (Workmans Comp)
	350.00	Post Office Box & Postage
	200.00	Telephone, Office Supplies & Misc.
	250.00	Copy Charges
	100.00	Watermaster/Ditch Rider Supplies
\$	13,000.00	Total Proposed Expenditures
\$	4,000.00	Highline Proposed Expenditures

SCANNED
MAY 14 2019

Roster of Attendance

Sub-District No. 72A	)	Annual Meeting
Challis/Garden Creek Sub-District	)	Monday, January 28, 2019
2019 Annual Meeting	)	Challis Court House
	)	Challis, ID 83226

Name	Address	Representing
Corey Rue	910 S 13th Street Challis	Chairman
Cindy Philips	25035 Hwy 93 Challis	Sec.
Christopher James	PO Box 510 Challis ID.	LWR & GCF
Andy Gamm	Box 146 Chula	
John Keppner	Box 1093 Challis	
Larry Sidlo	7957 Challis Creek Rd Challis	Self
Mike Williams	9715 Challis Cr Rd	Self.
Jan Williams	P.O. Box 981 2678 Challis Cr Rd.	Self
Jake Zollinger	P.O. Box 1409 30 Cowboy Way Challis	Self
Gary Fruck	PO 858 Challis	Fred Strickles
Ken Hughes	25521 Hwy 93 Challis 83226	Self

Name	Address	Representing
Alan Henderson	PO Box 645 Challis	Self
Jeri D'Orazio	PO. Box 164 Challis	Self/GCF/LWR
Don Towner	550 Road Gun Club LP	Self
Miles Haebere	PO. Box 1144	Self
Ray Vanny	345 Road Gun Club	K. Summers
Tylen Thayer	PO Box 707	Self
David Philips	25035 Hwy 93 Challis, ID	Self



State of Idaho

Department of Water Resources

322 East Front St, PO Box 83720, Boise, ID 83720-0098 • 208-287-4800 • www.idwr.idaho.gov

Certificate of Appointment

This is to certify that I have appointed David Philps as **Watermaster** of **Water District 72A**, from this day until the 2020 annual meeting or until his/her successor is appointed and qualified under the provisions of Idaho Code Section 42-605, at such rate of compensation as established by applicable law.



This certificate has been issued and the seal of the Director fixed at Boise, Idaho, this day, May 14, 2019.

Gary Spackman
Gary Spackman
IDWR Director

SCANNED
MAY 14 2019



State of Idaho

Department of Water Resources

322 East Front St, PO Box 83720, Boise, ID 83720-0098 • 208-287-4800 • www.idwr.idaho.gov

Certificate of Appointment

This is to certify that I have appointed Cindy Philps as ***Treasurer*** of ***Water District 72A***, from this day until the 2020 annual meeting or until his/her successor is appointed and qualified under the provisions of Idaho Code Section 42-605, at such rate of compensation as established by applicable law.



This certificate has been issued and the seal of the Director fixed at Boise, Idaho, this day, May 14, 2019.

Gary Spackman
IDWR Director

SCANNED

MAY 14 2019



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-3380
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

BRAD LITTLE
Governor

GARY SPACKMAN
Director

July 26, 2019

DAVID AND CINDY PHILPS
PO BOX 910
CHALLIS ID 83226-0910

RE: Annual Reporting Forms for Water District 72A

Dear Mr. and Ms. Philps:

In going through my records I find I am still missing the 2018 Watermaster's Report for your Water District. Could you please return them to Jana Reeder or me at the Department as soon as possible. Be sure to include the affidavit.

Please contact Jana Reeder or me at the office if you have any questions.

Sincerely,

Carrie Hahn

Idaho Department of Water Resources (IDWR)
650 Addison Ave W STE 500
Twin Falls ID 83301-5858
208-736-3033
Carrie.Hahn@idwr.idaho.gov

Annual Water District Meeting Checklist

Items to include in Minutes if applicable:

- **Water District Number and Name**
- **Meeting Date**
- **Chairman**
- **Watermaster**
- **Assistant Watermaster(s)**
- **Secretary**
- **Treasurer**
- **Advisory Committee**
- **Approved adopted budget**
- **Date, Time and Location of next annual meeting**

Please submit to Nathan Erickson, Idaho Department of Water Resources, 650 Addison Ave E Ste 500, Twin Falls ID 83301, Phone (208)736-3033, Fax (208)736-3037 the following items:

1. **Annual meeting Minutes (including all details listed above)**
2. **Adopted budgets, including a list of assessed users, amount each user is being assessed, and how assessment is being calculated.**
3. **Resolutions**
4. **Meeting sign-ins**



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5858

Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

January 4, 2019

>

Dear Water User,

Notice is hereby given, that pursuant to law, the regular **annual meeting** for adoption of a budget and election of a water master for **Water District 72A – Garden and Challis Creeks**, is scheduled for the time and location listed below.

Day & Date: Monday, January 28, 2019

Time: 7:00 p.m.

**Location: Custer County Court House
Upstairs Courtroom
801 Main St
Challis ID 83226**

For more information regarding water rights and water districts, including forms and records, visit the Idaho Department of Water Resources (IDWR) website, www.idwr.idaho.gov.

If you have questions regarding this notice, please contact the IDWR Southern Region Office in Twin Falls at 208-736-3033.

Sincerely,

Gary Spackman
Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region • 650 Addison Ave W, Suite 500 • Twin Falls, Idaho 83301-5851
Phone: (208) 736-3033 • Fax: (208) 736-3037 • Website: www.idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

RECEIVED
NOV 28 2018
DEPT OF WATER RESOURCES
SOUTHERN REGION

To: WD 72A Garden and Challis Creeks
From: IDWR Water Distribution Section
Date: November 28, 2018
Re: Annual Water District Meeting Information Form

Please **complete this annual water district meeting information form and return it to IDWR** (contact information below). Upon receipt of the completed form, IDWR sends meeting notice to each water user and interested party in the district. The meeting notice must be mailed no later than three weeks prior to the meeting. Therefore, to provide IDWR adequate time to create and mail the notice, please **return the completed form to IDWR as soon as possible or no later than four weeks before the meeting.**

Meeting Location

Facility Name Custer County Court House
Room Name/Number Court Room (up stairs)
Street Address 801 Main Street
City Challis, Idaho 83226

Meeting Time/Day

Date (month, day, year) January 28, 2018
Day of Week Monday
Time 7 pm

Shirley Hops Secretary
Signature, Water District Representative Title

208-339-4828 or 208-589-8987
Representative Phone Number

cphilps@idfbins.com
Representative Email Address

Return this form via mail, fax, or email, attention: Nathan Erickson

Mail

650 Addison Ave W Ste 500
Twin Falls, ID 83301

Fax

(208)736-3037

Email

Nathan Erickson@idwr.idaho.gov