



# State of Idaho

## DEPARTMENT OF WATER RESOURCES

322 E Front St, Ste 648 • PO Box 83720 • Boise ID 83720 • www.idwr.idaho.gov  
P: (208) 287-4800 • F: (208) 287-6700 • Email: idwrinfo@idwr.idaho.gov

BRAD LITTLE  
Governor

GARY SPACKMAN  
Director

Date: March 28, 2023

Name: Sherry Southern  
Address: 33429 East 1547 South  
City, State, Zip Code: Nampa ID 83642  
Phone Number: 208-431-9329

Re: **Conditional Approval of Extension Request to Install a Measuring Device and Commitment of Applicant  
Not to Divert in Excess of 0.24 Cubic Feet Per Second**

### Well Site and Diversion Details

WMIS #: 1002819  
Well Name: \_\_\_\_\_  
Site Tag #: 10020706

### **Acknowledgment of Applicant:**

The undersigned agrees to reduce the actual rate to less than or equal to 0.24 cubic feet per second (~108 gallons per minute) from the identified well unless a flow meter is installed. This acknowledgment by the owner/operator supplements the Extension Request to defer installation of a flow meter as required by the September 2016 Order requiring measurement of ground water within Water District 143. The undersigned understands that excess diversion from the well shall constitute a violation of Idaho Code Section 42-701, unless the following requirements are met prior to diversion:

1. Install a measuring device from the Department's List of Approved Closed Conduit Flow Meters; and
2. Provide a minimum 10-day notice to the Water District 143 Watermaster to allow an opportunity for Departmental Staff to inspect and confirm that the installation meets the Department's Minimum Standards.

Sherry Southern (print name) understand that if ground water is diverted from this well without meeting the requirements above I may be subject to formal enforcement action by the Department as per Idaho Code §42-1071B which may include curtailment and the assessment of a civil penalty.

Dated this 28<sup>th</sup> day of March, 2023

Sherry Southern (signature) TITLE: owner

ORGANIZATION: \_\_\_\_\_

Cc. Watermaster:  
File

WMIS #  
1002819