

WATERMASTER'S REPORT

DEC 11 2023

Department of Water Resource
Eastern RegionFrom January, 20 23 To December, 20 23Water District No. 13NName of Watermaster Reed C. SwannP.O. Address 7455 N Capitol Hill Rd, Preston ID 83263


AFFIDAVIT OF WATERMASTER

STATE OF IDAHO }
COUNTY OF FRANKLIN } ss.

Reed C. Swann, being first duly sworn, deposes and says that he is Watermaster of Water District 13N, having been lawfully appointed by State of Idaho, Director, Idaho Department of Water Resources, and that the volumes of water, as stated in this report and prorated by him to the water right holders of the district are correct.

(Deputy) Watermaster District No. 13NSubscribed and sworn to before me, this 21 day of Nov, 20 23.

(SEAL)


Notary PublicMy Commission expires 11-26-28

Boise, Idaho, _____, 20____

I HEREBY CERTIFY, that _____ was lawfully appointed by me as Water Master of Water District No. _____, and that the information contained in this report, as herein sworn to, is, to the best of my knowledge and belief, correct.

Director, Department of Water Resources

By _____

[illegible]

	WATER RIGHT OWNER	IDWR WATER RIGHT IDENT No.	DIVERSION NAME / REMARKS
1	Mink Creek Irrigation #1	13-894	Town Ditch
2	Mink Creek Irrigation #3	13-895A, 13-896A	Rocky Ditch
3	Consolidated Irrigation	13-7747	Preston-Mink Creek
4	Twin Lakes Canal	13-896B, 13-901, 13-2289, 13-2296	
5	Glenco	13-902	
6	Mink Creek Canyon LLC	13-903	Barber Pump
7	Klaus Ditch		
8	Birch Creek Irrigation	13-911	
9	Riverdale Canal Company	13-894	
10	Birch Creek Culinary Water Co	FR Birch Ck Spring	13-7748 Birch Creek Culinary
11	Middle Birch Creek Ditch		
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			

[illegible]

SECTION 42-606 IDAHO CODE

REPORTS OF WATERMASTERS. All watermasters shall make an annual report to the department of water resources prior to the expiration of the watermaster's appointment for the current year. This report shall show the total amount of water delivered by the watermaster during the preceding year, the amount delivered to each water user, the total expense of delivery and the apportionment of expenses among users and all debits and credits to be carried over to the following year. Such report shall also include records of stream flow the watermaster used or made in the process of distributing water supplies. The director may ask for other information deemed necessary in assuring proper distribution of water supplies within the district. The reports of watermasters to the department of water resources shall be filed and kept in the office of the department.

Instructions For Completing Annual Watermaster's Report

This form has been developed to assist the watermaster in complying with some of the annual reporting requirements of Section 42-606, Idaho Code. The form provides for summary of the amount of water delivered by the watermaster to each user, the total expense of delivery and the apportionment of expenses among water users, including debits and credits. Water distribution and hydrologic information including stream flow records, daily diversion data, water right information and water right priority cut summaries should be presented in a separate water distribution report.

Complete this annual report form of delivery and costs as follows:

- 1) Enter water right holder name, corresponding IDWR water right number or numbers, and corresponding diversion name and/or remarks on page 2;
- 2) Enter the total amount of water delivered to each user as total 24-hour second feet under column 1, page 3. Total 24-hour second feet is a flow rate expressed in terms of one day or 24 hours. For example, a continuous diversion of 2 cfs over 20 days would equal 40 24-hour second feet.
- 3) Under column 3, page 3, enter the amount of money assessed or billed to each user at the beginning of the year. The assessment may be found in the previous year's adopted budget report.
- 4) In the work space provided on the right hand side of page 3, add up total watermaster salary costs and expenses and enter as 'TOTAL COST'. Then divide this total cost by the total number of 24-hour second feet delivered (sum of column 1) to obtain the cost per 24 hour second feet delivered, or the unit cost factor.
- 5) Under column 2, page 3, multiply the unit cost factor (obtained in step number 4 above) by each user's total 24-hour second feet delivery in column 1 to obtain the total cost against each user.
- 6) For each user, subtract the total cost amount in column 2 from the adopted budget in column 3 and enter the difference either as a credit or debit (negative differences entered as debits, positive differences entered as credits).
- 7) Sign the report before a notary public and submit the original to the appropriate regional office of the Department of Water Resources. Retain one copy for the Water District.

Annual Summary for Water District 13N Mink Creek
10087200 - D - MINK CR. HYDROPOWER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 13N Mink Creek
10087300 - D - BARBER PUMP

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 13N Mink Creek
10087400 - D - ROCKY DITCH (MINK CREEK NO. 3)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	5.60 ^m	12.0 ^m	8.00 ^m	6.79 ^m	--	--	--
2	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	6.79 ^m	--	--	--
3	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ^m	--	--	--
4	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ⁱ	--	--	--
5	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ⁱ	--	--	--
6	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ⁱ	--	--	--
7	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ⁱ	--	--	--
8	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ⁱ	--	--	--
9	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	5.12 ^m	--	--	--
10	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ^m	--	--	--
11	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
12	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
13	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
14	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
15	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
16	--	--	--	--	--	5.60 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
17	--	--	--	--	--	5.60 ^m	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
18	--	--	--	--	--	6.79 ^m	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
19	--	--	--	--	--	6.79 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
20	--	--	--	--	5.60 ^m	6.79 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
21	--	--	--	--	5.60 ⁱ	6.79 ⁱ	12.0 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
22	--	--	--	--	5.60 ⁱ	6.79 ⁱ	12.0 ^m	8.00 ⁱ	4.60 ⁱ	--	--	--
23	--	--	--	--	5.60 ⁱ	6.79 ⁱ	10.6 ^m	8.00 ⁱ	4.60 ⁱ	--	--	--
24	--	--	--	--	5.60 ⁱ	6.79 ⁱ	10.6 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
25	--	--	--	--	5.60 ⁱ	6.79 ⁱ	10.6 ⁱ	8.00 ⁱ	4.60 ⁱ	--	--	--
26	--	--	--	--	5.60 ⁱ	6.79 ⁱ	10.6 ^m	8.00 ⁱ	4.60 ⁱ	--	--	--
27	--	--	--	--	5.60 ⁱ	6.79 ⁱ	5.66 ^m	8.00 ^m	4.60 ⁱ	--	--	--
28	--	--	--	--	5.60 ⁱ	6.79 ⁱ	5.66 ⁱ	6.79 ^m	4.60 ⁱ	--	--	--
29	--	--	--	--	5.60 ⁱ	6.79 ⁱ	5.66 ⁱ	6.79 ⁱ	4.60 ⁱ	--	--	--
30	--	--	--	--	5.60 ⁱ	6.79 ^m	5.66 ⁱ	6.79 ⁱ	4.60 ^m	--	--	--
31	--	--	--	--	5.60 ^m	--	5.66 ^m	6.79 ^m	--	--	--	--
Total:	--	--	--	--	67.2	183.5	334.7	243.2	146.0	--	--	--
Mean:	--	--	--	--	5.60	6.12	10.8	7.84	4.87	--	--	--
Min:	--	--	--	--	5.60	5.60	5.66	6.79	4.60	--	--	--
Max:	--	--	--	--	5.60	6.79	12.0	8.00	6.79	--	--	--
AC-FT:	--	--	--	--	133.3	363.9	663.9	482.3	289.6	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 974.6

TOTAL AC-FT: 1933

**Annual Summary for Water District 13N Mink Creek
10087500 - D - CONSOLIDATED DITCH (PRESTON MINK CREEK)**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	16.0 ^m	24.2 ^m	27.2 ^m	27.4 ^m	--	--	--
2	--	--	--	--	--	16.0 ⁱ	24.2 ⁱ	27.2 ⁱ	27.4 ⁱ	--	--	--
3	--	--	--	--	--	16.0 ^m	24.2 ⁱ	27.2 ⁱ	27.4 ⁱ	--	--	--
4	--	--	--	--	--	22.8 ^m	24.2 ⁱ	27.2 ⁱ	27.4 ⁱ	--	--	--
5	--	--	--	--	--	22.8 ⁱ	24.2 ^m	27.2 ⁱ	27.4 ⁱ	--	--	--
6	--	--	--	--	--	22.8 ⁱ	27.2 ^m	27.2 ⁱ	27.4 ⁱ	--	--	--
7	--	--	--	--	--	22.8 ⁱ	27.2 ⁱ	27.2 ⁱ	27.4 ⁱ	--	--	--
8	--	--	--	--	--	22.8 ⁱ	27.2 ⁱ	27.2 ⁱ	27.4 ⁱ	--	--	--
9	--	--	--	--	--	22.8 ⁱ	27.2 ⁱ	27.2 ⁱ	27.4 ^m	--	--	--
10	--	--	--	--	--	22.8 ^m	27.2 ⁱ	27.2 ⁱ	26.0 ^m	--	--	--
11	--	--	--	--	--	24.2 ^m	27.2 ⁱ	27.2 ⁱ	26.0 ⁱ	--	--	--
12	--	--	--	--	--	24.2 ⁱ	27.2 ⁱ	27.2 ⁱ	26.0 ⁱ	--	--	--
13	--	--	--	--	--	24.2 ⁱ	27.2 ⁱ	27.2 ⁱ	26.0 ⁱ	--	--	--
14	--	--	--	--	--	24.2 ⁱ	27.2 ⁱ	27.2 ⁱ	26.0 ⁱ	--	--	--
15	--	--	--	--	--	24.2 ⁱ	27.2 ⁱ	27.2 ⁱ	26.0 ⁱ	--	--	--
16	--	--	--	--	--	24.2 ⁱ	27.2 ⁱ	27.2 ^m	26.0 ^m	--	--	--
17	--	--	--	--	--	24.2 ^m	27.2 ⁱ	27.5 ^m	24.5 ^m	--	--	--
18	--	--	--	--	--	0.00 ^m	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
19	--	--	--	--	--	0.00 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
20	--	--	--	--	--	0.00 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
21	--	--	--	--	--	0.00 ^m	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
22	--	--	--	--	--	25.7 ^m	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
23	--	--	--	--	--	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
24	--	--	--	--	--	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
25	--	--	--	--	--	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
26	--	--	--	--	--	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
27	--	--	--	--	16.0 ^m	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
28	--	--	--	--	16.0 ⁱ	25.7 ⁱ	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
29	--	--	--	--	16.0 ⁱ	25.7 ^m	27.2 ⁱ	27.5 ⁱ	24.5 ⁱ	--	--	--
30	--	--	--	--	16.0 ⁱ	24.2 ^m	27.2 ⁱ	27.5 ⁱ	24.5 ^m	--	--	--
31	--	--	--	--	16.0 ^m	--	27.2 ^m	27.5 ^m	--	--	--	--
Total:	--	--	--	--	80.0	606.4	828.5	847.9	771.8	--	--	--
Mean:	--	--	--	--	16.0	20.2	26.7	27.4	25.7	--	--	--
Min:	--	--	--	--	16.0	0.00	24.2	27.2	24.5	--	--	--
Max:	--	--	--	--	16.0	25.7	27.2	27.5	27.4	--	--	--
AC-FT:	--	--	--	--	158.7	1202	1643	1681	1530	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 3134

TOTAL AC-FT: 6217

Annual Summary for Water District 13N Mink Creek
10087600 - D - TOWN DITCH (MINK CREEK NO. 1)

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 13N Mink Creek
10087700 - D - TWIN LAKES CANAL - TWIN LAKES CANAL CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	67.0 ⁿ	116.0 ⁿ	146.0 ^m	53.4 ^m	24.1 ^m	--	--	--
2	--	--	--	--	73.0 ^m	116.0 ⁱ	146.0 ⁱ	53.4 ⁱ	27.1 ^m	--	--	--
3	--	--	--	--	69.0 ^m	116.0 ⁱ	146.0 ⁱ	53.4 ^m	27.1 ^m	--	--	--
4	--	--	--	--	67.0 ^m	116.0 ^m	146.0 ⁱ	54.4 ^m	28.1 ^m	--	--	--
5	--	--	--	--	69.0 ^m	96.0 ^m	146.0 ⁱ	53.4 ^m	29.1 ^m	--	--	--
6	--	--	--	--	66.0 ^m	96.0 ⁱ	146.0 ⁱ	51.0 ^m	25.1 ^m	--	--	--
7	--	--	--	--	63.0 ^m	96.0 ^m	146.0 ^m	51.0 ^m	25.1 ^m	--	--	--
8	--	--	--	--	73.0 ⁿ	101.0 ^m	136.0 ^m	53.4 ^m	26.1 ^m	--	--	--
9	--	--	--	--	73.0 ^c	101.0 ^m	126.0 ^m	51.4 ^m	26.1 ⁱ	--	--	--
10	--	--	--	--	100.0 ^e	116.0 ^m	121.0 ^m	49.4 ^m	26.1 ⁱ	--	--	--
11	--	--	--	--	130.0 ^m	116.0 ^m	116.0 ⁿ	49.4 ^m	26.1 ⁱ	--	--	--
12	--	--	--	--	130.0 ⁱ	135.0 ^m	106.0 ^m	40.4 ^m	26.1 ⁱ	--	--	--
13	--	--	--	--	130.0 ⁱ	140.0 ^m	96.0 ^m	31.4 ^m	26.1 ⁱ	--	--	--
14	--	--	--	--	130.0 ⁱ	140.0 ⁱ	94.0 ^m	34.4 ^m	26.1 ^m	--	--	--
15	--	--	--	--	130.0 ⁱ	140.0 ⁱ	94.0 ^m	29.4 ^m	23.1 ^m	--	--	--
16	--	--	--	--	130.0 ⁱ	140.0 ^m	88.0 ^m	33.4 ^m	23.1 ⁱ	--	--	--
17	--	--	--	--	130.0 ⁱ	136.0 ^m	115.0 ^m	36.4 ^m	23.1 ^m	--	--	--
18	--	--	--	--	130.0 ⁱ	136.0 ^m	80.0 ^m	34.4 ^m	22.1 ^m	--	--	--
19	--	--	--	--	130.0 ^m	136.0 ^m	75.0 ^m	31.4 ^m	21.1 ^m	--	--	--
20	--	--	--	--	60.0 ^m	128.0 ^m	73.0 ^m	31.4 ⁱ	23.1 ^m	--	--	--
21	--	--	--	--	120.0 ^m	128.0 ^m	73.0 ^m	31.4 ⁱ	25.1 ^m	--	--	--
22	--	--	--	--	120.0 ⁱ	126.0 ^m	70.0 ^m	31.4 ⁱ	27.1 ^m	--	--	--
23	--	--	--	--	120.0 ⁱ	116.0 ^m	66.0 ^m	31.4 ^m	--	--	--	--
24	--	--	--	--	120.0 ⁱ	116.0 ⁱ	66.0 ^m	29.4 ^m	--	--	--	--
25	--	--	--	--	120.0 ⁱ	116.0 ⁱ	64.5 ^m	29.4 ^m	--	--	--	--
26	--	--	--	--	120.0 ⁱ	116.0 ⁱ	64.9 ^m	27.4 ^m	--	--	--	--
27	--	--	--	71.0 ^m	120.0 ⁱ	116.0 ^m	66.4 ^m	29.4 ^m	--	--	--	--
28	--	--	--	63.0 ^m	120.0 ⁱ	121.0 ^m	64.9 ^m	29.4 ^m	--	--	--	--
29	--	--	--	65.0 ^m	120.0 ⁱ	131.0 ^m	60.4 ^m	24.4 ^m	--	--	--	--
30	--	--	--	65.0 ^m	120.0 ⁱ	146.0 ^m	55.4 ^m	24.4 ^m	--	--	--	--
31	--	--	--	--	120.0 ^m	--	55.4 ^m	25.4 ^m	--	--	--	--
Total:	--	--	--	264.0	3270	3649	3048	1189	555.1	--	--	--
Mean:	--	--	--	66.0	105.5	121.6	98.4	38.4	25.2	--	--	--
Min:	--	--	--	63.0	60.0	96.0	55.4	24.4	21.1	--	--	--
Max:	--	--	--	71.0	130.0	146.0	146.0	54.4	29.1	--	--	--
AC-FT:	--	--	--	523.6	6486	7237	6047	2359	1101	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 11976

TOTAL AC-FT: 23755

**Annual Summary for Water District 13N Mink Creek
10087750 - D - TWIN LAKES CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	4.00 ^m	4.00 ^m	2.60 ^m	1.95 ^m	--	--	--
2	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
3	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
4	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
5	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
6	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
7	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
8	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
9	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
10	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
11	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
12	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
13	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
14	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
15	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
16	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
17	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
18	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
19	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
20	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
21	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ⁱ	--	--	--
22	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.95 ^m	--	--	--
23	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	1.98 ⁱ	--	--	--
24	--	--	--	--	--	4.00 ⁱ	4.00 ⁱ	2.60 ⁱ	2.00 ^m	--	--	--
25	--	--	--	--	--	4.00 ⁱ	4.00 ^m	2.60 ⁱ	--	--	--	--
26	--	--	--	--	--	4.00 ⁱ	2.60 ^m	2.60 ⁱ	--	--	--	--
27	--	--	--	--	--	4.00 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--	--
28	--	--	--	--	--	4.00 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--	--
29	--	--	--	--	--	4.00 ⁱ	2.60 ⁱ	2.60 ⁱ	--	--	--	--
30	--	--	--	--	--	4.00 ^m	2.60 ⁱ	2.60 ⁱ	--	--	--	--
31	--	--	--	--	--	--	2.60 ^m	2.60 ^m	--	--	--	--
Total:	--	--	--	--	--	120.0	115.6	80.6	46.9	--	--	--
Mean:	--	--	--	--	--	4.00	3.73	2.60	1.95	--	--	--
Min:	--	--	--	--	--	4.00	2.60	2.60	1.95	--	--	--
Max:	--	--	--	--	--	4.00	4.00	2.60	2.00	--	--	--
AC-FT:	--	--	--	--	--	238.0	229.3	159.9	93.0	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 363.1

TOTAL AC-FT: 720.2

Annual Summary for Water District 13N Mink Creek
10087800 - D - RIVERDALE CANAL - RIVERDALE CANAL CO

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.55 ^m	6.89 ^m	4.87 ^m	5.55 ^m	--	--	--
2	--	--	--	--	--	1.55 ⁱ	6.89 ⁱ	4.87 ⁱ	4.90 ^m	--	--	--
3	--	--	--	--	--	1.55 ⁱ	6.89 ⁱ	4.87 ⁱ	4.90 ⁱ	--	--	--
4	--	--	--	--	--	1.55 ⁱ	6.89 ⁱ	4.87 ⁱ	4.90 ⁱ	--	--	--
5	--	--	--	--	--	1.55 ⁱ	6.89 ⁱ	4.87 ⁱ	4.90 ⁱ	--	--	--
6	--	--	--	--	--	1.55 ⁱ	6.89 ⁱ	4.87 ⁱ	4.90 ⁱ	--	--	--
7	--	--	--	--	--	1.55 ^m	6.89 ⁱ	4.87 ⁱ	4.90 ⁱ	--	--	--
8	--	--	--	--	--	0.08 ^m	6.89 ^m	4.87 ⁱ	4.90 ⁱ	--	--	--
9	--	--	--	--	--	0.08 ⁱ	5.46 ^m	4.87 ⁱ	4.90 ^m	--	--	--
10	--	--	--	--	--	0.08 ⁱ	5.46 ^m	4.87 ⁱ	3.66 ^m	--	--	--
11	--	--	--	--	--	0.08 ⁱ	4.79 ^m	4.87 ⁱ	3.66 ⁱ	--	--	--
12	--	--	--	--	--	0.08 ⁱ	4.79 ^m	4.87 ⁱ	3.66 ⁱ	--	--	--
13	--	--	--	--	--	0.08 ⁱ	6.16 ^m	4.87 ⁱ	3.66 ⁱ	--	--	--
14	--	--	--	--	--	0.08 ⁱ	6.16 ⁱ	4.87 ⁱ	3.66 ⁱ	--	--	--
15	--	--	--	--	--	0.08 ⁱ	6.16 ⁱ	4.87 ⁱ	3.66 ⁱ	--	--	--
16	--	--	--	--	--	0.08 ⁱ	6.16 ⁱ	4.87 ⁱ	3.66 ^m	--	--	--
17	--	--	--	--	--	0.08 ⁱ	6.16 ⁱ	4.87 ⁱ	3.32 ^m	--	--	--
18	--	--	--	--	--	0.08 ^m	6.16 ⁱ	4.87 ^m	3.32 ⁱ	--	--	--
19	--	--	--	--	--	0.57 ⁱ	6.16 ⁱ	4.49 ^m	3.32 ⁱ	--	--	--
20	--	--	--	--	--	1.06 ⁱ	6.16 ^m	5.40 ^m	3.32 ⁱ	--	--	--
21	--	--	--	--	--	1.55 ^m	6.89 ^m	5.40 ⁱ	3.32 ⁱ	--	--	--
22	--	--	--	--	--	1.60 ^m	6.89 ^m	5.40 ⁱ	3.32 ⁱ	--	--	--
23	--	--	--	--	--	1.15 ^m	5.46 ^m	5.40 ⁱ	3.32 ⁱ	--	--	--
24	--	--	--	--	--	1.15 ⁱ	5.46 ⁱ	5.40 ⁱ	3.32 ⁱ	--	--	--
25	--	--	--	--	--	1.15 ^m	5.46 ^m	5.40 ⁱ	3.32 ⁱ	--	--	--
26	--	--	--	--	--	0.80 ^m	5.94 ^m	5.40 ^m	3.32 ⁱ	--	--	--
27	--	--	--	--	--	0.80 ⁱ	5.94 ⁱ	3.99 ^m	3.32 ⁱ	--	--	--
28	--	--	--	--	--	0.80 ⁱ	5.94 ⁱ	3.99 ⁱ	3.32 ⁱ	--	--	--
29	--	--	--	--	--	0.80 ^m	5.94 ^m	3.99 ⁱ	3.32 ⁱ	--	--	--
30	--	--	--	--	--	5.46 ^m	5.27 ^m	3.99 ⁱ	3.32 ^m	--	--	--
31	--	--	--	--	--	--	5.27 ^m	3.99 ^m	--	--	--	--
Total:	--	--	--	--	--	28.6	189.4	149.9	116.9	--	--	--
Mean:	--	--	--	--	--	0.95	6.11	4.84	3.90	--	--	--
Min:	--	--	--	--	--	0.08	4.79	3.99	3.32	--	--	--
Max:	--	--	--	--	--	5.46	6.89	5.40	5.55	--	--	--
AC-FT:	--	--	--	--	--	56.8	375.6	297.3	231.8	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 484.7

TOTAL AC-FT: 961.5

**Annual Summary for Water District 13N Mink Creek
10087850 - D - RIVERDALE CANAL - GLENCOE IRRIGATION CO**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.60 ^m	1.60 ^m	1.12 ^m	0.84 ^m	--	--	--
2	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
3	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
4	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
5	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
6	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
7	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
8	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
9	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
10	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
11	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
12	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
13	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
14	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
15	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
16	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
17	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
18	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
19	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
20	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
21	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
22	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
23	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
24	--	--	--	--	--	1.60 ⁱ	1.60 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
25	--	--	--	--	--	1.60 ⁱ	1.60 ^m	1.12 ⁱ	0.84 ⁱ	--	--	--
26	--	--	--	--	--	1.60 ⁱ	1.12 ^m	1.12 ⁱ	0.84 ⁱ	--	--	--
27	--	--	--	--	--	1.60 ⁱ	1.12 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
28	--	--	--	--	--	1.60 ⁱ	1.12 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
29	--	--	--	--	--	1.60 ⁱ	1.12 ⁱ	1.12 ⁱ	0.84 ⁱ	--	--	--
30	--	--	--	--	--	1.60 ^m	1.12 ⁱ	1.12 ⁱ	0.84 ^m	--	--	--
31	--	--	--	--	--	--	1.12 ^m	1.12 ^m	--	--	--	--
Total:	--	--	--	--	--	48.0	46.7	34.7	25.2	--	--	--
Mean:	--	--	--	--	--	1.60	1.51	1.12	0.84	--	--	--
Min:	--	--	--	--	--	1.60	1.12	1.12	0.84	--	--	--
Max:	--	--	--	--	--	1.60	1.60	1.12	0.84	--	--	--
AC-FT:	--	--	--	--	--	95.2	92.7	68.9	50.0	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 154.6

TOTAL AC-FT: 306.7

Annual Summary for Water District 13N Mink Creek
10087901 - D - BIRCH CREEK CULINARY WATER CO FR BIRCH CK SPRING

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.25 ^m	0.27 ^m	0.28 ^m	0.23 ^m	0.25 ^m	--	--	--
2	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
3	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
4	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
5	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
6	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
7	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
8	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
9	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
10	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
11	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
12	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
13	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
14	--	--	--	--	0.25 ⁱ	0.27 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
15	--	--	--	0.23 ^m	0.25 ^m	0.27 ^m	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
16	--	--	--	0.23 ⁱ	0.26 ^m	0.25 ^m	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
17	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.23 ⁱ	0.25 ⁱ	--	--	--
18	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.23 ^m	0.25 ⁱ	--	--	--
19	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ^m	0.25 ⁱ	--	--	--
20	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
21	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
22	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
23	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
24	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
25	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
26	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
27	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
28	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
29	--	--	--	0.23 ⁱ	0.26 ⁱ	0.25 ⁱ	0.28 ⁱ	0.24 ⁱ	0.25 ⁱ	--	--	--
30	--	--	--	0.23 ^m	0.26 ⁱ	0.25 ^m	0.28 ⁱ	0.24 ⁱ	0.25 ^m	--	--	--
31	--	--	--	--	0.26 ^m	--	0.28 ^m	0.24 ^m	--	--	--	--
Total:	--	--	--	3.68	7.91	7.80	8.68	7.26	7.50	--	--	--
Mean:	--	--	--	0.23	0.26	0.26	0.28	0.23	0.25	--	--	--
Min:	--	--	--	0.23	0.25	0.25	0.28	0.23	0.25	--	--	--
Max:	--	--	--	0.23	0.26	0.27	0.28	0.24	0.25	--	--	--
AC-FT:	--	--	--	7.30	15.7	15.5	17.2	14.4	14.9	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 42.8

TOTAL AC-FT: 85.0

**Annual Summary for Water District 13N Mink Creek
10087911 - D - BIRCH CREEK IRRIGATION**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	2.00 ^m	2.00 ^m	1.00 ⁿ	2.80 ^m	--	--	--
2	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
3	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
4	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
5	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
6	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
7	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
8	--	--	--	--	--	2.00 ⁱ	2.00 ^m	1.00 ⁱ	2.80 ⁱ	--	--	--
9	--	--	--	--	--	2.00 ⁱ	0.15 ^m	1.00 ⁱ	2.80 ^m	--	--	--
10	--	--	--	--	--	2.00 ⁱ	1.50 ^m	1.00 ⁱ	2.00 ^m	--	--	--
11	--	--	--	--	--	2.00 ⁱ	1.50 ⁱ	1.00 ⁱ	2.00 ⁱ	--	--	--
12	--	--	--	--	--	2.00 ⁱ	1.50 ^m	1.00 ⁱ	2.00 ⁱ	--	--	--
13	--	--	--	--	--	2.00 ⁱ	2.00 ^m	1.00 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ⁱ	--	--	--
15	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ⁱ	--	--	--
16	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ^m	--	--	--
17	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ^m	--	--	--
18	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
19	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
20	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
21	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
22	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
23	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
24	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
25	--	--	--	--	--	2.00 ^m	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
26	--	--	--	--	--	3.50 ^m	2.00 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
27	--	--	--	--	--	3.50 ⁱ	3.50 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
28	--	--	--	--	--	3.50 ⁱ	3.50 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
29	--	--	--	--	--	3.50 ⁱ	3.50 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
30	--	--	--	--	--	3.50 ^m	3.00 ^m	1.00 ⁱ	1.50 ^m	--	--	--
31	--	--	--	--	--	--	3.00 ^m	1.00 ^m	--	--	--	--
Total:	--	--	--	--	--	67.5	65.2	31.0	60.2	--	--	--
Mean:	--	--	--	--	--	2.25	2.10	1.00	2.01	--	--	--
Min:	--	--	--	--	--	2.00	0.15	1.00	1.50	--	--	--
Max:	--	--	--	--	--	3.50	3.50	1.00	2.80	--	--	--
AC-FT:	--	--	--	--	--	133.9	129.2	61.5	119.4	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 223.9

TOTAL AC-FT: 444.0

**Annual Summary for Water District 13N Mink Creek
10087921 - D - MIDDLE DITCH FR BIRCH CK**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	1.50 ^m	1.00 ^m	2.80 ^m	--	--	--
2	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
3	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
4	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
5	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
6	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
7	--	--	--	--	--	--	1.50 ⁱ	1.00 ⁱ	2.80 ⁱ	--	--	--
8	--	--	--	--	--	--	1.50 ^m	1.00 ⁱ	2.80 ⁱ	--	--	--
9	--	--	--	--	--	--	3.50 ^m	1.00 ⁱ	2.80 ⁱ	--	--	--
10	--	--	--	--	--	--	3.50 ⁱ	1.00 ⁱ	2.80 ^m	--	--	--
11	--	--	--	--	--	--	3.50 ⁱ	1.00 ⁱ	2.00 ^m	--	--	--
12	--	--	--	--	--	--	3.50 ^m	1.00 ⁱ	2.00 ⁱ	--	--	--
13	--	--	--	--	--	2.00 ^m	2.00 ^m	1.00 ⁱ	2.00 ⁱ	--	--	--
14	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ⁱ	--	--	--
15	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ⁱ	--	--	--
16	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	2.00 ^m	--	--	--
17	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ^m	--	--	--
18	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
19	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
20	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
21	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
22	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
23	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
24	--	--	--	--	--	2.00 ⁱ	2.00 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
25	--	--	--	--	--	2.00 ^m	2.00 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
26	--	--	--	--	--	1.00 ^m	2.00 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
27	--	--	--	--	--	1.50 ^m	3.50 ^m	1.00 ⁱ	1.50 ⁱ	--	--	--
28	--	--	--	--	--	1.50 ⁱ	3.50 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
29	--	--	--	--	--	1.50 ⁱ	3.50 ⁱ	1.00 ⁱ	1.50 ⁱ	--	--	--
30	--	--	--	--	--	1.50 ^m	3.50 ⁱ	1.00 ⁱ	1.50 ^m	--	--	--
31	--	--	--	--	--	--	3.50 ^m	1.00 ^m	--	--	--	--
Total:	--	--	--	--	--	33.0	71.5	31.0	61.0	--	--	--
Mean:	--	--	--	--	--	1.83	2.31	1.00	2.03	--	--	--
Min:	--	--	--	--	--	1.00	1.50	1.00	1.50	--	--	--
Max:	--	--	--	--	--	2.00	3.50	1.00	2.80	--	--	--
AC-FT:	--	--	--	--	--	65.5	141.8	61.5	121.0	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 196.5

TOTAL AC-FT: 389.8

**Annual Summary for Water District 13N Mink Creek
10087931 - D - KLAUS DITCH FR BIRCH CK**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	3.40 ^m	2.80 ^m	2.24 ^m	--	--	--
2	--	--	--	--	--	--	3.40 ⁱ	2.80 ⁱ	2.24 ⁱ	--	--	--
3	--	--	--	--	--	--	3.40 ⁱ	2.80 ⁱ	2.24 ⁱ	--	--	--
4	--	--	--	--	--	--	3.40 ⁱ	2.80 ⁱ	2.24 ⁱ	--	--	--
5	--	--	--	--	--	--	3.40 ⁱ	2.80 ⁱ	2.24 ⁱ	--	--	--
6	--	--	--	--	--	--	3.40 ⁱ	2.80 ^m	2.24 ⁱ	--	--	--
7	--	--	--	--	--	--	3.40 ⁱ	1.92 ^m	2.24 ⁱ	--	--	--
8	--	--	--	--	--	--	3.40 ^m	1.92 ⁱ	2.24 ⁱ	--	--	--
9	--	--	--	--	--	--	2.88 ^m	1.92 ⁱ	2.24 ⁱ	--	--	--
10	--	--	--	--	--	--	2.88 ⁱ	1.92 ^m	2.24 ⁱ	--	--	--
11	--	--	--	--	--	--	2.88 ⁱ	2.40 ^m	2.24 ⁱ	--	--	--
12	--	--	--	--	--	2.24 ^m	2.88 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
13	--	--	--	--	--	2.14 ⁱ	2.40 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
14	--	--	--	--	--	2.05 ⁱ	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
15	--	--	--	--	--	1.95 ⁱ	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
16	--	--	--	--	--	1.86 ⁱ	2.40 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
17	--	--	--	--	--	1.76 ⁱ	2.56 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
18	--	--	--	--	--	1.66 ⁱ	2.56 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
19	--	--	--	--	--	1.57 ⁱ	2.56 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
20	--	--	--	--	--	1.47 ⁱ	2.56 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
21	--	--	--	--	--	1.38 ⁱ	2.56 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
22	--	--	--	--	--	1.28 ^m	2.56 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
23	--	--	--	--	--	1.28 ⁱ	2.56 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
24	--	--	--	--	--	1.28 ^m	2.40 ^m	2.40 ⁱ	2.24 ⁱ	--	--	--
25	--	--	--	--	--	2.56 ^m	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
26	--	--	--	--	--	2.56 ⁱ	2.40 ⁱ	2.40 ⁱ	2.24 ⁱ	--	--	--
27	--	--	--	--	--	2.56 ⁱ	2.40 ⁱ	2.40 ^m	2.24 ⁱ	--	--	--
28	--	--	--	--	--	2.56 ⁱ	2.40 ⁱ	2.24 ^m	2.24 ⁱ	--	--	--
29	--	--	--	--	--	2.56 ⁱ	2.40 ^m	2.24 ⁱ	2.24 ⁱ	--	--	--
30	--	--	--	--	--	2.56 ^m	2.80 ^m	2.24 ⁱ	2.24 ^m	--	--	--
31	--	--	--	--	--	--	2.80 ^m	2.24 ^m	--	--	--	--
Total:	--	--	--	--	--	37.3	86.2	74.2	67.2	--	--	--
Mean:	--	--	--	--	--	1.96	2.78	2.39	2.24	--	--	--
Min:	--	--	--	--	--	1.28	2.40	1.92	2.24	--	--	--
Max:	--	--	--	--	--	2.56	3.40	2.80	2.24	--	--	--
AC-FT:	--	--	--	--	--	73.9	171.1	147.3	133.3	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 265.0

TOTAL AC-FT: 525.6