

MAGIC VALLEY LABS
210 Addison Ave / PO Box 1867
Twin Falls ID 83303-1867
Phone: (208) 733-4250
Fax: (208) 734-2539

CHOBANI

3450 KIMBERLY ROAD EAST
TWIN FALLS, ID 83301

Collection Date 7/16/2021		Received Date 7/16/2021	Location	
Collection Time 1:14 PM		Received Time 2:43 PM	CHOBANI WELL #1	
Sample #	Test / Method Code	Results in mg/L	Date Analyzed	Analyst
2110101	CALCIUM EPA200.7	57.1	7/26/2021	SH
2110102	MAGNESIUM EPA200.7	36.5	7/26/2021	SH
2110103	SODIUM EPA200.7	24.8	7/26/2021	SH
2110104	POTASSIUM EPA200.7	4.65	7/26/2021	JJ
2110105	BICARBONATE SM2320B	266	7/19/2021	SH
2110106	CARBONATE SM2320B	<1	7/19/2021	SH
2110107	SULFATE EPA300.0	86.5	7/16/2021	JJ
2110108	CHLORIDE EPA300.0	27.6	7/16/2021	JJ
2110109	ARSENIC EPA 200.8	0.0107	7/29/2021	ATL
21101010	URANIUM EPA200.8	0.00753	7/29/2021	ATL
21101011	FLUORIDE EPA300.0	0.54	7/16/2021	JJ
21101012	NITRATE/N EPA300.0	4.27	7/16/2021	JJ
21101013	IRON EPA200.7	<0.01	7/26/2021	JJ
21101014	MANGANESE EPA200.7	<0.001	7/26/2021	SH
21101015	TDS SM2540C	620	7/19/2021	BC
21101016	AMMONIA/N EPA350.1	<0.05	7/22/2021	SH
21101017	HARDNESS EPA130.2	325	7/19/2021	SH
21101018	ALKALINITY SM2320B	266	7/19/2021	SH
21101019	TOC SM5310B	1.31	7/23/2021	ATL
21101020	TOTAL P EPA365.1	0.09	7/23/2021	SH

Signature

Report Date: Wednesday, August 4, 2021 EXHIBIT 10
Page 1 of 3

MAGIC VALLEY LABS
210 Addison Ave / PO Box 1867
Twin Falls ID 83303-1867
Phone: (208) 733-4250
Fax: (208) 734-2539

CHOBANI

**3450 KIMBERLY ROAD EAST
TWIN FALLS, ID 83301**

Collection Date 8/2/2021		Received Date 8/2/2021	Location	
Collection Time 1:30 PM		Received Time 2:50 PM	CHOBANI WELL #1	
Sample #	Test / Method Code	Results in mg/L	Date Analyzed	Analyst
2115031	CALCIUM EPA200.7	104	8/6/2021	JJ
2115032	MAGNESIUM EPA200.7	29.9	8/6/2021	JJ
2115033	SODIUM EPA200.7	46.4	8/6/2021	JJ
2115034	POTASSIUM EPA200.7	7.44	8/6/2021	JJ
2115035	BICARBONATE SM2320B	287	8/4/2021	SH
2115036	CARBONATE SM2320B	<1	8/4/2021	SH
2115037	SULFATE EPA300.0	163	8/3/2021	JJ
2115038	CHLORIDE EPA300.0	68.2	8/3/2021	JJ
2115039	ARSENIC EPA 200.8	0.00101	8/24/2021	ATL
21150310	URANIUM EPA 200.8	0.0103	8/24/2021	ATL
21150311	FLUORIDE EPA300.0	<0.40	8/3/2021	JJ
21150312	NITRATE/N EPA300.0	3.50	8/3/2021	JJ
21150313	IRON EPA200.7	0.39	8/6/2021	JJ
21150314	MANGANESE EPA200.7	0.012	8/6/2021	JJ
21150315	TDS SM2540C	675	8/3/2021	BC
21150316	AMMONIA/N EPA350.1	<0.05	8/5/2021	JJ
21150317	HARDNESS EPA130.2	342	8/2/2021	SH
21150318	ALKALINITY SM2320B	287	8/4/2021	SH
21150319	TOC SM5310B	0.908	8/12/2021	ATL
21150320	TOTAL P EPA365.1	0.07	8/4/2021	JJ

Signature

Report Date: Friday, December 3, 2021 EXHIBIT 10
Page 2 of 3

MAGIC VALLEY LABS
210 Addison Ave / PO Box 1867
Twin Falls ID 83303-1867
Phone: (208) 733-4250
Fax: (208) 734-2539

CHOBANI

**3450 KIMBERLY ROAD EAST
TWIN FALLS, ID 83301**

Collection Date 8/16/2021 **Received Date** 8/16/2021 **Location**
Collection Time 12:15 PM **Received Time** 2:47 PM **WELL #1 600'**

Sample #	Test / Method Code	Results in mg/L	Date Analyzed	Analyst
2119461	CALCIUM EPA200.7	82.0	8/19/2021	JJ
2119462	MAGNESIUM EPA200.7	22.2	8/19/2021	JJ
2119463	SODIUM EPA200.7	38.6	8/19/2021	JJ
2119464	POTASSIUM EPA200.7	5.94	8/19/2021	JJ
2119465	ALKALINITY SM2320B	168	8/19/2021	SH
2119466	SULFATE EPA300.0	150	8/17/2021	JJ
2119467	CHLORIDE EPA300.0	56.2	8/17/2021	JJ
2119468	ARSENIC EPA 200.8	0.00213	9/13/2021	ATL
2119469	URANIUM EPA200.8	0.00851	9/13/2021	ATL
21194610	FLUORIDE EPA300.0	0.44	8/17/2021	JJ
21194611	NITRATE/N EPA300.0	2.75	8/17/2021	JJ
21194612	IRON EPA200.7	0.19	8/19/2021	JJ
21194613	MANGANESE EPA200.7	0.008	8/19/2021	JJ
21194614	TDS SM2540C	570	8/17/2021	BC
21194615	AMMONIA/N EPA350.1	<0.05	8/18/2021	JJ
21194616	HARDNESS EPA130.2	303	8/18/2021	SH
21194617	TOC SM5310B	0.763	8/23/2021	ATL
21194618	TOTAL P EPA365.1	0.07	8/18/2021	JJ

Signature

Report Date: Friday, December 3, 2021 EXHIBIT 10
Page 3 of 3