

Holliday, Michael

From: Holliday, Michael
Sent: Wednesday, March 12, 2025 5:36 PM
To: Jon Pinardi
Subject: RE: Teton Water & Sewer - Water Right 22-13178

Jon,

Thanks for the documents you submitted and for letting us know which wells should be removed from the water right. I have removed the 3 points of diversion you listed. The changes should show up on the public website in the next day or two. Feel free to contact me if you have any questions. I can be reached at 208.525.7161.

Michael Holliday

From: Jon Pinardi <jpinardi@silverstar.com>
Sent: Thursday, March 6, 2025 9:12 AM
To: Eastern Info <easterninfo@idwr.idaho.gov>
Subject: Teton Water & Sewer - Water Right 22-13178

Good morning,

Question, last evening I attended the presentation by James Cefalo regarding the upcoming water district formation for groundwater in Teton County. As a follow-up, I pulled some of my records and saw that there was some unfinished documentation due to IDWR from us regarding the new point of diversion for the 3rd well we drilled a few years ago.

Specifically, we were to communicate which of the four potential points of diversion we chose. For the record, we chose NESE Section 14, Twnshp 03N Range 45E, Teton County.

To be eliminated from the record are the following 3 points of diversion:

SESE Section 14, Twnshp 03N Range 45E
NWSW Section 14, Twnship 03N Range 45E
NWNW Section 23, Twnship 03N Range 45E

A measuring device was placed on the new well so that all 3 wells are being monitored for flow.

Please let me know if this notification is sufficient or if there is a more formal document we should provide. Attached is our Water Right Report as well as the Well Driller's Log showing the location.

Thank you,
Jon Pinardi
Teton Water and Sewer
Cell 208-201-4798



Form 238-7
6/07

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

1. WELL TAG NO. D 0091587

Drilling Permit No. 904106

Water right or injection well # 22-13178

2. OWNER: Owner/Operator

Name Teton Water and Sewer Company, LLC

Address 3940 Grand Street

City Driggs State ID Zip 83422

3. WELL LOCATION:

Twp. 03 North ☒ or South ☐ Rge. 45 East ☒ or West ☐

Sec. 14 1/4 NE 1/4 SE 1/4

Gov't Lot _____ County Teton

Lat. 43 35.0749 (Deg. and Decimal minutes)

Long. -111 06.1747 (Deg. and Decimal minutes)

Address of Well Site 1500' E; 180' S of 9500 S/ 1000 W Junction

City Victor

Lot 2 Blk. _____ Sub. Name Teton Springs Golf & Casting

4. USE:

☐ Domestic ☒ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection
☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well
☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Bentonite	0	65	3300 lbs	Poured

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner	Threaded	Welded
8"	+2	200	.322	Steel	☒	☐	☒
6"	197	203	.250	Steel	☐	☒	☒

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 200'

9. PERFORATIONS/SCREENS:

Perforations ☐ Y ☐ N Method _____

Manufactured screen ☒ Y ☐ N Type 304 S.S. WR

Method of installation Pull Back

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
203	303	.035		6 5/8	304 S.S.	.035

Length of Headpipe 6' Length of Tailpipe 0'

Packer ☒ Y ☐ N Type K-Packer 6 5/8" / 8" @ 197'

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method
6/8 Silica	300	309	200 lbs	Poured

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) _____ Static water level (ft) 90.5

Water temp. (°F) _____ Bottom hole temp. (°F) _____

Describe access port Well Cap

Well test:

Drawdown (feet)	Discharge or yield (cgm)	Test duration (minutes)
84.5	75	24 hr.

Test method:

Pump	Bailer	Air	Flowing artesian
☒	☐	☐	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water
12	0	2	Top Soil	
	2	20	Clay, Boulder, Gravel	
	20	45	Boulder, Clay	
	45	63	Boulders, Clay, Gravel	
	63	65	Gravel, Clay	
10	65	99	Gravel, Clay	
	99	120	Clay, Gravel	Y
	120	160	Gravel	Y
	160	180	Gravel, Some Clay	Y
	180	190	Large Gravel	Y
	190	195	Gravel, Some Round, Some Clay	Y
	195	205	Gravel, Fine Sand	Y
	205	210	Gravel, Medium Fine Sand	Y
	210	215	Gravel, Some Round, Sand	Y
	215	220	Gravel, Sand	Y
	220	230	Gravel, Sand, Some Clay	Y
	230	235	Gravel, Large Sand, Some Clay	Y
	235	245	Gravel, Sand, Silt	Y
	245	255	Gravel, Some Round, Sand	Y
	255	275	Gravel, Fine Sand	Y
	275	309	Gravel, Medium Sand	Y

Completed Depth (Measurable): 303

Date Started: 04/07/2022 Date Completed: 10/07/2022

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Buchanan Well Drilling Co. No. 5

*Principal Driller Roger Buchanan Date 2-8-2023

*Driller [Signature] Date 2-8-2023

*Operator II _____ Date _____

Operator I _____ Date _____

* Signature of Principal Driller and rig operator are required.

