

Split tree 63-168

63-168 as decreed = 75.8 cfs

63-168 → = 72.62

(72.21 cfs claimed in A63-21761

→ A = .20 cfs see A63-21761

→ B = .38 cfs (A)

→ C = 2.60 cfs see A63-21761

D = .41 cfs

Total WR = 75.8 cfs

Total A) claims = 75.8 cfs.

That the defendant, ~~THE BOISE CITY CANAL COMPANY~~ a corporation, be, and it is hereby awarded the use of the waters of Boise River, diverted at a point on said river above the city of Boise for use on the lands lying under its canal system, in the following amount from the following date;
 63 0165 T 370; 373, 1049, 1059,
 1903 inches, from ~~June 1, 1888~~, and hereby designated as Right No. 33.
 And be adjudged to pay \$133.21 costs in addition to the costs incurred by it.

XXXII.

That the defendant ~~THE FRANKLIN RIVER COMPANY~~, a corporation, be and it is hereby awarded the use of the waters of Boise River, diverted at a point on the William Frost farm in Sec. 18, T. 4 N. R. 1 W. B.M., for use upon the lands lying under its canal system, in the following amounts from the following dates;
 63 0166
 770 inches, from ~~July 3, 1886~~, and hereby designated as Right No. 34.
 63 0167
 1380 inches, from ~~Oct. 29, 1880~~, and hereby designated as Right No. 77.
 And be adjudged to pay \$150.50 costs in addition to the costs incurred by it.

XXXIII.

That the defendant ~~THE CHANDLER CANYON WATER COMPANY~~, a corporation, be, and it is hereby awarded the use of the waters of Boise River, diverted at a point on the north bank of said river near where the east line of Canyon County intersects said north bank, for use upon the lands lying under its canal system, in the following amount from the following date;
 63 0168
 5790 inches, from ~~June 1, 1867~~, and hereby designated as Right No. 35.
 And be adjudged to pay \$265.30 costs in addition to the costs incurred by it.

XXXIV.

That the defendant ~~WILLIAM THURMAN~~ be, and she is hereby awarded the use of the waters of Boise River, diverted at a point on the south side of said river on SE 1/4 of NE 1/4, Sec. 5, T. 3 N. R. 3 E. B.M., through what is known as the Thurman Mill Slough or ditch, for use upon lands lying under said ditch, in the following amount from the following date;

63 0169
 705 inches, from ~~June 1, 1868~~, and hereby designated as Right No. 36.
 And be adjudged to pay \$49.35 costs in addition to the costs incurred by her.

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-168

WATER RIGHT NUMBER: 63-168

Owner Type Name and Address

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	/ to /	72.620 CFS	
	<u>Total Diversion:</u>	72.620 CFS	

Location of Point(s) of Diversion

BOISE RIVER

Place of UseConditions of Approval:Remarks:

1. General CHANGE IN POINT OF DIVERSION ONLY.

Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-168A

WATER RIGHT NUMBER: 63-168A

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	CANYON COUNTY WATER CO LTD 10081 LILAC PL MIDDLETON, ID 83644 (208)585-3768
Current Owner	CORA M CLIFTON MIDDLETON, ID

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	/ to /	0.200 CFS	
	<u>Total Diversion:</u>	0.200 CFS	

Location of Point(s) of Diversion

BOISE RIVER	NW1/4SW1/4	Sec. 17, Twp 04N, Rge 01W, B.M.
CANYON County		

Place of UseIRRIGATION Within CANYON County

T04N R02W S07 NENE 10.0

Total Acres: 10

Conditions of Approval:Remarks:Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Claim Report 63-168A

WATER RIGHT NUMBER: 63-168A

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	CANYON COUNTY WATER CO LTD 10081 LILAC PL MIDDLETON, ID 83644 (208)585-3768
Original Owner	CORA M CLIFTON MIDDLETON, ID

Priority Date: 06/01/1867

Basis:

Status: See Remarks

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	/ to /	0.200 CFS	
	<u>Total Diversion:</u>	0.200 CFS	

Location of Point(s) of Diversion

BOISE RIVER	NW1/4SW1/4	Sec. 17, Twp 04N, Rge 01W, B.M.
CANYON County		

Place of UseIRRIGATION Within ADA County

T04N R01W S03	SWSW	22.0	T04N R01W S03	SESW	19.0
T04N R01W S03	SWSE	11.0	T04N R01W S03	SESE	5.0
T04N R01W S04	SWSW	20.0	T04N R01W S04	SESW	18.0
T04N R01W S04	SWSE	23.0	T04N R01W S04	SESE	23.0
T04N R01W S05	NESW	14.0	T04N R01W S05	NWSW	25.0
T04N R01W S05	SWSW	38.0	T04N R01W S05	SESW	38.0
T04N R01W S05	NWSE	3.0	T04N R01W S05	SWSE	36.0
T04N R01W S05	SESE	25.0	T04N R01W S06	SWNE	38.0
T04N R01W S06	SENE	38.0	T04N R01W S06	SWNW	30.0
T04N R01W S06	SENE	26.0	T04N R01W S06	NESW	39.0
T04N R01W S06	NWSW	39.0	T04N R01W S06	SWSW	38.0
T04N R01W S06	SESW	38.0	T04N R01W S06	NESE	39.0
T04N R01W S06	NWSE	38.0	T04N R01W S06	SWSE	38.0
T04N R01W S06	SESE	38.0	T04N R01W S07	NENE	38.0
T04N R01W S07	NWNE	38.0	T04N R01W S07	SWNE	39.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NENW	39.0
T04N R01W S07	NWNW	39.0	T04N R01W S07	SWNW	38.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NESW	39.0
T04N R01W S07	NWSW	38.0	T04N R01W S07	SWSW	38.0
T04N R01W S07	SESW	38.0	T04N R01W S07	NESE	35.0
T04N R01W S07	NWSE	38.0	T04N R01W S07	SWSE	38.0
T04N R01W S07	SESE	17.0	T04N R01W S08	NENE	39.0
T04N R01W S08	NWNE	39.0	T04N R01W S08	SWNE	39.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NENW	39.0
T04N R01W S08	NWNW	38.0	T04N R01W S08	SWNW	38.0

T04N R01W S08	SE	38.0	T04N R01W S08	NE	13.0
T04N R01W S08	NW	37.0	T04N R01W S08	NE	38.0
T04N R01W S08	SW	39.0	T04N R01W S08	SW	38.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168A

T04N R01W S08	NWSE	39.0	T04N R01W S08	SWSE	38.0
T04N R01W S08	SESE	38.0	T04N R01W S09	NENE	25.0
T04N R01W S09	NWNE	38.0	T04N R01W S09	SWNE	38.0
T04N R01W S09	SENE	39.0	T04N R01W S09	NENW	39.0
T04N R01W S09	NWNW	38.0	T04N R01W S09	SWNW	38.0
T04N R01W S09	SENE	38.0	T04N R01W S09	NESW	39.0
T04N R01W S09	NWSW	38.0	T04N R01W S09	SWSW	25.0
T04N R01W S09	SESW	30.0	T04N R01W S09	NESE	38.0
T04N R01W S09	NWSE	39.0	T04N R01W S09	SWSE	38.0
T04N R01W S10	NENE	39.0	T04N R01W S10	NWNE	39.0
T04N R01W S10	SWNE	39.0	T04N R01W S10	SENE	39.0
T04N R01W S10	NENW	38.0	T04N R01W S10	NWNW	39.0
T04N R01W S10	SWNW	38.0	T04N R01W S10	SENE	37.0
T04N R01W S10	NESW	38.0	T04N R01W S10	NWSW	39.0
T04N R01W S10	NESE	38.0	T04N R01W S10	NWSE	38.0
T04N R01W S10	SWSE	38.0	T04N R01W S10	SESE	38.0
T04N R01W S11	SWNE	38.0	T04N R01W S11	SENE	13.0
T04N R01W S11	NENW	26.0	T04N R01W S11	NWNW	38.0
T04N R01W S11	SWNW	39.0	T04N R01W S11	SENE	39.0
T04N R01W S11	NESW	39.0	T04N R01W S11	NWSW	38.0
T04N R01W S11	SWSW	38.0	T04N R01W S11	SESW	38.0
T04N R01W S11	NESE	38.0	T04N R01W S11	NWSE	39.0
T04N R01W S11	SWSE	37.0	T04N R01W S11	SESE	20.0
T04N R01W S14	NENE	7.0	T04N R01W S14	NWNE	12.0
T04N R01W S14	NENW	27.0	T04N R01W S14	NWNW	34.0
T04N R01W S14	SWNW	39.0	T04N R01W S14	SENE	22.0
T04N R01W S14	NESW	27.0	T04N R01W S14	NWSW	34.0
T04N R01W S15	NENE	35.0	T04N R01W S15	NWNE	38.0
T04N R01W S15	SWNE	11.0	T04N R01W S15	SENE	9.0
T04N R01W S15	NESE	35.0	T04N R01W S15	NWSE	3.0
T04N R01W S18	NWNE	38.0	T04N R01W S18	NENW	38.0
T04N R01W S18	NWNW	3.0	T04N R02W S01	SWNE	32.0
T04N R02W S01	SENE	31.0	T04N R02W S01	SWNW	10.0
T04N R02W S01	SENE	16.0	T04N R02W S01	NESW	39.0
T04N R02W S01	NWSW	38.0	T04N R02W S01	SWSW	38.0
T04N R02W S01	SESW	39.0	T04N R02W S01	NESE	38.0
T04N R02W S01	NWSE	39.0	T04N R02W S01	SWSE	38.0
T04N R02W S01	SESE	38.0	T04N R02W S02	NENE	8.0
T04N R02W S02	NWNE	7.0	T04N R02W S02	SWNE	37.0
T04N R02W S02	SENE	38.0	T04N R02W S02	NENW	5.0
T04N R02W S02	NWNW	5.0	T04N R02W S02	SWNW	38.0
T04N R02W S02	SENE	37.0	T04N R02W S02	NESW	39.0
T04N R02W S02	NWSW	38.0	T04N R02W S02	SWSW	38.0
T04N R02W S02	SESW	38.0	T04N R02W S02	NESE	38.0
T04N R02W S02	NWSE	39.0	T04N R02W S02	SWSE	39.0
T04N R02W S02	SESE	38.0	T04N R02W S03	NENE	8.0
T04N R02W S03	NWNE	15.0	T04N R02W S03	SWNE	39.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NENW	6.0
T04N R02W S03	NWNW	15.0	T04N R02W S03	SWNW	38.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NESW	39.0
T04N R02W S03	NWSW	38.0	T04N R02W S03	SWSW	38.0
T04N R02W S03	SESW	39.0	T04N R02W S03	NESE	39.0
T04N R02W S03	NWSE	39.0	T04N R02W S03	SWSE	38.0
T04N R02W S03	SESE	38.0	T04N R02W S04	NENE	18.0
T04N R02W S04	NWNE	10.0	T04N R02W S04	SWNE	38.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NENW	15.0
T04N R02W S04	NWNW	16.0	T04N R02W S04	SWNW	39.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NESW	38.0
T04N R02W S04	NWSW	38.0	T04N R02W S04	SWSW	39.0
T04N R02W S04	SESW	39.0	T04N R02W S04	NESE	38.0
T04N R02W S04	NWSE	39.0	T04N R02W S04	SWSE	39.0

T04N R02W S04	SESE	38.0	T04N R02W S05	NENE	20.0
T04N R02W S05	NWNE	12.0	T04N R02W S05	SWNE	39.0
T04N R02W S05	SENE	39.0	T04N R02W S05	NENW	4.0
T04N R02W S05	NWNW	16.0	T04N R02W S05	SWNW	39.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168A

T04N R02W S05	NWNW	16.0	T04N R02W S05	SWNW	39.0
T04N R02W S05	SENW	39.0	T04N R02W S05	NESW	38.0
T04N R02W S05	NWSW	39.0	T04N R02W S05	SWSW	39.0
T04N R02W S05	SESW	39.0	T04N R02W S05	NESE	38.0
T04N R02W S05	NWSE	39.0	T04N R02W S05	SWSE	39.0
T04N R02W S05	SESE	38.0	T04N R02W S06	NENE	3.0
T04N R02W S06	NWNE	26.0	T04N R02W S06	SWNE	30.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NENW	35.0
T04N R02W S06	NWNW	8.0	T04N R02W S06	SWNW	29.0
T04N R02W S06	SENW	36.0	T04N R02W S06	NESW	33.0
T04N R02W S06	NWSW	36.0	T04N R02W S06	SWSW	35.0
T04N R02W S06	SESW	15.0	T04N R02W S06	NESE	38.0
T04N R02W S06	NWSE	20.0	T04N R02W S06	SWSE	7.0
T04N R02W S06	SESE	39.0	T04N R02W S07	NENE	7.0
T04N R02W S07	NWNE	2.0	T04N R02W S07	NENW	8.0
T04N R02W S07	NWNW	24.0	T04N R02W S08	NWNE	9.0
T04N R02W S08	NENW	12.0	T04N R02W S08	NWNW	20.0
T04N R02W S09	NENE	37.0	T04N R02W S09	NWNE	38.0
T04N R02W S09	SWNE	6.0	T04N R02W S09	SENE	4.0
T04N R02W S09	NENW	33.0	T04N R02W S09	SENW	1.0
T04N R02W S10	NENE	39.0	T04N R02W S10	NWNE	39.0
T04N R02W S10	SWNE	35.0	T04N R02W S10	SENE	38.0
T04N R02W S10	NENW	39.0	T04N R02W S10	NWNW	38.0
T04N R02W S10	SWNW	5.0	T04N R02W S10	SENW	31.0
T04N R02W S10	NESW	1.0	T04N R02W S10	NESE	19.0
T04N R02W S10	NWSE	28.0	T04N R02W S11	NENE	38.0
T04N R02W S11	NWNE	39.0	T04N R02W S11	SWNE	39.0
T04N R02W S11	SENE	38.0	T04N R02W S11	NENW	39.0
T04N R02W S11	NWNW	38.0	T04N R02W S11	SWNW	38.0
T04N R02W S11	SENW	39.0	T04N R02W S11	NESW	8.0
T04N R02W S11	NWSW	12.0	T04N R02W S11	NESE	21.0
T04N R02W S11	NWSE	25.0	T04N R02W S11	SESE	1.0
T04N R02W S12	NENE	38.0	T04N R02W S12	NWNE	38.0
T04N R02W S12	SWNE	39.0	T04N R02W S12	SENE	38.0
T04N R02W S12	NENW	38.0	T04N R02W S12	NWNW	38.0
T04N R02W S12	SWNW	39.0	T04N R02W S12	SENW	39.0
T04N R02W S12	NESW	38.0	T04N R02W S12	NWSW	31.0
T04N R02W S12	SWSW	2.0	T04N R02W S12	SESW	16.0
T04N R02W S12	NESE	39.0	T04N R02W S12	NWSE	39.0
T04N R02W S12	SWSE	35.0	T04N R02W S12	SESE	36.0
T04N R03W S01	SWNE	5.0	T04N R03W S01	SENE	15.0
T04N R03W S01	SWNW	5.0	T04N R03W S01	SENW	12.0
T04N R03W S01	NESW	39.0	T04N R03W S01	NWSW	34.0
T04N R03W S01	SWSW	19.0	T04N R03W S01	SESW	15.0
T04N R03W S01	NESE	38.0	T04N R03W S01	NWSE	38.0
T04N R03W S01	SWSE	30.0	T04N R03W S01	SESE	38.0
T04N R03W S02	NWNE	19.0	T04N R03W S02	SWNE	12.0
T04N R03W S02	SWNW	1.0	T04N R03W S02	SENW	17.0
T04N R03W S02	NESW	36.0	T04N R03W S02	NWSW	3.0
T04N R03W S02	SWSW	32.0	T04N R03W S02	SESW	36.0
T04N R03W S02	NESE	30.0	T04N R03W S02	NWSE	31.0
T04N R03W S02	SWSE	25.0	T04N R03W S02	SESE	15.0
T04N R03W S03	SWNW	1.0	T04N R03W S03	SENW	15.0
T04N R03W S03	NESW	36.0	T04N R03W S03	NWSW	2.0
T04N R03W S03	SWSW	5.0	T04N R03W S03	SESW	35.0
T04N R03W S03	NWSE	5.0	T04N R03W S03	SWSE	22.0
T04N R03W S03	SESE	9.0	T04N R03W S10	NENE	38.0
T04N R03W S10	NWNE	38.0	T04N R03W S10	SWNE	35.0
T04N R03W S10	SENE	27.0	T04N R03W S10	NENW	35.0
T04N R03W S10	SENW	37.0	T04N R03W S10	NESW	9.0
T04N R03W S10	NWSE	8.0	T04N R03W S11	NWNE	2.0

T04N R03W S11	NENW	22.0	T04N R03W S11	NWNW	30.0
T04N R03W S12	NENE	11.0	T04N R03W S12	NWNE	3.0
T05N R02W S31	SESW	18.0	T05N R02W S31	NWSE	14.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168A

T05N R02W S31 SESW 18.0
 T05N R02W S31 SWSE 39.0
 T05N R02W S35 SWSE 2.0

T05N R02W S31 NWSE 14.0
 T05N R02W S31 SESE 8.0

Conditions of Approval:Remarks:

1. General THIS RIGHT HAS BEEN COMBINED WITH 63-00168(PART-72.21 CFS), 63-00168C(2.6 CFS) & 63-00277(1.76 CFS) AND CLAIMED UNDER A63-21761 FOR 76.77 CFS.

Comments:Dates and Other Information:

Claim Received Date: 3/21/1990
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 State or Federal: S
 Owner Name Connector:
 Water District Number: 63
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-168B

WATER RIGHT NUMBER: 63-168B

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	J BORTLE
	, ID
Current Owner	W E DRAPER
	, ID
Original Owner	CANYON COUNTY WATER CO LTD
	10081 LILAC PL
	MIDDLETON, ID 83644
	(208)585-3768
Current Owner	W C WATT
	, ID
Current Owner	S L SPURGEON
	, ID

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	/ to /	0.380 CFS	
	<u>Total Diversion:</u>	0.380 CFS	

Location of Point(s) of Diversion

BOISE RIVER

Place of UseConditions of Approval:Remarks:

- General TO MIDDLETON WATER CO. THEN FLAKE LATERAL FROM CANYON COUNTY WATER CO. CHANGE IN POINT OF DIVERSION ONLY.

Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168B

WATER RIGHT NUMBER: 63-168B

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MIDDLETON IRRIGATION ASSOCIATION C/O SAM ROSTI 1460 N POLLARD LANE STAR, ID 83669 (208)286-7685
Original Owner	CANYON COUNTY WATER CO LTD 10081 LILAC PL MIDDLETON, ID 83644 (208)585-3768
Original Owner	W E DRAPER , ID
Original Owner	S L SPURGEON , ID
Original Owner	W C WATT , ID
Original Owner	J BORTLE , ID

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	0.380 CFS	
	<u>Total Diversion:</u>	0.380 CFS	

Location of Point(s) of Diversion

BOISE RIVER	NW1/4NE1/4NE1/4	Sec. 13, Twp 04N, Rge 01W, B.M.
ADA County		

Place of UseIRRIGATION Within ADA County

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168B

T04N R01W S03	SWSW	22.0	T04N R01W S03	SESW	19.0
T04N R01W S03	SWSE	11.0	T04N R01W S03	SESE	5.0
T04N R01W S04	SWSW	20.0	T04N R01W S04	SESW	18.0
T04N R01W S04	SWSE	23.0	T04N R01W S04	SESE	23.0
T04N R01W S05	NESW	14.0	T04N R01W S05	NWSW	25.0
T04N R01W S05	SWSW	38.0	T04N R01W S05	SESW	38.0
T04N R01W S05	NWSE	3.0	T04N R01W S05	SWSE	36.0
T04N R01W S05	SESE	25.0	T04N R01W S06	SWNE	38.0
T04N R01W S06	SENE	38.0	T04N R01W S06	SWNW	30.0
T04N R01W S06	SENW	26.0	T04N R01W S06	NESW	39.0
T04N R01W S06	NWSW	39.0	T04N R01W S06	SWSW	38.0
T04N R01W S06	SESW	38.0	T04N R01W S06	NESE	39.0
T04N R01W S06	NWSE	38.0	T04N R01W S06	SWSE	38.0
T04N R01W S06	SESE	38.0	T04N R01W S07	NENE	38.0
T04N R01W S07	NWNE	38.0	T04N R01W S07	SWNE	39.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NENW	39.0
T04N R01W S07	NWNW	39.0	T04N R01W S07	SWNW	38.0
T04N R01W S07	SENW	39.0	T04N R01W S07	NESW	39.0
T04N R01W S07	NWSW	38.0	T04N R01W S07	SWSW	38.0
T04N R01W S07	SESW	38.0	T04N R01W S07	NESE	35.0
T04N R01W S07	NWSE	38.0	T04N R01W S07	SWSE	38.0
T04N R01W S07	SESE	17.0	T04N R01W S08	NENE	39.0
T04N R01W S08	NWNE	39.0	T04N R01W S08	SWNE	39.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NENW	39.0
T04N R01W S08	NWNW	38.0	T04N R01W S08	SWNW	38.0
T04N R01W S08	SENW	38.0	T04N R01W S08	NESW	13.0
T04N R01W S08	NWSW	37.0	T04N R01W S08	NESE	38.0
T04N R01W S08	NWSE	39.0	T04N R01W S08	SWSE	38.0
T04N R01W S08	SESE	38.0	T04N R01W S09	NENE	25.0
T04N R01W S09	NWNE	38.0	T04N R01W S09	SWNE	38.0
T04N R01W S09	SENE	39.0	T04N R01W S09	NENW	39.0
T04N R01W S09	NWNW	38.0	T04N R01W S09	SWNW	38.0
T04N R01W S09	SENW	38.0	T04N R01W S09	NESW	39.0
T04N R01W S09	NWSW	38.0	T04N R01W S09	SWSW	25.0
T04N R01W S09	SESW	30.0	T04N R01W S09	NESE	38.0
T04N R01W S09	NWSE	39.0	T04N R01W S09	SWSE	38.0
T04N R01W S10	NENE	39.0	T04N R01W S10	NWNE	39.0
T04N R01W S10	SWNE	39.0	T04N R01W S10	SENE	39.0
T04N R01W S10	NENW	38.0	T04N R01W S10	NWNW	39.0
T04N R01W S10	SWNW	38.0	T04N R01W S10	SENW	37.0
T04N R01W S10	NESW	38.0	T04N R01W S10	NWSW	39.0
T04N R01W S10	NESE	38.0	T04N R01W S10	NWSE	38.0
T04N R01W S10	SWSE	38.0	T04N R01W S10	SESE	38.0
T04N R01W S11	SWNE	38.0	T04N R01W S11	SENE	13.0
T04N R01W S11	NENW	26.0	T04N R01W S11	NWNW	38.0
T04N R01W S11	SWNW	39.0	T04N R01W S11	SENW	39.0
T04N R01W S11	NESW	39.0	T04N R01W S11	NWSW	38.0
T04N R01W S11	SWSW	38.0	T04N R01W S11	SESW	38.0
T04N R01W S11	NESE	38.0	T04N R01W S11	NWSE	39.0
T04N R01W S11	SWSE	37.0	T04N R01W S11	SESE	20.0
T04N R01W S14	NENE	7.0	T04N R01W S14	NWNE	12.0
T04N R01W S14	NENW	27.0	T04N R01W S14	NWNW	34.0
T04N R01W S14	SWNW	39.0	T04N R01W S14	SENW	22.0
T04N R01W S14	NESW	27.0	T04N R01W S14	NWSW	34.0
T04N R01W S15	NENE	35.0	T04N R01W S15	NWNE	38.0
T04N R01W S15	SWNE	11.0	T04N R01W S15	SENE	9.0
T04N R01W S15	NESE	35.0	T04N R01W S15	NWSE	3.0
T04N R01W S18	NWNE	38.0	T04N R01W S18	NENW	38.0
T04N R01W S18	NWNW	3.0	T04N R02W S01	SWNE	32.0
T04N R02W S01	SENE	31.0	T04N R02W S01	SWNW	10.0
T04N R02W S01	SENW	16.0	T04N R02W S01	NESW	39.0

T04N R02W S01	NWSW	38.0	T04N R02W S01	SWSW	38.0
T04N R02W S01	SESW	39.0	T04N R02W S01	NESE	38.0
T04N R02W S01	NWSE	39.0	T04N R02W S01	SWSE	38.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168B

T04N R02W S01	NWSE	39.0	T04N R02W S01	SWSE	38.0
T04N R02W S01	SESE	38.0	T04N R02W S02	NENE	8.0
T04N R02W S02	NWNE	7.0	T04N R02W S02	SWNE	37.0
T04N R02W S02	SENE	38.0	T04N R02W S02	NENW	5.0
T04N R02W S02	NWNW	5.0	T04N R02W S02	SWNW	38.0
T04N R02W S02	SENE	37.0	T04N R02W S02	NESW	39.0
T04N R02W S02	NWSW	38.0	T04N R02W S02	SWSW	38.0
T04N R02W S02	SESW	38.0	T04N R02W S02	NESE	38.0
T04N R02W S02	NWSE	39.0	T04N R02W S02	SWSE	39.0
T04N R02W S02	SESE	38.0	T04N R02W S03	NENE	8.0
T04N R02W S03	NWNE	15.0	T04N R02W S03	SWNE	39.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NENW	6.0
T04N R02W S03	NWNW	15.0	T04N R02W S03	SWNW	38.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NESW	39.0
T04N R02W S03	NWSW	38.0	T04N R02W S03	SWSW	38.0
T04N R02W S03	SESW	39.0	T04N R02W S03	NESE	39.0
T04N R02W S03	NWSE	39.0	T04N R02W S03	SWSE	38.0
T04N R02W S03	SESE	38.0	T04N R02W S04	NENE	18.0
T04N R02W S04	NWNE	10.0	T04N R02W S04	SWNE	38.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NENW	15.0
T04N R02W S04	NWNW	16.0	T04N R02W S04	SWNW	39.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NESW	38.0
T04N R02W S04	NWSW	38.0	T04N R02W S04	SWSW	39.0
T04N R02W S04	SESW	39.0	T04N R02W S04	NESE	38.0
T04N R02W S04	NWSE	39.0	T04N R02W S04	SWSE	39.0
T04N R02W S04	SESE	38.0	T04N R02W S05	NENE	20.0
T04N R02W S05	NWNE	12.0	T04N R02W S05	SWNE	39.0
T04N R02W S05	SENE	39.0	T04N R02W S05	NENW	4.0
T04N R02W S05	NWNW	16.0	T04N R02W S05	SWNW	39.0
T04N R02W S05	SENE	39.0	T04N R02W S05	NESW	38.0
T04N R02W S05	NWSW	39.0	T04N R02W S05	SWSW	39.0
T04N R02W S05	SESW	39.0	T04N R02W S05	NESE	38.0
T04N R02W S05	NWSE	39.0	T04N R02W S05	SWSE	39.0
T04N R02W S05	SESE	38.0	T04N R02W S06	NENE	3.0
T04N R02W S06	NWNE	26.0	T04N R02W S06	SWNE	30.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NENW	35.0
T04N R02W S06	NWNW	8.0	T04N R02W S06	SWNW	29.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NESW	33.0
T04N R02W S06	NWSW	36.0	T04N R02W S06	SWSW	35.0
T04N R02W S06	SESW	15.0	T04N R02W S06	NESE	38.0
T04N R02W S06	NWSE	20.0	T04N R02W S06	SWSE	7.0
T04N R02W S06	SESE	39.0	T04N R02W S07	NENE	7.0
T04N R02W S07	NWNE	2.0	T04N R02W S07	NENW	8.0
T04N R02W S07	NWNW	24.0	T04N R02W S08	NWNE	9.0
T04N R02W S08	NENW	12.0	T04N R02W S08	NWNW	20.0
T04N R02W S09	NENE	37.0	T04N R02W S09	NWNE	38.0
T04N R02W S09	SWNE	6.0	T04N R02W S09	SENE	4.0
T04N R02W S09	NENW	33.0	T04N R02W S09	SENE	1.0
T04N R02W S10	NENE	39.0	T04N R02W S10	NWNE	39.0
T04N R02W S10	SWNE	35.0	T04N R02W S10	SENE	38.0
T04N R02W S10	NENW	39.0	T04N R02W S10	NWNW	38.0
T04N R02W S10	SWNW	5.0	T04N R02W S10	SENE	31.0
T04N R02W S10	NESW	1.0	T04N R02W S10	NESE	19.0
T04N R02W S10	NWSE	28.0	T04N R02W S11	NENE	38.0
T04N R02W S11	NWNE	39.0	T04N R02W S11	SWNE	39.0
T04N R02W S11	SENE	38.0	T04N R02W S11	NENW	39.0
T04N R02W S11	NWNW	38.0	T04N R02W S11	SWNW	38.0
T04N R02W S11	SENE	39.0	T04N R02W S11	NESW	8.0
T04N R02W S11	NWSW	12.0	T04N R02W S11	NESE	21.0
T04N R02W S11	NWSE	25.0	T04N R02W S11	SESE	1.0
T04N R02W S12	NENE	38.0	T04N R02W S12	NWNE	38.0
T04N R02W S12	SWNE	39.0	T04N R02W S12	SENE	38.0

T04N R02W S12	NENW	38.0	T04N R02W S12	NWNW	38.0
T04N R02W S12	SWNW	39.0	T04N R02W S12	SEnw	39.0
T04N R02W S12	NESW	38.0	T04N R02W S12	NWSW	31.0

Adjudication Claim Report 63-168B

Comments:

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-168C

WATER RIGHT NUMBER: 63-168C

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	DANIEL W KENNEDY
	, ZZ
Original Owner	CANYON COUNTY WATER CO LTD
	10081 LILAC PL
	MIDDLETON, ID 83644
	(208)585-3768

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	/ to /		2.600 CFS	
	<u>Total Diversion:</u>		2.600 CFS	

Location of Point(s) of Diversion

BOISE RIVER	SW1/4SW1/4	Sec. 17, Twp 04N, Rge 01W, B.M.
ADA County		

Place of UseIRRIGATION Within ADA County

T04N R02W S13	NENE	T04N R02W S13	SENE
T04N R02W S13	NESE		

Conditions of Approval:Remarks:

1. General CHANGE IN POINT OF DIVERSION ONLY.

Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168D

WATER RIGHT NUMBER: 63-168D

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MIDDLETON MILL DITCH CO MAX NISHIOKA 23107 HARTLEY LN MIDDLETON, ID 83644 (208)585-2943

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	0.410 CFS	
	<u>Total Diversion:</u>	0.410 CFS	

Location of Point(s) of Diversion

BOISE RIVER	NW1/4NE1/4NE1/4	Sec. 13, Twp 04N, Rge 01W, B.M.
ADA County		

Place of UseIRRIGATION Within ADA County

T04N R01W S03	SWSW	22.0	T04N R01W S03	SESW	19.0
T04N R01W S03	SWSE	11.0	T04N R01W S03	SESE	5.0
T04N R01W S04	SWSW	20.0	T04N R01W S04	SESW	18.0
T04N R01W S04	SWSE	23.0	T04N R01W S04	SESE	23.0
T04N R01W S05	NESW	14.0	T04N R01W S05	NWSW	25.0
T04N R01W S05	SWSW	38.0	T04N R01W S05	SESW	38.0
T04N R01W S05	NWSE	3.0	T04N R01W S05	SWSE	36.0
T04N R01W S05	SESE	25.0	T04N R01W S06	SWNE	38.0
T04N R01W S06	SENE	38.0	T04N R01W S06	SWNW	30.0
T04N R01W S06	SENE	26.0	T04N R01W S06	NESW	39.0
T04N R01W S06	NWSW	35.0	T04N R01W S06	SWSW	34.0
T04N R01W S06	SESW	38.0	T04N R01W S06	NESE	39.0
T04N R01W S06	NWSE	38.0	T04N R01W S06	SWSE	28.0
T04N R01W S06	SESE	38.0	T04N R01W S07	NENE	38.0
T04N R01W S07	NWNE	38.0	T04N R01W S07	SWNE	39.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NENW	39.0
T04N R01W S07	NWNW	35.0	T04N R01W S07	SWNW	38.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NESW	39.0
T04N R01W S07	NWSW	36.0	T04N R01W S07	SWSW	35.0
T04N R01W S07	SESW	33.0	T04N R01W S07	NESE	35.0
T04N R01W S07	NWSE	38.0	T04N R01W S07	SWSE	36.0
T04N R01W S07	SESE	17.0	T04N R01W S08	NENE	38.0
T04N R01W S08	NWNE	39.0	T04N R01W S08	SWNE	39.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NENW	39.0
T04N R01W S08	NWNW	34.0	T04N R01W S08	SWNW	37.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NESW	13.0
T04N R01W S08	NWSW	37.0	T04N R01W S08	NESE	38.0
T04N R01W S08	NWSE	39.0	T04N R01W S08	SWSE	38.0

T04N R01W S08	SESE	38.0	T04N R01W S09	NENE	25.0
T04N R01W S09	NWNE	38.0	T04N R01W S09	SWNE	38.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168D

T04N R01W S09	NWNE	38.0	T04N R01W S09	SWNE	38.0
T04N R01W S09	SENE	39.0	T04N R01W S09	NENW	39.0
T04N R01W S09	NWNW	38.0	T04N R01W S09	SWNW	38.0
T04N R01W S09	SENW	38.0	T04N R01W S09	NESW	39.0
T04N R01W S09	NWSW	38.0	T04N R01W S09	SWSW	25.0
T04N R01W S09	SESW	30.0	T04N R01W S09	NESE	38.0
T04N R01W S09	NWSE	39.0	T04N R01W S09	SWSE	38.0
T04N R01W S10	NENE	39.0	T04N R01W S10	NWNE	39.0
T04N R01W S10	SWNE	39.0	T04N R01W S10	SENE	39.0
T04N R01W S10	NENW	38.0	T04N R01W S10	NWNW	39.0
T04N R01W S10	SWNW	38.0	T04N R01W S10	SENW	37.0
T04N R01W S10	NESW	38.0	T04N R01W S10	NWSW	39.0
T04N R01W S10	NESE	38.0	T04N R01W S10	NWSE	38.0
T04N R01W S10	SWSE	38.0	T04N R01W S10	SESE	38.0
T04N R01W S11	SWNE	38.0	T04N R01W S11	SENE	13.0
T04N R01W S11	NENW	26.0	T04N R01W S11	NWNW	38.0
T04N R01W S11	SWNW	39.0	T04N R01W S11	SENW	39.0
T04N R01W S11	NESW	39.0	T04N R01W S11	NWSW	38.0
T04N R01W S11	SWSW	38.0	T04N R01W S11	SESW	38.0
T04N R01W S11	NESE	38.0	T04N R01W S11	NWSE	39.0
T04N R01W S11	SWSE	37.0	T04N R01W S11	SESE	20.0
T04N R01W S14	NENE	7.0	T04N R01W S14	NWNE	12.0
T04N R01W S14	NENW	27.0	T04N R01W S14	NWNW	27.0
T04N R01W S15	NENE	34.0	T04N R01W S15	NWNE	36.0
T04N R01W S15	SWNE	11.0	T04N R01W S15	SENE	9.0
T04N R01W S18	NWNE	38.0	T04N R01W S18	NENW	38.0
T04N R01W S18	NWNW	3.0	T04N R02W S01	SWNE	26.0
T04N R02W S01	SENE	26.0	T04N R02W S01	SWNW	10.0
T04N R02W S01	SENW	16.0	T04N R02W S01	NESW	39.0
T04N R02W S01	NWSW	38.0	T04N R02W S01	SWSW	38.0
T04N R02W S01	SESW	39.0	T04N R02W S01	NESE	38.0
T04N R02W S01	NWSE	39.0	T04N R02W S01	SWSE	38.0
T04N R02W S01	SESE	38.0	T04N R02W S02	SWNE	14.0
T04N R02W S02	SENE	7.0	T04N R02W S02	SWNW	38.0
T04N R02W S02	SENW	18.0	T04N R02W S02	NESW	39.0
T04N R02W S02	NWSW	38.0	T04N R02W S02	SWSW	38.0
T04N R02W S02	SESW	38.0	T04N R02W S02	NESE	38.0
T04N R02W S02	NWSE	39.0	T04N R02W S02	SWSE	39.0
T04N R02W S02	SESE	38.0	T04N R02W S03	NENE	8.0
T04N R02W S03	NWNE	15.0	T04N R02W S03	SWNE	39.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NENW	6.0
T04N R02W S03	NWNW	15.0	T04N R02W S03	SWNW	38.0
T04N R02W S03	SENW	38.0	T04N R02W S03	NESW	39.0
T04N R02W S03	NWSW	38.0	T04N R02W S03	SWSW	30.0
T04N R02W S03	SESW	39.0	T04N R02W S03	NESE	39.0
T04N R02W S03	NWSE	39.0	T04N R02W S03	SWSE	38.0
T04N R02W S03	SESE	38.0	T04N R02W S04	NENE	18.0
T04N R02W S04	NWNE	10.0	T04N R02W S04	SWNE	38.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NENW	15.0
T04N R02W S04	NWNW	16.0	T04N R02W S04	SWNW	39.0
T04N R02W S04	SENW	39.0	T04N R02W S04	NESW	38.0
T04N R02W S04	NWSW	38.0	T04N R02W S04	SWSW	39.0
T04N R02W S04	SESW	39.0	T04N R02W S04	NESE	38.0
T04N R02W S04	NWSE	39.0	T04N R02W S04	SWSE	30.0
T04N R02W S04	SESE	30.0	T04N R02W S05	NENE	20.0
T04N R02W S05	NWNE	12.0	T04N R02W S05	SWNE	39.0
T04N R02W S05	SENE	39.0	T04N R02W S05	NENW	4.0
T04N R02W S05	NWNW	3.0	T04N R02W S05	SWNW	39.0
T04N R02W S05	SENW	39.0	T04N R02W S05	NESW	38.0
T04N R02W S05	NWSW	39.0	T04N R02W S05	SWSW	39.0
T04N R02W S05	SESW	39.0	T04N R02W S05	NESE	38.0
T04N R02W S05	NWSE	39.0	T04N R02W S05	SWSE	39.0

T04N R02W S05	SESE	38.0	T04N R02W S06	NENE	1.0
T04N R02W S06	NWNE	26.0	T04N R02W S06	SWNE	30.0
T04N R02W S06	SENE	28.0	T04N R02W S06	NENW	35.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168D

T04N R02W S06	SENE	28.0	T04N R02W S06	NENW	35.0
T04N R02W S06	NWNW	8.0	T04N R02W S06	SWNW	29.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NESW	33.0
T04N R02W S06	NWSW	31.0	T04N R02W S06	SWSW	35.0
T04N R02W S06	SESW	15.0	T04N R02W S06	NESE	38.0
T04N R02W S06	NWSE	20.0	T04N R02W S06	SWSE	7.0
T04N R02W S06	SESE	39.0	T04N R02W S07	NENE	7.0
T04N R02W S07	NWNE	2.0	T04N R02W S07	NENW	8.0
T04N R02W S07	NWNW	24.0	T04N R02W S08	NWNE	9.0
T04N R02W S08	NENW	12.0	T04N R02W S08	NWNW	20.0
T04N R02W S09	NENE	37.0	T04N R02W S09	NWNE	38.0
T04N R02W S09	SWNE	6.0	T04N R02W S09	SENE	4.0
T04N R02W S09	NENW	33.0	T04N R02W S09	SENE	1.0
T04N R02W S10	NENE	39.0	T04N R02W S10	NWNE	39.0
T04N R02W S10	SWNE	35.0	T04N R02W S10	SENE	38.0
T04N R02W S10	NENW	39.0	T04N R02W S10	NWNW	38.0
T04N R02W S10	SWNW	5.0	T04N R02W S10	SENE	31.0
T04N R02W S10	NESW	1.0	T04N R02W S10	NESE	19.0
T04N R02W S10	NWSE	28.0	T04N R02W S11	NENE	38.0
T04N R02W S11	NWNE	39.0	T04N R02W S11	SWNE	39.0
T04N R02W S11	SENE	38.0	T04N R02W S11	NENW	39.0
T04N R02W S11	NWNW	38.0	T04N R02W S11	SWNW	38.0
T04N R02W S11	SENE	39.0	T04N R02W S11	NESW	8.0
T04N R02W S11	NWSW	12.0	T04N R02W S11	NESE	21.0
T04N R02W S11	NWSE	25.0	T04N R02W S11	SESE	1.0
T04N R02W S12	NENE	38.0	T04N R02W S12	NWNE	38.0
T04N R02W S12	SWNE	39.0	T04N R02W S12	SENE	38.0
T04N R02W S12	NENW	38.0	T04N R02W S12	NWNW	38.0
T04N R02W S12	SWNW	39.0	T04N R02W S12	SENE	39.0
T04N R02W S12	NESW	37.0	T04N R02W S12	NWSW	31.0
T04N R02W S12	SWSW	2.0	T04N R02W S12	SESW	16.0
T04N R02W S12	NESE	34.0	T04N R02W S12	NWSE	39.0
T04N R02W S12	SWSE	35.0	T04N R02W S12	SESE	20.0
T04N R03W S01	SWNE	4.0	T04N R03W S01	SENE	15.0
T04N R03W S01	NESW	39.0	T04N R03W S01	NWSW	34.0
T04N R03W S01	SWSW	19.0	T04N R03W S01	SESW	15.0
T04N R03W S01	NESE	38.0	T04N R03W S01	NWSE	37.0
T04N R03W S01	SWSE	30.0	T04N R03W S01	SESE	38.0
T04N R03W S02	NWNE	19.0	T04N R03W S02	SWNE	11.0
T04N R03W S02	SENE	17.0	T04N R03W S02	NESW	35.0
T04N R03W S02	NWSW	3.0	T04N R03W S02	SWSW	32.0
T04N R03W S02	SESW	36.0	T04N R03W S02	NESE	28.0
T04N R03W S02	NWSE	30.0	T04N R03W S02	SWSE	25.0
T04N R03W S02	SESE	15.0	T04N R03W S03	SENE	10.0
T04N R03W S03	NESW	31.0	T04N R03W S03	SESW	30.0
T04N R03W S03	NWSE	3.0	T04N R03W S03	SWSE	22.0
T04N R03W S03	SESE	7.0	T04N R03W S10	NENE	38.0
T04N R03W S10	NWNE	38.0	T04N R03W S10	SWNE	35.0
T04N R03W S10	SENE	27.0	T04N R03W S10	NENW	13.0
T04N R03W S10	SENE	20.0	T04N R03W S10	NESW	3.0
T04N R03W S10	NWSE	8.0	T04N R03W S11	NWNE	2.0
T04N R03W S11	NENW	22.0	T04N R03W S11	NWNW	30.0
T04N R03W S12	NENE	11.0	T04N R03W S12	NWNE	3.0
T05N R02W S31	SESW	17.0	T05N R02W S31	SWSE	39.0
T05N R02W S31	SESE	8.0			

Total Acres: 9159

Conditions of Approval:

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-168D

Remarks:

1. General TFR.#54 IN 1920 TFD.55.5"FROM CYN.CO.DITCH COMPY.TO MID.MILL DITCH,BUT SUBSEQUENTLY TFRS.#75 & 147 TFD.35"BACK LEAVING THE PRESENTLY CLAIMED 20.5"FOR THE DITCH CO. LANDS FOR THE P/U ARE THOSE UNDER THE DITCHES OF MIDDLETON MILL DITCH COMPANY AND MID- DLETON IRRIGATION ASSOCIATION. ALL THE RIGHTS OF THE TWO ORGAN- IZATIONS ARE CO-MINGLED AND THE DISTRIBUTION IS MANAGED MORE OR LESS AS A SINGLE IRRIGATION UNIT. A DOCUMENT FROM THE SCS CIT- ING THE NEED FOR MORE THAN 1"PER ACRE FOR THE SANDY, GRAVELLY SOILS PRESENT ON APPROXIMATELY 32% OF THE LANDS IS ATTACHED.
SEE FILE A63-00124N FOR MAPS & ORTHOPHOTOS OF SYSTEM & P/U.

Comments:Dates and Other Information:

Claim Received Date: 3/14/1990
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 State or Federal: S
 Owner Name Connector:
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-21761

WATER RIGHT NUMBER: 63-21761

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	CANYON COUNTY WATER CO LTD 10081 LILAC PL MIDDLETON, ID 83644 (208)585-3768

Priority Date: 06/01/1867

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
BOISE RIVER	SNAKE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	76.770 CFS	
	<u>Total Diversion:</u>	76.770 CFS	

Location of Point(s) of Diversion

BOISE RIVER	NW1/4SW1/4SW1/4	Sec. 17, Twp 04N, Rge 01W, B.M.
ADA County		

Place of UseIRRIGATION Within ADA County

T04N R01W S03	SWSW	22.0	T04N R01W S03	SESW	19.0
T04N R01W S03	SWSE	11.0	T04N R01W S03	SESE	5.0
T04N R01W S04	SWSW	20.0	T04N R01W S04	SESW	18.0
T04N R01W S04	SWSE	23.0	T04N R01W S04	SESE	23.0
T04N R01W S05	NESW	14.0	T04N R01W S05	NWSW	25.0
T04N R01W S05	SWSW	38.0	T04N R01W S05	SESW	38.0
T04N R01W S05	NWSE	3.0	T04N R01W S05	SWSE	36.0
T04N R01W S05	SESE	25.0	T04N R01W S06	SWNE	38.0
T04N R01W S06	SENE	38.0	T04N R01W S06	SWNW	30.0
T04N R01W S06	SENE	26.0	T04N R01W S06	NESW	39.0
T04N R01W S06	NWSW	39.0	T04N R01W S06	SWSW	38.0
T04N R01W S06	SESW	38.0	T04N R01W S06	NESE	39.0
T04N R01W S06	NWSE	38.0	T04N R01W S06	SWSE	38.0
T04N R01W S06	SESE	38.0	T04N R01W S07	NENE	38.0
T04N R01W S07	NWNE	38.0	T04N R01W S07	SWNE	39.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NENW	39.0
T04N R01W S07	NWNW	39.0	T04N R01W S07	SWNW	38.0
T04N R01W S07	SENE	39.0	T04N R01W S07	NESW	39.0
T04N R01W S07	NWSW	38.0	T04N R01W S07	SWSW	38.0
T04N R01W S07	SESW	38.0	T04N R01W S07	NESE	35.0
T04N R01W S07	NWSE	38.0	T04N R01W S07	SWSE	38.0
T04N R01W S07	SESE	17.0	T04N R01W S08	NENE	39.0
T04N R01W S08	NWNE	39.0	T04N R01W S08	SWNE	39.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NENW	39.0
T04N R01W S08	NWNW	38.0	T04N R01W S08	SWNW	38.0
T04N R01W S08	SENE	38.0	T04N R01W S08	NESW	13.0
T04N R01W S08	NWSW	37.0	T04N R01W S08	NESE	38.0
T04N R01W S08	NWSE	39.0	T04N R01W S08	SWSE	38.0
T04N R01W S08	SESE	38.0	T04N R01W S09	NENE	25.0

T04N R01W S09 NWNE 38.0
T04N R01W S09 SENE 39.0

T04N R01W S09 SWNE 38.0
T04N R01W S09 NENW 39.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-21761

T04N R01W S09	SENE	39.0	T04N R01W S09	NENW	39.0
T04N R01W S09	NWNW	38.0	T04N R01W S09	SWNW	38.0
T04N R01W S09	SENW	38.0	T04N R01W S09	NESW	39.0
T04N R01W S09	NWSW	38.0	T04N R01W S09	SWSW	25.0
T04N R01W S09	SESW	30.0	T04N R01W S09	NESE	38.0
T04N R01W S09	NWSE	39.0	T04N R01W S09	SWSE	38.0
T04N R01W S10	NENE	39.0	T04N R01W S10	NWNE	39.0
T04N R01W S10	SWNE	39.0	T04N R01W S10	SENE	39.0
T04N R01W S10	NENW	38.0	T04N R01W S10	NWNW	39.0
T04N R01W S10	SWNW	38.0	T04N R01W S10	SENW	37.0
T04N R01W S10	NESW	38.0	T04N R01W S10	NWSW	39.0
T04N R01W S10	NESE	38.0	T04N R01W S10	NWSE	38.0
T04N R01W S10	SWSE	38.0	T04N R01W S10	SESE	38.0
T04N R01W S11	SWNE	38.0	T04N R01W S11	SENE	13.0
T04N R01W S11	NENW	26.0	T04N R01W S11	NWNW	38.0
T04N R01W S11	SWNW	39.0	T04N R01W S11	SENW	39.0
T04N R01W S11	NESW	39.0	T04N R01W S11	NWSW	38.0
T04N R01W S11	SWSW	38.0	T04N R01W S11	SESW	38.0
T04N R01W S11	NESE	38.0	T04N R01W S11	NWSE	39.0
T04N R01W S11	SWSE	37.0	T04N R01W S11	SESE	20.0
T04N R01W S14	NENE	7.0	T04N R01W S14	NWNE	12.0
T04N R01W S14	NENW	27.0	T04N R01W S14	NWNW	34.0
T04N R01W S14	SWNW	39.0	T04N R01W S14	SENW	22.0
T04N R01W S14	NESW	27.0	T04N R01W S14	NWSW	34.0
T04N R01W S15	NENE	35.0	T04N R01W S15	NWNE	38.0
T04N R01W S15	SWNE	11.0	T04N R01W S15	SENE	9.0
T04N R01W S15	NESE	35.0	T04N R01W S15	NWSE	3.0
T04N R01W S18	NWNE	38.0	T04N R01W S18	NENW	38.0
T04N R01W S18	NWNW	3.0	T04N R02W S01	SWNE	32.0
T04N R02W S01	SENE	31.0	T04N R02W S01	SWNW	10.0
T04N R02W S01	SENW	16.0	T04N R02W S01	NESW	39.0
T04N R02W S01	NWSW	38.0	T04N R02W S01	SWSW	38.0
T04N R02W S01	SESW	39.0	T04N R02W S01	NESE	38.0
T04N R02W S01	NWSE	39.0	T04N R02W S01	SWSE	38.0
T04N R02W S01	SESE	38.0	T04N R02W S02	NENE	8.0
T04N R02W S02	NWNE	7.0	T04N R02W S02	SWNE	37.0
T04N R02W S02	SENE	38.0	T04N R02W S02	NENW	5.0
T04N R02W S02	NWNW	5.0	T04N R02W S02	SWNW	38.0
T04N R02W S02	SENW	37.0	T04N R02W S02	NESW	39.0
T04N R02W S02	NWSW	38.0	T04N R02W S02	SWSW	38.0
T04N R02W S02	SESW	38.0	T04N R02W S02	NESE	38.0
T04N R02W S02	NWSE	39.0	T04N R02W S02	SWSE	39.0
T04N R02W S02	SESE	38.0	T04N R02W S03	NENE	8.0
T04N R02W S03	NWNE	15.0	T04N R02W S03	SWNE	39.0
T04N R02W S03	SENE	38.0	T04N R02W S03	NENW	6.0
T04N R02W S03	NWNW	15.0	T04N R02W S03	SWNW	38.0
T04N R02W S03	SENW	38.0	T04N R02W S03	NESW	39.0
T04N R02W S03	NWSW	38.0	T04N R02W S03	SWSW	38.0
T04N R02W S03	SESW	39.0	T04N R02W S03	NESE	39.0
T04N R02W S03	NWSE	39.0	T04N R02W S03	SWSE	38.0
T04N R02W S03	SESE	38.0	T04N R02W S04	NENE	18.0
T04N R02W S04	NWNE	10.0	T04N R02W S04	SWNE	38.0
T04N R02W S04	SENE	39.0	T04N R02W S04	NENW	15.0
T04N R02W S04	NWNW	16.0	T04N R02W S04	SWNW	39.0
T04N R02W S04	SENW	39.0	T04N R02W S04	NESW	38.0
T04N R02W S04	NWSW	38.0	T04N R02W S04	SWSW	39.0
T04N R02W S04	SESW	39.0	T04N R02W S04	NESE	38.0
T04N R02W S04	NWSE	39.0	T04N R02W S04	SWSE	39.0
T04N R02W S04	SESE	38.0	T04N R02W S05	NENE	20.0
T04N R02W S05	NWNE	12.0	T04N R02W S05	SWNE	39.0
T04N R02W S05	SENE	39.0	T04N R02W S05	NENW	4.0
T04N R02W S05	NWNW	16.0	T04N R02W S05	SWNW	39.0

T04N R02W S05	SE	NW	39.0	T04N R02W S05	NE	SW	38.0
T04N R02W S05	NW	SW	39.0	T04N R02W S05	SW	SW	39.0
T04N R02W S05	SE	SW	39.0	T04N R02W S05	NE	SE	38.0

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-21761

T04N R02W S05	SESW	39.0	T04N R02W S05	NESE	38.0
T04N R02W S05	NWSE	39.0	T04N R02W S05	SWSE	39.0
T04N R02W S05	SESE	38.0	T04N R02W S06	NENE	3.0
T04N R02W S06	NWNE	26.0	T04N R02W S06	SWNE	30.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NENW	35.0
T04N R02W S06	NWNW	8.0	T04N R02W S06	SWNW	29.0
T04N R02W S06	SENE	36.0	T04N R02W S06	NESW	33.0
T04N R02W S06	NWSW	36.0	T04N R02W S06	SWSW	35.0
T04N R02W S06	SESW	15.0	T04N R02W S06	NESE	38.0
T04N R02W S06	NWSE	20.0	T04N R02W S06	SWSE	7.0
T04N R02W S06	SESE	39.0	T04N R02W S07	NENE	7.0
T04N R02W S07	NWNE	2.0	T04N R02W S07	NENW	8.0
T04N R02W S07	NWNW	24.0	T04N R02W S08	NWNE	9.0
T04N R02W S08	NENW	12.0	T04N R02W S08	NWNW	20.0
T04N R02W S09	NENE	37.0	T04N R02W S09	NWNE	38.0
T04N R02W S09	SWNE	6.0	T04N R02W S09	SENE	4.0
T04N R02W S09	NENW	33.0	T04N R02W S09	SENE	1.0
T04N R02W S10	NENE	39.0	T04N R02W S10	NWNE	39.0
T04N R02W S10	SWNE	35.0	T04N R02W S10	SENE	38.0
T04N R02W S10	NENW	39.0	T04N R02W S10	NWNW	38.0
T04N R02W S10	SWNW	5.0	T04N R02W S10	SENE	31.0
T04N R02W S10	NESW	1.0	T04N R02W S10	NESE	19.0
T04N R02W S10	NWSE	28.0	T04N R02W S11	NENE	38.0
T04N R02W S11	NWNE	39.0	T04N R02W S11	SWNE	39.0
T04N R02W S11	SENE	38.0	T04N R02W S11	NENW	39.0
T04N R02W S11	NWNW	38.0	T04N R02W S11	SWNW	38.0
T04N R02W S11	SENE	39.0	T04N R02W S11	NESW	8.0
T04N R02W S11	NWSW	12.0	T04N R02W S11	NESE	21.0
T04N R02W S11	NWSE	25.0	T04N R02W S11	SESE	1.0
T04N R02W S12	NENE	38.0	T04N R02W S12	NWNE	38.0
T04N R02W S12	SWNE	39.0	T04N R02W S12	SENE	38.0
T04N R02W S12	NENW	38.0	T04N R02W S12	NWNW	38.0
T04N R02W S12	SWNW	39.0	T04N R02W S12	SENE	39.0
T04N R02W S12	NESW	38.0	T04N R02W S12	NWSW	31.0
T04N R02W S12	SWSW	2.0	T04N R02W S12	SESW	16.0
T04N R02W S12	NESE	39.0	T04N R02W S12	NWSE	39.0
T04N R02W S12	SWSE	35.0	T04N R02W S12	SESE	36.0
T04N R03W S01	SWNE	5.0	T04N R03W S01	SENE	15.0
T04N R03W S01	SWNW	5.0	T04N R03W S01	SENE	12.0
T04N R03W S01	NESW	39.0	T04N R03W S01	NWSW	34.0
T04N R03W S01	SWSW	19.0	T04N R03W S01	SESW	15.0
T04N R03W S01	NESE	38.0	T04N R03W S01	NWSE	38.0
T04N R03W S01	SWSE	30.0	T04N R03W S01	SESE	38.0
T04N R03W S02	NWNE	19.0	T04N R03W S02	SWNE	12.0
T04N R03W S02	SWNW	1.0	T04N R03W S02	SENE	17.0
T04N R03W S02	NESW	36.0	T04N R03W S02	NWSW	3.0
T04N R03W S02	SWSW	32.0	T04N R03W S02	SESW	36.0
T04N R03W S02	NESE	30.0	T04N R03W S02	NWSE	31.0
T04N R03W S02	SWSE	25.0	T04N R03W S02	SESE	15.0
T04N R03W S03	SWNW	1.0	T04N R03W S03	SENE	15.0
T04N R03W S03	NESW	36.0	T04N R03W S03	NWSW	2.0
T04N R03W S03	SWSW	5.0	T04N R03W S03	SESW	35.0
T04N R03W S03	NWSE	5.0	T04N R03W S03	SWSE	22.0
T04N R03W S03	SESE	9.0	T04N R03W S10	NENE	38.0
T04N R03W S10	NWNE	38.0	T04N R03W S10	SWNE	35.0
T04N R03W S10	SENE	27.0	T04N R03W S10	NENW	35.0
T04N R03W S10	SENE	37.0	T04N R03W S10	NESW	9.0
T04N R03W S10	NWSE	8.0	T04N R03W S11	NWNE	2.0
T04N R03W S11	NENW	22.0	T04N R03W S11	NWNW	30.0
T04N R03W S12	NENE	11.0	T04N R03W S12	NWNE	3.0
T05N R02W S31	SESW	18.0	T05N R02W S31	NWSE	14.0

T05N R02W S31	SWSE	39.0	T05N R02W S31	SESE	8.0
T05N R02W S35	SWSE	2.0			
Total Acres: 4015.5					

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-21761

Total Acres: 4015.5

Conditions of Approval:Remarks:

1. General THIS RIGHT IS CLAIMED FOR THE AMOUNT OF FLOW WHICH IS A COMBIN- ATION OF FLOWS DELIVERED BY THE BOISE RIVER WATERMASTER AT THE HEADGATE OF THE COMPANY CANAL FOR THE PRIORITY OF 06/01/1867 FOR RIVER RIGHTS #35 (63-0168) AND #35-A (63-0277), WHICH AT ONE TIME OR ANOTHER HAVE BEEN SUBJECT TO TRANSFERS # 36, 54, 75, AND 147. THE LANDS FOR THE PLACE OF USE ARE THE LANDS OWNED BY VAR- IOUS OWNERS AND ARE THOSE SERVICED BY THE COMPANY DITCHES.
- ***** NOTE: THIS CLAIM IS A COMBINATION OF A PORTION OF 63-00168, 63-00168A, 63-00168C & 63-00277. IN THE WATER RIGHTS DATABASE, 63-00168 HAS BEEN SPLIT OFF FROM, HOWEVER, IT STILL SHOWS THE REMAINING BALANCE AFTER THE SPLITS (A, B & C) BACK ON 63-00168. SO, THIS CLAIM IS A COMBINATION OF 72.21 CFS OF THE REMAINING 72.62 CFS SHOWN UNDER 63-00168 IN THE DATABASE WITH 63-00168A(.20 CFS), 63-00168C(2.6 CFS) & 63-00277(1.76 CFS) FOR A TOTAL OF 76.77 CFS. THE OTHER .41 CFS FROM 63-00168 IN THE W.R. DATABASE HAS BEEN CLAIMED UNDER A63-00168D. JS

Comments:Dates and Other Information:

Claim Received Date: 3/21/1990
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 State or Federal: S
 Owner Name Connector:
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------