

RECEIVED

JUN 03 2024

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Ident. No. 98-8137

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

IDWR / NORTH

1. Name of applicant(s) Regehr Log Works LLC and Regehr Timberlands LLC Phone 208-290-1329
 Name connector (check one): ☐ and ☐ or ☐ and/or
 Mailing address 978 TWENTY MILE CREEK RD City NAPLES
 State ID ZIP 83847 Email gary.leejohn@gmail.com
2. Name of representative, if any GARY REGEHR Phone 208-290-1329
 Mailing address 978 TWENTY MILE CREEK RD City _____
 State ID ZIP 83847 Email gary.leejohn@gmail.com
- a. ☐ Send all correspondence for this application to the representative and not to the applicant OR
☐ Send original correspondence to the applicant and copies to the representative.
- b. ☐ The representative may submit information for the applicant but is not authorized to sign for the applicant OR
☐ The representative is authorized to sign for the applicant. Attach a Power of Attorney or other documentation.
3. Source of water supply 20-Mile Creek / Unnamed Stream which is a tributary of Brown Creek / Sinks
4. Location of point(s) of diversion:

Twp	Rge	Sec	Govt Lot	1/4	1/4	1/4	County	Source	Local name or tag #
61N	01E	32			SE	SE	BOUNDARY	TWENTY MILE CREEK	HEADGATE W/PIPE
61N	01E	32			NE	SE	BOUNDARY	UNNAMED STREAM	Pond 5 earthen dam

5. Water will be used for the following purposes:
- Amount 1.5 CFS for Diversion to Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 0.20 CFS for Recreation purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 64.0 AF for Recreation Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
- Amount 64.0 AF for Fire Protection Storage purposes from 1/1 to 12/31 (both dates inclusive)
 (cfs or acre-feet per year)
6. Total quantity to be appropriated is (a) 1.5 cubic feet per second (cfs) and/or (b) - acre-feet per year (af).
7. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source. Existing 8-inch corrugated poly pipe with steel plate headgate from 20-mile Cr to earthen ditch to ponds; Unnamed stream is in-stream flow in ponds.
- b. Height of storage dam each < 10 ft feet; active reservoir capacity all = 4.0 acre-feet; total reservoir capacity all = 4.0 acre-feet. If the reservoir will be filled more than once each year, describe the refill plan in item 12. For dams 10 feet or more in height AND having a storage capacity of 50 acre-feet or more, submit a separate Application for Construction or Enlargement of a New or Existing Dam. Application required? ☐ Yes ☒ No
- c. Proposed well diameter is N/A inches; proposed depth of well is _____ feet.
- d. Is ground water with a temperature of greater than 85°F being sought? ☐ Yes ☒ No
- e. If well is already drilled, when? N/A; drilling firm _____; well was drilled for (well owner) _____; Drilling Permit No. _____.

For Department Use

Received by _____ Date _____ Time _____ Preliminary check by _____
 Fee \$ 290.00 Received by MB Receipt No. N044724 Date 6/3/24

8. Description of proposed uses (if irrigation only, go to item 9):
- Hydropower; show total feet of head and proposed capacity in kW. _____
 - Stockwatering; list number and kind of livestock. _____
 - Municipal; must complete and attach the Municipal Water Right Application Checklist.
 - Domestic; show number of households _____
 - Other; describe fully. Diversion to Storage to fill ponds; 5 total ponds filled for Recreation Storage (fish stocking) and Fire Protection Storage purposes. Recreation flows through to circulate water but sinks in pasture past ponds.
9. Description of place of use:
- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
 - If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
61N	01E	32													F/R			F/R	storage
															R			R	directflo

Total number of acres to be irrigated: _____

10. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping? 98-7937 - Right covers upper pond (#1) for same beneficial uses as filed on in this application.
11. a. Who owns the property at the point of diversion? Regehr Timberlands LLC
b. Who owns the land to be irrigated or place of use? Regehr Timberlands LLC & Regehr Log Works LLC
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Gary L. Regehr is the property owner for both parcels and active President for both LLCs.
12. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary. Applicant seeks to secure water rights for an existing water system used to fill a total of 5 ponds, 4 of which are filed on in this application and one covered by 98-7937. Diversion from Twenty Mile Creek and an Unnamed Stream are impounded in 5 stepped ponds used for Recreation Storage (fish stocking) & Fire Protection Storage. Recreation Direct flow cycles water through the ponds, but flow through sinks to ground vice return to creek.
13. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year).
14. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½" x 11" map or maps clearly identifying the proposed point of diversion, place of use, section #, township & range. The map scale shall not be less than two (2) inches equal to one (1) mile.

The information contained in this application is true to the best of my knowledge. I understand that any willful misrepresentations made in this application may result in rejection of the application or cancellation of an approval.

Signature of Applicant

GARY L. REGEHR owner
Print Name (and title, if applicable)

Signature of Applicant

Print Name (and title, if applicable)



0005721598

**STATE OF IDAHO***Office of the secretary of state, Phil McGrane***ANNUAL REPORT**

Idaho Secretary of State
PO Box 83720
Boise, ID 83720-0080
(208) 334-2301
Filing Fee: \$0.00

*For Office Use Only***-FILED-**

File #: 0005721598

Date Filed: 5/3/2024 2:19:51 PM

Entity Name and Mailing Address:

Entity Name:

REGEHR LOG WORKS, LLC

The file number of this entity on the records of the Idaho
Secretary of State is:

0000202579

Address

978 TWENTY MILE RD
NAPLES, ID 83847-5081

Entity Details:

Entity Status

Active-Existing

This entity is organized under the laws of:

IDAHO

If applicable, the old file number of this entity on the records of
the Idaho Secretary of State was:

W63838

The registered agent on record is:

Registered Agent

WILLIAM M BERG
Registered Agent

Physical Address

312 S. FIRST AVE., SUITE A
SANDPOINT, ID 83864

Mailing Address

312 S 1ST AVE
STE A
SANDPOINT, ID 83864-1391

Limited Liability Company Managers and Members

Name	Title	Business Address
Gary L.J. Regehr	Member	978 TWENTY MILE ROAD NAPLES, ID 83847
Anne O Regehr	Member	978 TWENTY MILE RD NAPLES, ID 83847-5081

The annual report must be signed by an authorized signer of the entity.

Job Title: President

*Gary L. Regehr**05/03/2024*

Sign Here

Date

DUPLICATE OF ORIGINAL FILED IN OFFICE OF THE SECRETARY OF STATE MAY 13 2024 2:19 PM



0005721723

**STATE OF IDAHO***Office of the secretary of state, Phil McGrane***ANNUAL REPORT**

Idaho Secretary of State

PO Box 83720

Boise, ID 83720-0080

(208) 334-2301

Filing Fee: \$0.00

*For Office Use Only***-FILED-**

File #: 0005721723

Date Filed: 5/3/2024 2:44:44 PM

Entity Name and Mailing Address:

Entity Name:

REGEHR TIMBERLANDS, LLC

The file number of this entity on the records of the Idaho
Secretary of State is:

0000202584

Address

978 TWENTY MILE RD
NAPLES, ID 83847-5081

Entity Details:

Entity Status

Active-Existing

This entity is organized under the laws of:

IDAHO

If applicable, the old file number of this entity on the records of
the Idaho Secretary of State was:

W63839

The registered agent on record is:

Registered Agent

WILLIAM M BERG
Registered Agent

Physical Address

312 S. FIRST AVE., SUITE A
SANDPOINT, ID 83864

Mailing Address

312 S 1ST AVE
STE A
SANDPOINT, ID 83864-1391

Limited Liability Company Managers and Members

Name	Title	Business Address
Gary L. J. Regehr	Member	978 TWENTY MILE ROAD NAPLES, ID 83847
Anne O Regehr	Member	978 TWENTY MILE RD NAPLES, ID 83847-5081

The annual report must be signed by an authorized signer of the entity.

Job Title: President

Gary L. Regehr

Sign Here

05/03/2024

Date

2024/05/03 2:44 PM RECEIVED BY CLERK OF THE IDAHO SECRETARY OF STATE

REGEHR POND APPLICATION – POND ANALYSIS WORKSHEET(S)

FILE NUMBER		GARY REGEHR	Total Storage Calculations This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond. Print Page to PDF	User Input	
REVIEWER		Luke Bates		Calculated value	
DATE		5/15/2024		Formula Explanations	
POND #2					
Surface Area (AC.)	0.16	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.			
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.			
Pond Capacity (AF)	0.6	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.			
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.			
Estimated Seepage Loss (AF)	11.7	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.			
Estimated Evaporation Loss (AF)	0.2	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.			
Total Volume Required (AF)	12.5	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.			

FILE NUMBER		GARY REGEHR	Total Storage Calculations This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond. Print Page to PDF	User Input	
REVIEWER		Luke Bates		Calculated value	
DATE		5/15/2024		Formula Explanations	
POND #3					
Surface Area (AC.)	0.12	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.			
Average Pond Depth (FT.)	4	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.			
Pond Capacity (AF)	0.5	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.			
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.			
Estimated Seepage Loss (AF)	8.8	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.			
Estimated Evaporation Loss (AF)	0.1	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.			
Total Volume Required (AF)	9.4	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.			

Total Storage Calculations		
FILE NUMBER	GARY REGEHR	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond. Print Page to PDF
REVIEWER	Luke Bates	
DATE	5/15/2024	
POND #4		User Input Calculated value Formula Explanations
Surface Area (AC.)	0.3	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	6	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.8	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	21.9	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.3	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	24.0	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Total Storage Calculations		
FILE NUMBER	GARY REGEHR	This spreadsheet has been designed by Idaho Department of Water Resources to estimate the total seepage, evaporation and fill capacity required for a pond. Print Page to PDF
REVIEWER	Luke Bates	
DATE	5/15/2024	
POND #5		User Input Calculated value Formula Explanations
Surface Area (AC.)	0.23	"Surface Area" is automatically carried over from the "Seepage Loss" sheet.
Average Pond Depth (FT.)	4.8	"Average Pond Depth" depicts the actual depth of the pond either measured or estimated. Note: If you know the maximum depth and not the average depth, the Field Examiner's Handbook suggests multiplying the maximum depth by 0.4 to get the average depth, or you can use any method that seems reasonable to attain average depth.
Pond Capacity (AF)	1.1	Pond Capacity is calculated by multiplying the Pond Surface Area by the Average Pond Depth. If you know the capacity, divide the capacity by surface area and enter the average pond depth in the space above. Note: If pond capacity is determined using a method shown on the "Pond Capacity" sheet, the user may need to modify the value of "Pond Capacity" (cell B9) manually. Note that if the value is modified manually, the formula will be altered for future use.
Multiple Fill Volume Above Initial Fill to Fulfill From Storage Needs- "Multiple Fills" (AF)	0	The "Multiple Fill Volume Above Initial Fill" is the acre-feet of water required to meet a from storage component if the from storage component exceeds a one time fill. This section should not include the amount of water needed to fill the pond initially or the amount of water needed to maintain the pond level due to evaporation or seepage. For example: if a pond has a capacity of 5 acre feet and 2.5 acre feet of seepage and evaporation, but the pond is used for irrigation that requires 10 acre feet of from storage for the irrigation use, then you would insert 5 acre feet into this location (10 acre feet needed - 5 acre feet from the initial fill = 5 acre feet of additional storage needed). Note: You must have a "From Storage" component exceeding the initial fill on the permit to include a volume in this space.
Estimated Seepage Loss (AF)	16.8	The "Estimated Seepage Loss" is automatically carried over from the "Seepage Loss" sheet.
Estimated Evaporation Loss (AF)	0.2	The "Estimated Evaporation Loss" is automatically carried over from the "Evaporation Loss" sheet.
Total Volume Required (AF)	18.1	The "Total Volume Required" is calculated by adding the Pond Capacity, Multiple Fills, Seepage Loss, and Evaporation Loss amounts to determine the total amount of storage required.

Pond(s) Calculation Table

Pond No.	Max Depth (ft)	Avg Depth (ft)	Surface area (ac)	Capacity (af)	Seepage (af)	Evaporation (af)	Total volume (af)
2	10	4	0.16	0.6	11.7	0.2	12.5
3	10	4	0.12	0.5	8.8	0.1	9.4
4	15	6	0.30	1.8	21.9	0.3	24.0
5	12	4.8	0.23	1.1	16.8	0.2	18.1
Sub Totals	n/a	n/a	0.81	4.0	59.2	0.8	64.0 af

98-7937

MANNING EQUATION – Prepared on 5/20/2024 by L.Bates – Sr Water Resource Agent IDWR

Manning's Equation Calculator for Flow Rate in a Circular Conduit Flowing Full

S = 0.0402 ft/ft

n = 0.021 manning's coefficient

d = 8.0 pipe diameter (inches)

D = 0.67 pipe diameter (feet)

r = 0.33 pipe radius (feet)

A = 0.35 area (ft²)

WP = 2.09 wetted perimeter (ft)

R = 0.17 hydraulic radius (ft)

Q = 1.49 flow rate (CFS)

Channel Slope

Slope Options



Manual Entry



Slope Calculator

Slope Calculator

Rise = 2.25 feet

Run = 56 feet

Slope, S = 0.0402 ft/ft

Pipe Material, (n):


corrugated polythylene

Pipe Diameter (inches)

8.0 inches

Table 10--Manning's n Values for Culverts.*

Type of Culvert	Roughness or Corrugation	Manning's n	Reference
Concrete Pipe	Smooth	0.010-0.011	(64, 66, 67, 70)
Concrete Boxes	Smooth	0.012-0.015	(23)
Spiral Rib Metal Pipe	Smooth	0.012-0.013	(65, 69)
Corrugated Metal Pipe, Pipe-Arch and Box (Annular and Helical corrugations -- see Figure B-3, Manning's n varies with barrel size)	68 by 13 mm 2-2/3 by 1/2 in Annular	0.022-0.027	(25)
	68 by 13 mm 2-2/3 by 1/2 in Helical	0.011-0.023	(25, 68)
	150 by 25 mm 6 by 1 in Helical	0.022-0.025	(25)
	125 by 25 mm 5 by 1 in	0.025-0.026	(25)
	75 by 25 mm 3 by 1 in	0.027-0.028	(25)
	150 by 50 mm 6 by 2 in Structural Plate	0.033-0.035	(25)
	230 by 64 mm 9 by 2-1/2 in Structural Plate	0.033-0.037	(25)
Corrugated Polyethylene	Smooth	0.009-0.015	(71, 72)
Corrugated Polyethylene	Corrugated	0.018-0.025	(73, 74)
Polyvinyl chloride (PVC)	Smooth	0.009-0.011	(75, 76)
*NOTE: The Manning's n values indicated in this table were obtained in the laboratory and are supported by the provided reference. Actual field values for culverts may vary depending on the effect of abrasion, corrosion, deflection, and joint conditions.			



Legend

-  WR 98-7937 Storage Pond
-  Township/Range
-  Sections
-  QQ

0 0.02 0.04 0.08 Miles




**NOTE: Aerial imagery for illustrative purpose only.
Imagery may be shifted compared to survey plat map.**



IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

June 12, 2024

REGEHR LOG WORKS LLC
REGEHR TIMBERLANDS LLC
GARY REGEHR
978 TWENTY MILE CREEK RD
NAPLES ID 83847

RE: Application for Permit No. 98-8135

Dear Applicants:

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the BONNERS FERRY HERALD on 6/20/2024 and 6/27/2024. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Micki Bowman
Administrative Assistant

Bowman, Micki

From: Bowman, Micki
Sent: Wednesday, June 12, 2024 11:30 AM
To: Anna Moody; Chantilly Higbee; Horsmon, Merritt
Subject: Request for Comments for Water Right 98-8137
Attachments: 98-8137 Application for Permit.pdf

The Department of Water Resources is seeking written comment and/or recommendations from your agency regarding the above referenced Water Right Permit application. You can find copies of the application at: <https://research.idwr.idaho.gov/apps/waterrights/wrajsearch/wradjsearch.aspx>

This office can publish notice of the application as soon as the initial review is completed; therefore, your prompt response to this request is appreciated. If your agency desires to formally protest the approval of the application(s), you may do so after the notice is published by filing a written protest along with a \$25.00 filing fee within 10 days after final publication. **The deadline for comments on the applications is July 8, 2024.**

Please contact the Northern Region Office at (208) 762-2800 if you have any questions regarding the Permit application.

Micki Bowman | Administrative Assistant 1
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2807



Bowman, Micki

From: Bowman, Micki
Sent: Wednesday, June 12, 2024 11:14 AM
To: BFHLegals@bonnersferryherald.com
Subject: Legal Notice for Bonners Ferry Herald
Attachments: 98-8137 Legal Notice.docx

Please publish the attached legal notice in the **Bonners Ferry Herald** on the dates indicated **June 20 & 27, 2024** (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

Please send a proof once you have the article ready for print for our review.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before **July 8, 2024**. Your cooperation is appreciated.

Micki Bowman | Administrative Assistant 1
Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2807



The following application(s) have been filed to appropriate the public waters of the State of Idaho:

98-8137

REGEHR LOG WORKS LLC
REGEHR TIMBERLANDS LLC
978 TWENTY MILE CREEK RD
NAPLES, ID 83847

Point of Diversion SESE

S32 T61N R01E

BOUNDARY County

Source TWENTY MILE CREEK

Tributary BROWN CREEK

Point of Diversion NESE

S32 T61N R01E

BOUNDARY County

Source UNNAMED STREAM

Tributary SINKS

Use: DIVERSION TO STORAGE

01/01 to 12/31 1.5 CFS

Use: RECREATION

01/01 to 12/31 0.2 CFS

Use: RECREATION STORAGE

01/01 to 12/31 64 AF

Use: FIRE PROTECTION STORAGE

01/01 to 12/31 64 AF

Total Diversion: 1.5 CFS

Date Filed: 06-03-2024

Place Of Use: FIRE PROTECTION STORAGE, RECREATION, RECREATION STORAGE

T61N R01E S32 NESE, SESE

Permits will be subject to all prior water rights. For additional information concerning the property location, contact the Northern office at (208)762-2800; or for a full description of the right(s), please see <https://idwr.idaho.gov/apps/ExtSearch/WRAApplicationResults/>. Protests may be submitted based on the criteria of Idaho Code § 42-203A. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Northern Region, 7600 N MINERAL DR STE 100, COEUR D ALENE ID 83815-7763 together with a protest fee of \$25.00 for each application on or before 7/8/2024. The protestant must also send a copy of the protest to the applicant.
MATHEW WEAVER, Director Published on 6/20/2024 and 6/27/2024