

WATERMASTER'S ANNUAL REPORT

From: 2/15/24, 20 24 To: December 31, 20 24

Water District No. 61-E

Water District Name: Cold Springs Creek

Name of Watermaster: Chris Corbus

Mailing Address: 170 NE Narrows, Mountain Home, ID 83647

AFFIDAVIT OF WATERMASTER

As the appointed watermaster of water district no. 61-E, I hereby certify that the information contained in this report is true and correct to the best of my knowledge.

 12/31/24
Watermaster signature Date

Pursuant to Section 42-606 Idaho Code, this Watermaster's Annual Report shall be filed prior to the end of the watermaster's appointment for the current year, and kept in the office of the Idaho Department of Water Resources (IDWR). The Watermaster's Daily Diversion Records should be attached to this report if those records are not submitted electronically to IDWR.

2/15

50.5 miles / Nettleton/Hickey water call

* statement created on Nettleton blocking ditch

2/15 59.5 miles

McLellan water call / Double check Nettleton

and Hickey measurements with Rick

2/16 55.5 miles

Nettleton staff washed out. Shut off Hickey

and Bean property

2/20 68.7 miles

Adhibit McLellan water down + measured

Checked water down toward Harrold + Took

initial measurements @ Mule Shoe, Ellis + Wilson were off

2/24 60.9 miles

Turn on Hickey + Kelly 1st water right

Adhibit McLellan still water down / measure water

2/28 58.6 miles - Turn on Bean

Adhibit + measure Double Anchor

measure McLellan

3/1 62.6 miles Bean without #12

Shut bean off, adhibit DA, measure Kelly + Creek
to see if Christensen had Creek Dammed up

3/10 62.7 miles

study turn water onto Bean, Adhibit Hickey

Check McLellan Top two devices. Check Kelly

3/12 60.0 miles

After call from Kelly, measured ARK west. Turned up Bean
and measured Hickey. Checked Christensen

3/16 68.5 mile

Emmett + Jason went to place water.

Measure Double Anchor / Kelly / Ark west

3/19 47.9 miles

Check Mule Shoe, AR, Ellis, Wilson

No water on yet

3/22 68 miles

Measured McLellan, Bean, Double Anchor, Kelly, Ark west

3/29 57.00 miles

measured McCallum, Bean, DA, Kelly Check ARK

Christianson

4/12 52.00 - Kelly & Hussey requested more water

measured ARK West & Bean

75.00 miles

4/12 checked water from bottom to top measured

Ellis, CDN, ARK, Bean, DA, Kelly.

4/14 59.6 miles Top Half Check

measured ARK DA KP CDN x2 Bean Had Finnett

Clear stockwater / Talked ARK water

4/25 46.9 Bottom Half Check

Check Wilson measured Ellis & Male shoe

No water running a CSRV

4/26 76.3 Turned on Desert View & DA lower

Turned on ARK East. Adjust Bean measured

KP, CDN x2, upper DA & ARK west

5/1 53.4 miles Adjust Desert View & McCallum

5/8 79.4 miles measure Desert View, KP, DA x2

Adjust Bean no Cleanout & Adjust ARK, shut

off ARK East & Notified Finnett of water out

measure & Adjust CDN. pulk shoe & Ellis were off

measure Wilson no water @ CSRV

5/17 69.1 measure Kelly, Desert View, CDN x2, DA & Bean

ARK was completely washed out notified Finnett

Told Him I will no longer check till its fixed

5/21 45.8 measure Wilson

Male shoe, RP, & Ellis are off

5/24 measure 58.9 miles

measure CDN x2 DA x2 Bean KP Desert View

6/2 64 miles

KP 1-55

measure Desert View, Bean, DA upper, CDN lower, upper, stock

* Notified Creek level low. Rain - No water @ KP

6/3 - 46.4 miles - measure Wilson Falls, male shoe
Burr was off in Hammett

6/6 - 41.5 measure desert view, Ellis, male shoe, WW

6/12 Turn off Barn measure 66.2 miles adjust
measure CON lower pipes, & stock collected to get
water to KP

6/19 - measure from Bottom up. Still No water
@ KP

7/3 72.3 miles

- Check from Bottom to top

7/20 72.8 miles

- Check Bottom to top

8/1 72.7 - Bottom to top

8/15 59.7 - Drive from Hammett (Hauled Trailer)

9/27 76.8 - Bottom to top

11/15 69.1 - Final find on male shoe & Ellis
- Double Anchor & CON stock markers
lowered back gates

11/22 - 57.7 - Final on lower CON meter & Add stock

**Annual Summary for Water District 61E Cold Springs Creek
118343 - D - GARY ELLIS**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	34.6 ^m	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	0.00 ^m	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	0.00	34.6	--	--	--	--	--	--
Mean:	--	--	--	--	0.00	34.6	--	--	--	--	--	--
Min:	--	--	--	--	0.00	34.6	--	--	--	--	--	--
Max:	--	--	--	--	0.00	34.6	--	--	--	--	--	--
AC-FT:	--	--	--	--	0.00	68.6	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 34.6

TOTAL AC-FT: 68.6

Annual Summary for Water District 61E Cold Springs Creek 118387 - D - WWR

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.49 ^m	1.38 ⁱ	--	--	--
2	--	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
3	--	--	--	--	--	1.49 ^m	1.38 ^m	1.49 ⁱ	1.38 ⁱ	--	--	--
4	--	--	--	--	--	1.49 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
5	--	--	--	--	--	1.49 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
6	--	--	--	--	--	1.32 ^m	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
7	--	--	--	--	--	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
8	--	--	--	--	1.49 ^m	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
9	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
10	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
11	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
12	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
13	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
14	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.49 ⁱ	1.38 ⁱ	--	--	--
15	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.38 ^m	1.38 ⁱ	--	--	--
16	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
17	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
18	--	--	--	--	1.49 ⁱ	1.32 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
19	--	--	--	--	1.49 ⁱ	1.22 ^m	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
20	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ^m	1.38 ⁱ	1.38 ⁱ	--	--	--
21	--	--	--	--	1.49 ^m	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
22	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
23	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
24	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
25	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
26	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--
27	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	0.00 ^m	--	--	--
28	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--	--
29	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--	--
30	--	--	--	--	1.49 ⁱ	1.22 ⁱ	1.38 ⁱ	1.38 ⁱ	--	--	--	--
31	--	--	--	--	1.49 ⁱ	--	1.38 ⁱ	1.38 ⁱ	--	--	--	--
Total:	--	--	--	--	35.8	39.3	42.5	44.3	35.9	--	--	--
Mean:	--	--	--	--	1.49	1.31	1.37	1.43	1.33	--	--	--
Min:	--	--	--	--	1.49	1.22	1.22	1.38	0.00	--	--	--
Max:	--	--	--	--	1.49	1.49	1.38	1.49	1.38	--	--	--
AC-FT:	--	--	--	--	70.9	77.9	84.2	87.9	71.2	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 197.7

TOTAL AC-FT: 392.1

Annual Summary for Water District 61E Cold Springs Creek 119103 - D - DESERT VIEW

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.89 ^m	0.00 ⁱ	0.47 ⁱ	0.64 ^m	0.64 ⁱ	--	--	--
2	--	--	--	--	1.89 ⁱ	0.59 ^m	0.47 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
3	--	--	--	--	1.89 ⁱ	0.59 ⁱ	0.59 ^m	0.64 ⁱ	0.64 ⁱ	--	--	--
4	--	--	--	--	1.89 ⁱ	0.59 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
5	--	--	--	--	1.89 ⁱ	0.59 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
6	--	--	--	--	1.89 ⁱ	1.04 ^m	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
7	--	--	--	--	1.89 ⁱ	1.04 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
8	--	--	--	--	3.32 ^m	1.04 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
9	--	--	--	--	3.32 ⁱ	1.04 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
10	--	--	--	--	3.32 ⁱ	1.04 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
11	--	--	--	--	3.32 ⁱ	1.04 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
12	--	--	--	--	3.32 ⁱ	0.00 ^m	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
13	--	--	--	--	3.32 ⁱ	0.00 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
14	--	--	--	--	3.32 ⁱ	0.00 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
15	--	--	--	--	3.32 ⁱ	0.00 ⁱ	0.59 ⁱ	0.64 ^m	0.64 ⁱ	--	--	--
16	--	--	--	--	3.32 ⁱ	0.00 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
17	--	--	--	--	0.42 ^m	0.00 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
18	--	--	--	--	0.42 ⁱ	0.00 ⁱ	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
19	--	--	--	--	0.42 ⁱ	0.47 ^m	0.59 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
20	--	--	--	--	0.42 ⁱ	0.47 ⁱ	0.70 ^m	0.64 ⁱ	0.64 ⁱ	--	--	--
21	--	--	--	--	0.42 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
22	--	--	--	--	0.42 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
23	--	--	--	--	0.42 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
24	--	--	--	--	0.00 ^m	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
25	--	--	--	--	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
26	--	--	--	0.32 ^m	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.64 ⁱ	--	--	--
27	--	--	--	0.32 ⁱ	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	0.00 ^m	--	--	--
28	--	--	--	0.32 ⁱ	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	--	--	--	--
29	--	--	--	0.32 ⁱ	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	--	--	--	--
30	--	--	--	0.32 ⁱ	0.00 ⁱ	0.47 ⁱ	0.70 ⁱ	0.64 ⁱ	--	--	--	--
31	--	--	--	--	0.00 ⁱ	--	0.70 ⁱ	0.64 ⁱ	--	--	--	--
Total:	--	--	--	1.60	46.1	14.2	19.4	19.8	16.6	--	--	--
Mean:	--	--	--	0.32	1.49	0.47	0.62	0.64	0.62	--	--	--
Min:	--	--	--	0.32	0.00	0.00	0.47	0.64	0.00	--	--	--
Max:	--	--	--	0.32	3.32	1.04	0.70	0.64	0.64	--	--	--
AC-FT:	--	--	--	3.17	91.3	28.3	38.4	39.4	33.0	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 117.7

TOTAL AC-FT: 233.5

**Annual Summary for Water District 61E Cold Springs Creek
119172 - D - DOUBLE ANCHOR LOWER**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
2	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
3	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
4	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
5	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
6	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
7	--	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--
8	--	--	--	--	1.02 ^m	0.20 ⁱ	--	--	--	--	--	--
9	--	--	--	--	1.02 ⁱ	0.20 ⁱ	--	--	--	--	--	--
10	--	--	--	--	1.02 ⁱ	0.20 ⁱ	--	--	--	--	--	--
11	--	--	--	--	1.02 ⁱ	0.20 ⁱ	--	--	--	--	--	--
12	--	--	--	--	1.02 ⁱ	0.00 ^m	--	--	--	--	--	--
13	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
18	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
19	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
20	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
21	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
22	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
23	--	--	--	--	1.02 ⁱ	--	--	--	--	--	--	--
24	--	--	--	--	0.20 ^m	--	--	--	--	--	--	--
25	--	--	--	--	0.20 ⁱ	--	--	--	--	--	--	--
26	--	--	--	1.81 ^m	0.20 ⁱ	--	--	--	--	--	--	--
27	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--	--
28	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--	--
29	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--	--
30	--	--	--	1.81 ⁱ	0.20 ⁱ	--	--	--	--	--	--	--
31	--	--	--	--	0.20 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	9.05	30.6	2.20	--	--	--	--	--	--
Mean:	--	--	--	1.81	0.99	0.18	--	--	--	--	--	--
Min:	--	--	--	1.81	0.20	0.00	--	--	--	--	--	--
Max:	--	--	--	1.81	1.81	0.20	--	--	--	--	--	--
AC-FT:	--	--	--	18.0	60.7	4.36	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 41.8

TOTAL AC-FT: 83.0

Annual Summary for Water District 61E Cold Springs Creek 119198 - D - ARK WEST

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	3.23 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
2	--	--	--	2.93 ^m	2.87 ⁱ	--	--	--	--	--	--	--
3	--	--	--	2.93 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
4	--	--	--	2.93 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
5	--	--	--	2.93 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
6	--	--	--	2.93 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
7	--	--	--	2.93 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--
8	--	--	--	2.93 ⁱ	2.93 ^m	--	--	--	--	--	--	--
9	--	--	--	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
10	--	--	3.29 ^m	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
11	--	--	3.29 ⁱ	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
12	--	--	3.29 ⁱ	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
13	--	--	3.29 ⁱ	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
14	--	--	3.29 ⁱ	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
15	--	--	3.29 ⁱ	2.93 ⁱ	2.93 ⁱ	--	--	--	--	--	--	--
16	--	--	3.29 ^m	2.09 ^m	2.93 ⁱ	--	--	--	--	--	--	--
17	--	--	3.29 ⁱ	2.09 ⁱ	0.00 ^m	--	--	--	--	--	--	--
18	--	--	3.29 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
19	--	--	3.29 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
20	--	--	3.29 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
21	--	--	3.29 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
22	--	--	3.60 ^m	2.09 ⁱ	--	--	--	--	--	--	--	--
23	--	--	3.60 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
24	--	--	3.60 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
25	--	--	3.60 ⁱ	2.09 ⁱ	--	--	--	--	--	--	--	--
26	--	--	3.60 ⁱ	2.87 ^m	--	--	--	--	--	--	--	--
27	--	--	3.60 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--	--
28	--	--	3.60 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--	--
29	--	--	3.23 ^m	2.87 ⁱ	--	--	--	--	--	--	--	--
30	--	--	3.23 ⁱ	2.87 ⁱ	--	--	--	--	--	--	--	--
31	--	--	3.23 ⁱ	--	--	--	--	--	--	--	--	--
Total:	--	--	74.4	79.5	46.5	--	--	--	--	--	--	--
Mean:	--	--	3.38	2.65	2.73	--	--	--	--	--	--	--
Min:	--	--	3.23	2.09	0.00	--	--	--	--	--	--	--
Max:	--	--	3.60	3.23	2.93	--	--	--	--	--	--	--
AC-FT:	--	--	147.5	157.7	92.2	--	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 200.3

TOTAL AC-FT: 397.4

Annual Summary for Water District 61E Cold Springs Creek 119609 - D - KP RIGGS

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	2.41 ⁱ	2.64 ⁱ	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--
2	--	--	2.52 ^m	2.41 ^m	3.87 ⁱ	0.00 ^m	--	--	--	--	--	--
3	--	--	2.52 ⁱ	2.41 ⁱ	3.87 ⁱ	0.00 ⁱ	--	--	--	--	--	--
4	--	--	2.52 ⁱ	2.41 ⁱ	3.87 ⁱ	0.00 ⁱ	--	--	--	--	--	--
5	--	--	2.52 ⁱ	2.41 ⁱ	3.87 ⁱ	0.00 ⁱ	--	--	--	--	--	--
6	--	--	2.52 ⁱ	2.41 ⁱ	3.87 ⁱ	0.00 ⁱ	--	--	--	--	--	--
7	--	--	2.52 ⁱ	2.41 ⁱ	3.87 ⁱ	0.00 ⁱ	--	--	--	--	--	--
8	--	--	2.52 ⁱ	2.41 ⁱ	0.89 ^m	0.00 ⁱ	--	--	--	--	--	--
9	--	--	2.52 ⁱ	2.41 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
10	--	--	2.52 ^m	2.41 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
11	--	--	2.52 ⁱ	2.41 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
12	--	--	2.52 ⁱ	3.61 ^m	0.89 ⁱ	0.00 ^m	--	--	--	--	--	--
13	--	--	2.52 ⁱ	3.61 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
14	--	--	2.52 ⁱ	3.61 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
15	--	--	2.52 ⁱ	3.61 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
16	--	--	2.40 ^m	3.61 ⁱ	0.89 ⁱ	0.00 ⁱ	--	--	--	--	--	--
17	--	--	2.40 ⁱ	3.61 ⁱ	4.97 ^m	0.00 ⁱ	--	--	--	--	--	--
18	--	--	2.40 ⁱ	3.61 ⁱ	4.97 ⁱ	0.00 ⁱ	--	--	--	--	--	--
19	--	--	2.40 ⁱ	3.87 ^m	4.97 ⁱ	0.00 ^m	--	--	--	--	--	--
20	--	--	2.40 ⁱ	3.87 ⁱ	4.97 ⁱ	--	--	--	--	--	--	--
21	--	--	2.40 ⁱ	3.87 ⁱ	4.97 ⁱ	--	--	--	--	--	--	--
22	--	--	2.40 ⁱ	3.87 ⁱ	4.97 ⁱ	--	--	--	--	--	--	--
23	--	--	2.40 ⁱ	3.87 ⁱ	4.97 ⁱ	--	--	--	--	--	--	--
24	--	2.41 ^m	2.40 ⁱ	3.87 ⁱ	1.87 ^m	--	--	--	--	--	--	--
25	--	2.41 ⁱ	2.40 ⁱ	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--	--
26	--	2.41 ⁱ	2.75 ^m	3.87 ^m	1.87 ⁱ	--	--	--	--	--	--	--
27	--	2.41 ⁱ	2.75 ⁱ	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--	--
28	--	2.41 ⁱ	2.75 ⁱ	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--	--
29	--	2.41 ⁱ	2.64 ^m	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--	--
30	--	--	2.64 ⁱ	3.87 ⁱ	1.87 ⁱ	--	--	--	--	--	--	--
31	--	--	2.64 ⁱ	--	1.87 ⁱ	--	--	--	--	--	--	--
Total:	--	14.5	77.9	98.5	84.9	1.87	--	--	--	--	--	--
Mean:	--	2.41	2.51	3.28	2.74	0.10	--	--	--	--	--	--
Min:	--	2.41	2.40	2.41	0.89	0.00	--	--	--	--	--	--
Max:	--	2.41	2.75	3.87	4.97	1.87	--	--	--	--	--	--
AC-FT:	--	28.7	154.4	195.3	168.3	3.71	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 277.5

TOTAL AC-FT: 550.4

Annual Summary for Water District 61E Cold Springs Creek 119752 - D - DAR UPPER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	2.33 ⁱ	2.55 ⁱ	8.83 ⁱ	7.71 ⁱ	1.41 ⁱ	0.21 ^m	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
2	--	--	2.32 ^m	6.00 ^m	8.83 ⁱ	5.24 ^m	1.41 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
3	--	--	2.32 ⁱ	6.00 ⁱ	8.83 ⁱ	5.24 ⁱ	0.44 ^m	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
4	--	--	2.32 ⁱ	6.00 ⁱ	8.83 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
5	--	--	2.32 ⁱ	6.00 ⁱ	8.83 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
6	--	--	2.32 ⁱ	6.00 ⁱ	8.83 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
7	--	--	2.32 ⁱ	6.00 ⁱ	8.83 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
8	--	--	2.32 ⁱ	6.00 ⁱ	7.56 ^m	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
9	--	--	2.32 ⁱ	6.00 ⁱ	7.56 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
10	--	--	2.80 ^m	6.00 ⁱ	7.56 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
11	--	--	2.80 ⁱ	6.00 ⁱ	7.56 ⁱ	5.24 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
12	--	--	2.55 ^m	7.11 ^m	7.56 ⁱ	2.32 ^m	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
13	--	--	2.55 ⁱ	7.11 ⁱ	7.56 ⁱ	2.32 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
14	--	--	2.55 ⁱ	7.11 ⁱ	7.56 ⁱ	2.32 ⁱ	0.44 ⁱ	0.21 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--
15	--	--	2.55 ⁱ	7.11 ⁱ	7.56 ⁱ	2.32 ⁱ	0.44 ⁱ	0.15 ^m	0.15 ⁱ	0.55 ⁱ	0.41 ^m	--
16	--	--	2.55 ⁱ	7.11 ⁱ	7.56 ⁱ	2.32 ⁱ	0.44 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
17	--	--	2.55 ⁱ	7.11 ⁱ	9.00 ^m	2.32 ⁱ	0.44 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
18	--	--	2.55 ⁱ	7.11 ⁱ	9.00 ⁱ	2.32 ⁱ	0.44 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
19	--	--	2.55 ^m	7.71 ^m	9.00 ⁱ	1.41 ^m	0.44 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
20	--	--	2.55 ⁱ	7.71 ⁱ	9.00 ⁱ	1.41 ⁱ	0.16 ^m	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
21	--	--	2.55 ⁱ	7.71 ⁱ	9.00 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ⁱ	--
22	--	--	2.80 ^m	7.71 ⁱ	9.00 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	0.41 ^m	--
23	--	--	2.80 ⁱ	7.71 ⁱ	9.00 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	--	--
24	--	2.32 ^m	2.80 ⁱ	7.71 ⁱ	7.71 ^m	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	--	--
25	--	2.32 ⁱ	2.80 ⁱ	7.71 ⁱ	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	--	--
26	--	2.32 ⁱ	2.80 ⁱ	7.71 ⁱ	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.15 ⁱ	0.55 ⁱ	--	--
27	--	2.32 ⁱ	2.80 ⁱ	7.71 ⁱ	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.55 ^m	0.55 ⁱ	--	--
28	--	2.33 ^m	2.80 ⁱ	7.71 ⁱ	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--	--
29	--	2.33 ⁱ	2.55 ^m	8.83 ^m	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--	--
30	--	--	2.55 ⁱ	8.83 ⁱ	7.71 ⁱ	1.41 ⁱ	0.16 ⁱ	0.15 ⁱ	0.55 ⁱ	0.55 ⁱ	--	--
31	--	--	2.55 ⁱ	--	7.71 ⁱ	--	0.16 ⁱ	0.15 ⁱ	--	0.55 ⁱ	--	--
Total:	--	13.9	79.2	207.1	254.5	93.3	12.2	5.49	6.10	17.1	11.0	--
Mean:	--	2.32	2.56	6.90	8.21	3.11	0.39	0.18	0.20	0.55	0.50	--
Min:	--	2.32	2.32	2.55	7.56	1.41	0.16	0.15	0.15	0.55	0.41	--
Max:	--	2.33	2.80	8.83	9.00	7.71	1.41	0.21	0.55	0.55	0.55	--
AC-FT:	--	27.7	157.2	410.7	504.9	185.0	24.2	10.9	12.1	33.8	21.8	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 699.9

TOTAL AC-FT: 1388

**Annual Summary for Water District 61E Cold Springs Creek
120015 - D - CDN LOWER**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	106.3 ^m	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	106.3	--	--	--	--	--	--
Mean:	--	--	--	--	--	106.3	--	--	--	--	--	--
Min:	--	--	--	--	--	106.3	--	--	--	--	--	--
Max:	--	--	--	--	--	106.3	--	--	--	--	--	--
AC-FT:	--	--	--	--	--	210.9	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 106.3

TOTAL AC-FT: 210.9

Annual Summary for Water District 61E Cold Springs Creek 120865 - D - CDN STOCK WEIR

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ^m	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
2	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ^m	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
3	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ⁱ	0.50 ^m	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
4	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
5	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
6	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
7	--	--	1.40 ⁱ	1.34 ⁱ	2.33 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
8	--	--	1.40 ⁱ	1.34 ⁱ	2.40 ^m	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
9	--	--	1.40 ⁱ	1.34 ⁱ	2.40 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
10	--	--	1.40 ^m	1.34 ⁱ	2.40 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
11	--	--	1.40 ⁱ	1.34 ⁱ	2.40 ⁱ	2.96 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
12	--	--	1.40 ⁱ	1.28 ^m	2.40 ⁱ	0.58 ^m	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
13	--	--	1.40 ⁱ	1.28 ⁱ	2.40 ⁱ	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
14	--	--	1.40 ⁱ	1.28 ⁱ	2.40 ⁱ	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
15	--	--	1.40 ⁱ	1.28 ⁱ	2.40 ⁱ	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
16	--	--	1.45 ^m	1.28 ⁱ	2.40 ⁱ	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
17	--	--	1.45 ⁱ	1.28 ⁱ	3.47 ^m	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
18	--	--	1.45 ⁱ	1.28 ⁱ	3.47 ⁱ	0.58 ⁱ	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
19	--	2.40 ^m	1.45 ⁱ	1.51 ^m	3.47 ⁱ	0.54 ^m	0.50 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
20	--	2.40 ⁱ	1.45 ⁱ	1.51 ⁱ	3.47 ⁱ	0.54 ⁱ	0.00 ^m	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
21	--	2.40 ⁱ	1.45 ⁱ	1.51 ⁱ	3.47 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--
22	--	2.40 ⁱ	1.34 ^m	1.51 ⁱ	3.47 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	2.26 ^m	--
23	--	2.40 ⁱ	1.34 ⁱ	1.51 ⁱ	3.47 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
24	--	1.57 ^m	1.34 ⁱ	1.51 ⁱ	3.17 ^m	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
25	--	1.57 ⁱ	1.34 ⁱ	1.51 ⁱ	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
26	--	1.57 ⁱ	1.34 ⁱ	1.51 ^m	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
27	--	1.57 ⁱ	1.34 ⁱ	1.51 ⁱ	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ^m	0.00 ⁱ	--	--
28	--	1.40 ^m	1.34 ⁱ	1.51 ⁱ	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
29	--	1.40 ⁱ	1.34 ^m	1.51 ⁱ	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
30	--	--	1.34 ⁱ	1.51 ⁱ	3.17 ⁱ	0.54 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--
31	--	--	1.34 ⁱ	--	3.17 ⁱ	--	0.00 ⁱ	0.00 ⁱ	--	0.00 ⁱ	--	--
Total:	--	21.1	43.1	41.8	87.6	43.3	9.58	0.00	0.00	0.00	2.26	--
Mean:	--	1.92	1.39	1.39	2.82	1.44	0.31	0.00	0.00	0.00	0.10	--
Min:	--	1.40	1.34	1.28	2.33	0.54	0.00	0.00	0.00	0.00	0.00	--
Max:	--	2.40	1.45	1.51	3.47	3.17	0.54	0.00	0.00	0.00	2.26	--
AC-FT:	--	41.8	85.5	83.0	173.7	85.9	19.0	0.00	0.00	0.00	4.48	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 248.7

TOTAL AC-FT: 493.3

Annual Summary for Water District 61E Cold Springs Creek 120879 - D - CDN UPPER METER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	1.89 ⁱ	7.24 ⁱ	8.86 ^m	7.83 ⁱ	3.52 ⁱ	5.00 ^m	--	--	--	--
2	--	--	1.88 ⁱ	7.19 ⁱ	8.52 ⁱ	7.68 ⁱ	3.44 ⁱ	4.64 ⁱ	--	--	--	--
3	--	--	1.88 ⁱ	7.14 ⁱ	8.18 ⁱ	7.52 ⁱ	3.36 ^m	4.29 ⁱ	--	--	--	--
4	--	--	1.87 ⁱ	7.09 ⁱ	7.84 ⁱ	7.37 ⁱ	3.26 ⁱ	3.93 ⁱ	--	--	--	--
5	--	--	1.87 ⁱ	7.04 ⁱ	7.49 ⁱ	7.21 ⁱ	3.17 ⁱ	3.57 ⁱ	--	--	--	--
6	--	--	1.86 ⁱ	6.98 ⁱ	7.15 ⁱ	7.06 ⁱ	3.07 ⁱ	3.21 ⁱ	--	--	--	--
7	--	--	1.86 ⁱ	6.93 ⁱ	6.81 ⁱ	6.90 ⁱ	2.98 ⁱ	2.86 ⁱ	--	--	--	--
8	--	--	1.85 ⁱ	6.88 ⁱ	6.47 ^m	6.75 ⁱ	2.88 ⁱ	2.50 ⁱ	--	--	--	--
9	--	--	1.85 ⁱ	6.83 ⁱ	6.44 ⁱ	6.59 ⁱ	2.78 ⁱ	2.14 ⁱ	--	--	--	--
10	--	--	1.84 ^m	6.77 ⁱ	6.41 ⁱ	6.44 ⁱ	2.69 ⁱ	1.79 ⁱ	--	--	--	--
11	--	--	2.30 ⁱ	6.72 ⁱ	6.38 ⁱ	6.28 ⁱ	2.59 ⁱ	1.43 ⁱ	--	--	--	--
12	--	--	2.76 ⁱ	6.67 ^m	6.35 ⁱ	6.13 ^m	2.50 ⁱ	1.07 ⁱ	--	--	--	--
13	--	--	3.21 ⁱ	6.61 ⁱ	6.32 ⁱ	5.90 ⁱ	2.40 ⁱ	0.71 ⁱ	--	--	--	--
14	--	--	3.67 ⁱ	6.55 ⁱ	6.29 ⁱ	5.66 ⁱ	2.31 ⁱ	0.36 ⁱ	--	--	--	--
15	--	--	4.13 ⁱ	6.49 ⁱ	6.26 ⁱ	5.43 ⁱ	2.21 ⁱ	0.00 ^m	--	--	--	--
16	--	--	4.59 ⁱ	6.43 ⁱ	6.23 ⁱ	5.19 ⁱ	2.11 ⁱ	--	--	--	--	--
17	--	--	5.04 ⁱ	6.37 ⁱ	6.20 ^m	4.96 ⁱ	2.02 ⁱ	--	--	--	--	--
18	--	--	5.50 ⁱ	6.31 ⁱ	6.61 ⁱ	4.72 ⁱ	1.92 ⁱ	--	--	--	--	--
19	--	--	5.96 ^m	6.25 ⁱ	7.02 ⁱ	4.49 ^m	1.83 ⁱ	--	--	--	--	--
20	--	1.83 ^m	4.40 ⁱ	6.19 ⁱ	7.43 ⁱ	4.41 ⁱ	1.73 ^m	--	--	--	--	--
21	--	1.84 ⁱ	2.83 ⁱ	6.13 ⁱ	7.84 ⁱ	4.33 ⁱ	2.00 ⁱ	--	--	--	--	--
22	--	1.85 ⁱ	1.27 ^m	6.07 ^m	8.25 ⁱ	4.25 ⁱ	2.27 ⁱ	--	--	--	--	--
23	--	1.86 ⁱ	2.15 ⁱ	6.22 ⁱ	8.66 ⁱ	4.17 ⁱ	2.55 ⁱ	--	--	--	--	--
24	--	1.87 ^m	3.02 ⁱ	6.37 ⁱ	9.07 ^m	4.09 ⁱ	2.82 ⁱ	--	--	--	--	--
25	--	1.88 ⁱ	3.90 ⁱ	6.52 ⁱ	8.92 ⁱ	4.01 ⁱ	3.09 ⁱ	--	--	--	--	--
26	--	1.89 ⁱ	4.77 ⁱ	6.67 ⁱ	8.76 ⁱ	3.93 ⁱ	3.36 ⁱ	--	--	--	--	--
27	--	1.89 ⁱ	5.65 ⁱ	6.82 ⁱ	8.61 ⁱ	3.84 ⁱ	3.64 ⁱ	--	--	--	--	--
28	--	1.90 ^m	6.52 ⁱ	6.97 ⁱ	8.45 ⁱ	3.76 ⁱ	3.91 ⁱ	--	--	--	--	--
29	--	1.89 ⁱ	7.40 ^m	7.12 ^m	8.30 ⁱ	3.68 ⁱ	4.18 ⁱ	--	--	--	--	--
30	--	--	7.35 ⁱ	7.99 ⁱ	8.14 ⁱ	3.60 ⁱ	4.46 ⁱ	--	--	--	--	--
31	--	--	7.30 ⁱ	--	7.99 ⁱ	--	4.73 ⁱ	--	--	--	--	--
Total:	--	18.7	112.4	201.6	232.3	164.2	89.8	37.5	--	--	--	--
Mean:	--	1.87	3.62	6.72	7.49	5.47	2.90	2.50	--	--	--	--
Min:	--	1.83	1.27	6.07	6.20	3.60	1.73	0.00	--	--	--	--
Max:	--	1.90	7.40	7.99	9.07	7.83	4.73	5.00	--	--	--	--
AC-FT:	--	37.1	222.9	399.8	460.7	325.7	178.1	74.4	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 856.3

TOTAL AC-FT: 1698

**Annual Summary for Water District 61E Cold Springs Creek
490936 - D - MULE SHOE**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	50.4 ^m	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	0.00 ^m	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	0.00	50.4	--	--	--	--	--	--
Mean:	--	--	--	--	0.00	50.4	--	--	--	--	--	--
Min:	--	--	--	--	0.00	50.4	--	--	--	--	--	--
Max:	--	--	--	--	0.00	50.4	--	--	--	--	--	--
AC-FT:	--	--	--	--	0.00	100.0	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 50.4

TOTAL AC-FT: 100.0

Annual Summary for Water District 61E Cold Springs Creek 496337 - D - CS RV

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	2.96 ^e	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
2	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
3	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
4	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
5	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
6	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
7	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
8	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
9	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
10	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
11	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
12	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
13	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
14	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
15	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
16	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
17	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
18	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
19	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
20	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
21	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
22	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
23	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
24	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
25	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
26	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
27	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
28	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
29	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ⁱ	--	--	--	--	--	--
30	--	--	--	2.96 ⁱ	2.96 ⁱ	2.96 ^e	--	--	--	--	--	--
31	--	--	--	--	2.96 ⁱ	--	--	--	--	--	--	--
Total:	--	--	--	88.8	91.8	88.8	--	--	--	--	--	--
Mean:	--	--	--	2.96	2.96	2.96	--	--	--	--	--	--
Min:	--	--	--	2.96	2.96	2.96	--	--	--	--	--	--
Max:	--	--	--	2.96	2.96	2.96	--	--	--	--	--	--
AC-FT:	--	--	--	176.1	182.0	176.1	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 269.4

TOTAL AC-FT: 534.3

Annual Summary for Water District 61E Cold Springs Creek 403547 - D - ARK EAST

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
2	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
3	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
4	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
5	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
6	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
7	--	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--
8	--	--	--	--	0.00 ^m	--	--	--	--	--	--	--
9	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
10	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
11	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
12	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
13	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
14	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
15	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
16	--	--	--	--	0.00 ⁱ	--	--	--	--	--	--	--
17	--	--	--	--	0.00 ^m	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	0.66 ^m	--	--	--	--	--	--	--	--
30	--	--	--	0.66 ⁱ	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	1.32	4.62	--	--	--	--	--	--	--
Mean:	--	--	--	0.66	0.27	--	--	--	--	--	--	--
Min:	--	--	--	0.66	0.00	--	--	--	--	--	--	--
Max:	--	--	--	0.66	0.66	--	--	--	--	--	--	--
AC-FT:	--	--	--	2.62	9.16	--	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 5.94

TOTAL AC-FT: 11.8

Annual Summary for Water District 61E Cold Springs Creek 119789 - D - DAVID BEAN

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2024 - 12/31/2024

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	0.00 ^m	2.00 ⁱ	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--
2	--	--	0.00 ⁱ	2.00 ^m	2.01 ⁱ	1.16 ^m	--	--	--	--	--	--
3	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
4	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
5	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
6	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
7	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
8	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ^m	1.16 ⁱ	--	--	--	--	--	--
9	--	--	0.00 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
10	--	--	0.44 ^m	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
11	--	--	0.44 ⁱ	2.00 ⁱ	2.01 ⁱ	1.16 ⁱ	--	--	--	--	--	--
12	--	--	1.30 ^m	2.00 ^m	2.01 ⁱ	0.00 ^m	--	--	--	--	--	--
13	--	--	1.30 ⁱ	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
14	--	--	1.30 ⁱ	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
15	--	--	1.30 ⁱ	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
16	--	--	2.01 ^m	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
17	--	--	2.01 ⁱ	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
18	--	--	2.01 ⁱ	2.00 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
19	--	--	2.01 ⁱ	2.01 ^m	2.01 ⁱ	--	--	--	--	--	--	--
20	--	--	2.01 ⁱ	2.01 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
21	--	--	2.01 ⁱ	2.01 ⁱ	2.01 ^m	--	--	--	--	--	--	--
22	--	--	2.01 ^m	2.01 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
23	--	--	2.01 ⁱ	2.01 ⁱ	2.01 ⁱ	--	--	--	--	--	--	--
24	--	--	2.01 ⁱ	2.01 ⁱ	2.00 ^m	--	--	--	--	--	--	--
25	--	--	2.01 ⁱ	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--	--
26	--	--	2.01 ⁱ	2.01 ^m	2.00 ⁱ	--	--	--	--	--	--	--
27	--	--	2.01 ⁱ	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--	--
28	--	2.01 ^m	2.01 ⁱ	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--	--
29	--	2.01 ⁱ	2.00 ^m	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--	--
30	--	--	2.00 ⁱ	2.01 ⁱ	2.00 ⁱ	--	--	--	--	--	--	--
31	--	--	2.00 ⁱ	--	2.00 ⁱ	--	--	--	--	--	--	--
Total:	--	4.02	38.2	60.1	62.2	13.6	--	--	--	--	--	--
Mean:	--	2.01	1.23	2.00	2.01	1.13	--	--	--	--	--	--
Min:	--	2.01	0.00	2.00	2.00	0.00	--	--	--	--	--	--
Max:	--	2.01	2.01	2.01	2.01	2.00	--	--	--	--	--	--
AC-FT:	--	7.97	75.8	119.3	123.4	27.0	--	--	--	--	--	--

CALENDAR YEAR 01/01/2024 - 12/31/2024

TOTAL CFS: 178.2

TOTAL AC-FT: 353.4