

IDAHO DEPARTMENT OF WATER RESOURCES**7/9/2025****Proof Report**

POU Total Acres: 2.1

Conditions of Approval:

1. 046 Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
2. X61 The period of use for the irrigation described in this approval may be extended to a beginning date of March 1 provided that beneficial use of the water can be shown and other elements of the right are not exceeded. The use of water before March 15 is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than April 29, 2009.
3. R65 This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.5 afa per acre at the field headgate for irrigation of the lands above.
4. 01M After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
5. T19 Pursuant to Section 42-1412(6), Idaho Code, this water right is subject to such general provisions necessary for the definition of the rights or for the efficient administration of water rights as may be determined by the Snake River Basin Adjudication court at a point in time no later than the entry of the final unified decree.
6. T07 The right holder shall accomplish the change authorized by this transfer within one year of the date of this approval.
7. T08 Failure of the right holder to comply with the conditions of this transfer is cause for the Director to rescind approval of the transfer.
8. This right is the result of split from 63-35510. The Actual Diversion Rate after the split is .013 CFS and the actual Volume after the split is 4.0 AF.

Comments:

1 DMansfield 7/2/2025 Split Right
This right is the result of split from 63-35510. The Actual Diversion Rate after the split is .013 CFS and the actual Volume after the split is 4.0 AF.

2 DMansfield 7/2/2025 POU
Updated Shape for WaterUseCode 01

Dates and Other Information:

Decreed Date: 4/29/2009

State or Federal: S

Water District Number: EXC

Generic Max Rate Per Acre: 0.020

Generic Max Volume Per Acre: 4.0

Mitigation Plan: False

Combined Use Limits:

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

7/9/2025

N/A

SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources
Water Right
63-35720

CREATED BY SPLIT



0 0.035 0.07 0.14 Miles

-  Place Of Use Boundary
-  Point of Diversion
-  State Outline
-  Townships
-  PLS Sections
-  Quarter Quarters

