

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 15-7235

RECEIVED

OCT 28 2024

DEPT. OF WATER RESOURCES
EASTERN REGION

Priority: December 12, 2002

Maximum Diversion Rate: 0.60 CFS

Maximum Diversion Volume: 105.0 AF

The owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 15-7235

TYRELL G AND JAIME THOMAS
4901 W 500 S
MALAD CITY ID 83252-6060

requests the permit be changed as follows:

Source : GROUND WATER

Beneficial Use

IRRIGATION

Period of Use

04/01 to 10/31

Rate of Diversion

0.60 CFS

Location of Point(s) of DiversionGROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp 14S, Rge 35E, B.M. ONEIDA CountyGROUND WATER SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, Twp 14S, Rge 35E, B.M. ONEIDA CountyPlace of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	35E	35					3.0	5.0											8.0
14S	35E	26										1.0	21.0						22.0

Total Acres: 30.0

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 10th day of October, 2024.

Tyrell and Jaime Thomas
(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 15-7235

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by MP # E050455 Date 10/28/24

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 15-7235 with the following:

Conditions of Approval

1. Rights 15-2018, 15-2029, 15-2055, and 15-7235 when combined shall not exceed a total diversion rate of 6.79 cfs, a total annual maximum diversion volume of 1347.5 af at the field headgate, and the irrigation of 385 acres.
2. Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 21st day of July, 2025.



BLAKE JORDAN
Water Resources Program Manager