

**Annual Summary for Water District 67 Weiser River
18234 - D - CUDDY MEADOWS**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
28581 - D - PATRICIA HELDT

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 341424 - D - FAIRCHILD

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	2.68 ⁱ	2.24 ⁱ	1.69 ⁱ	--	--
2	--	--	--	--	--	--	--	2.69 ^m	2.25 ⁱ	1.59 ⁱ	--	--
3	--	--	--	--	--	--	0.00 ^m	2.01 ⁱ	2.26 ⁱ	1.49 ⁱ	--	--
4	--	--	--	--	--	--	0.52 ⁱ	1.34 ⁱ	2.27 ⁱ	1.39 ⁱ	--	--
5	--	--	--	--	--	--	1.03 ⁱ	0.67 ⁱ	2.28 ⁱ	1.29 ⁱ	--	--
6	--	--	--	--	--	--	1.55 ⁱ	0.00 ^m	2.30 ⁱ	1.20 ⁱ	--	--
7	--	--	--	--	--	--	2.07 ⁱ	0.27 ⁱ	2.31 ⁱ	1.10 ⁱ	--	--
8	--	--	--	--	--	--	2.58 ^m	0.54 ⁱ	2.32 ⁱ	1.00 ⁱ	--	--
9	--	--	--	--	--	--	2.59 ⁱ	0.82 ⁱ	2.33 ⁱ	0.90 ⁱ	--	--
10	--	--	--	--	--	--	2.59 ⁱ	1.09 ⁱ	2.34 ⁱ	0.80 ⁱ	--	--
11	--	--	--	--	--	--	2.60 ⁱ	1.36 ⁱ	2.35 ⁱ	0.70 ⁱ	--	--
12	--	--	--	--	--	--	2.60 ⁱ	1.63 ⁱ	2.36 ⁱ	0.60 ⁱ	--	--
13	--	--	--	--	--	--	2.60 ⁱ	1.91 ⁱ	2.38 ⁱ	0.50 ⁱ	--	--
14	--	--	--	--	--	--	2.61 ⁱ	2.18 ^m	2.39 ⁱ	0.40 ⁱ	--	--
15	--	--	--	--	--	--	2.61 ⁱ	2.18 ⁱ	2.40 ⁱ	0.30 ⁱ	--	--
16	--	--	--	--	--	--	2.62 ⁱ	2.18 ⁱ	2.41 ⁱ	0.20 ⁱ	--	--
17	--	--	--	--	--	--	2.62 ⁱ	2.18 ⁱ	2.42 ⁱ	0.10 ⁱ	--	--
18	--	--	--	--	--	--	2.62 ⁱ	2.19 ⁱ	2.43 ⁱ	0.00 ^m	--	--
19	--	--	--	--	--	--	2.63 ⁱ	2.19 ⁱ	2.44 ⁱ	--	--	--
20	--	--	--	--	--	--	2.63 ⁱ	2.19 ⁱ	2.46 ⁱ	--	--	--
21	--	--	--	--	--	--	2.64 ⁱ	2.19 ⁱ	2.47 ⁱ	--	--	--
22	--	--	--	--	--	--	2.64 ⁱ	2.20 ⁱ	2.48 ⁱ	--	--	--
23	--	--	--	--	--	--	2.64 ⁱ	2.20 ⁱ	2.49 ^m	--	--	--
24	--	--	--	--	--	--	2.65 ⁱ	2.20 ⁱ	2.39 ⁱ	--	--	--
25	--	--	--	--	--	--	2.65 ⁱ	2.20 ⁱ	2.29 ⁱ	--	--	--
26	--	--	--	--	--	--	2.66 ⁱ	2.21 ⁱ	2.19 ⁱ	--	--	--
27	--	--	--	--	--	--	2.66 ⁱ	2.21 ⁱ	2.09 ⁱ	--	--	--
28	--	--	--	--	--	--	2.67 ⁱ	2.21 ⁱ	1.99 ⁱ	--	--	--
29	--	--	--	--	--	--	2.67 ⁱ	2.21 ⁱ	1.89 ⁱ	--	--	--
30	--	--	--	--	--	--	2.67 ⁱ	2.21 ^m	1.79 ⁱ	--	--	--
31	--	--	--	--	--	--	2.68 ⁱ	2.23 ⁱ	--	--	--	--
Total:	--	--	--	--	--	--	68.3	56.6	69.0	15.3	--	--
Mean:	--	--	--	--	--	--	2.36	1.82	2.30	0.85	--	--
Min:	--	--	--	--	--	--	0.00	0.00	1.79	0.00	--	--
Max:	--	--	--	--	--	--	2.68	2.69	2.49	1.69	--	--
AC-FT:	--	--	--	--	--	--	135.5	112.2	136.9	30.3	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 209.1

TOTAL AC-FT: 414.8

Annual Summary for Water District 67 Weiser River 342206 - D - FARMERS CANAL

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	9.28 ⁱ	5.94 ⁱ	--	--	--
2	--	--	--	--	--	--	--	9.28 ⁱ	5.94 ⁱ	--	--	--
3	--	--	--	--	--	--	11.5 ^m	9.28 ⁱ	5.94 ⁱ	--	--	--
4	--	--	--	--	--	--	11.5 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
5	--	--	--	--	--	--	11.5 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
6	--	--	--	--	--	--	5.43 ^m	9.28 ⁱ	5.94 ⁱ	--	--	--
7	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
8	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
9	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
10	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
11	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
12	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
13	--	--	--	--	--	--	5.43 ⁱ	9.28 ⁱ	5.94 ⁱ	--	--	--
14	--	--	--	--	--	--	4.14 ^m	9.28 ^m	5.94 ⁱ	--	--	--
15	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ^m	--	--	--
16	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
17	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
18	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
19	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
20	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
21	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
22	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
23	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
24	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	3.84 ⁱ	--	--	--
25	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	1.48 ^m	--	--	--
26	--	--	--	--	--	--	4.14 ⁱ	9.28 ⁱ	--	--	--	--
27	--	--	--	--	--	--	9.28 ^m	9.28 ⁱ	--	--	--	--
28	--	--	--	--	--	--	9.28 ⁱ	5.94 ^m	--	--	--	--
29	--	--	--	--	--	--	9.28 ⁱ	5.94 ⁱ	--	--	--	--
30	--	--	--	--	--	--	9.28 ⁱ	5.94 ⁱ	--	--	--	--
31	--	--	--	--	--	--	9.28 ⁱ	5.94 ⁱ	--	--	--	--
Total:	--	--	--	--	--	--	178.2	274.3	123.0	--	--	--
Mean:	--	--	--	--	--	--	6.14	8.85	4.92	--	--	--
Min:	--	--	--	--	--	--	4.14	5.94	1.48	--	--	--
Max:	--	--	--	--	--	--	11.5	9.28	5.94	--	--	--
AC-FT:	--	--	--	--	--	--	353.4	544.1	244.1	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 575.5

TOTAL AC-FT: 1141

Annual Summary for Water District 67 Weiser River 342207 - D - MIDDLE VALLEY DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	61.4 ^m	66.7 ⁱ	67.4 ⁱ	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ^m	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ^m	66.7 ⁱ	67.4 ⁱ	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ^m	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ^m	60.1 ^m	67.4 ⁱ	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	82.3 ^m	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ^m	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	67.4 ^m	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ^m	68.1 ⁱ	67.4 ⁱ	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	66.7 ^m	67.4 ⁱ	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	77.9 ⁱ	66.7 ⁱ	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	708.0	2259	2164	1947	1228	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	23.6	72.9	69.8	64.9	68.2	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	70.8	61.4	60.1	67.4	--	--
Max:	0.00	0.00	0.00	0.00	0.00	70.8	77.9	77.9	67.4	82.3	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	1404	4482	4292	3862	2435	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 8307

TOTAL AC-FT: 16477

Annual Summary for Water District 67 Weiser River 342208 - D - ROBERTSON SEVEY DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ⁱ	4.40 ⁱ	--	--
2	--	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ⁱ	4.40 ⁱ	--	--
3	--	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ⁱ	4.71 ^m	--	--
4	--	--	--	--	--	--	4.30 ⁱ	2.90 ^m	3.62 ⁱ	4.71 ⁱ	--	--
5	--	--	--	--	--	--	4.30 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
6	--	--	--	--	--	--	5.23 ^m	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
7	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
8	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
9	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
10	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
11	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
12	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
13	--	--	--	--	--	--	5.23 ⁱ	2.90 ⁱ	3.62 ⁱ	4.71 ⁱ	--	--
14	--	--	--	--	--	--	3.81 ^m	3.44 ^m	3.62 ⁱ	4.71 ⁱ	--	--
15	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ^m	4.71 ⁱ	--	--
16	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	4.71 ⁱ	--	--
17	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	2.73 ^m	--	--
18	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
19	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
20	--	--	--	--	--	--	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
21	--	--	--	--	--	4.30 ^m	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
22	--	--	--	--	--	4.30 ⁱ	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
23	--	--	--	--	--	4.30 ⁱ	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
24	--	--	--	--	--	4.30 ⁱ	3.81 ⁱ	3.44 ⁱ	2.57 ⁱ	--	--	--
25	--	--	--	--	--	4.30 ⁱ	3.81 ⁱ	3.44 ⁱ	4.40 ^m	--	--	--
26	--	--	--	--	--	4.30 ⁱ	3.81 ⁱ	3.44 ⁱ	4.40 ⁱ	--	--	--
27	--	--	--	--	--	4.30 ⁱ	6.22 ^m	3.44 ⁱ	4.40 ⁱ	--	--	--
28	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ^m	4.40 ⁱ	--	--	--
29	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ⁱ	4.40 ⁱ	--	--	--
30	--	--	--	--	--	4.30 ⁱ	6.22 ⁱ	3.62 ⁱ	4.40 ⁱ	--	--	--
31	--	--	--	--	--	--	6.22 ⁱ	3.62 ⁱ	--	--	--	--
Total:	--	--	--	--	--	43.0	144.0	110.3	102.8	77.5	--	--
Mean:	--	--	--	--	--	4.30	4.64	3.56	3.43	4.56	--	--
Min:	--	--	--	--	--	4.30	3.81	2.90	2.57	2.73	--	--
Max:	--	--	--	--	--	4.30	6.22	6.22	4.40	4.71	--	--
AC-FT:	--	--	--	--	--	85.3	285.6	218.8	203.9	153.7	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 477.5

TOTAL AC-FT: 947.2

Annual Summary for Water District 67 Weiser River
342210 - D - ALLISON JEWEL DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 342211 - D - CAMBRIDGE DITCH WEIR

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--
2	--	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--
3	--	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	21.6 ^m	--	--
4	--	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	--	--	--
5	--	--	--	--	--	--	--	12.4 ^m	21.3 ⁱ	--	--	--
6	--	--	--	--	--	--	15.7 ^m	12.4 ⁱ	21.3 ⁱ	--	--	--
7	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
8	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
9	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
10	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
11	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
12	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
13	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	21.3 ⁱ	--	--	--
14	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	14.3 ^m	--	--	--
15	--	--	--	--	--	--	15.7 ⁱ	12.4 ⁱ	14.3 ⁱ	--	--	--
16	--	--	--	--	--	--	15.7 ⁱ	18.6 ^m	14.3 ⁱ	--	--	--
17	--	--	--	--	--	--	15.7 ⁱ	18.6 ⁱ	14.3 ⁱ	--	--	--
18	--	--	--	--	--	--	15.7 ⁱ	18.6 ⁱ	14.3 ⁱ	--	--	--
19	--	--	--	--	--	--	0.00 ^m	18.6 ⁱ	14.3 ⁱ	--	--	--
20	--	--	--	--	--	--	16.0 ^m	18.6 ⁱ	14.3 ⁱ	--	--	--
21	--	--	--	--	--	--	16.0 ⁱ	18.6 ⁱ	14.3 ⁱ	--	--	--
22	--	--	--	--	--	--	16.0 ⁱ	18.6 ⁱ	14.3 ⁱ	--	--	--
23	--	--	--	--	--	--	16.0 ⁱ	18.6 ⁱ	19.4 ^m	--	--	--
24	--	--	--	--	--	--	16.0 ⁱ	21.3 ^m	19.4 ⁱ	--	--	--
25	--	--	--	--	--	--	16.0 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--	--
26	--	--	--	--	--	--	16.0 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--	--
27	--	--	--	--	--	--	16.0 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--	--
28	--	--	--	--	--	--	19.4 ^m	21.3 ⁱ	19.4 ⁱ	--	--	--
29	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--	--
30	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	19.4 ⁱ	--	--	--
31	--	--	--	--	--	--	19.4 ⁱ	21.3 ⁱ	--	--	--	--
Total:	--	--	--	--	--	--	409.7	533.2	560.8	60.4	--	--
Mean:	--	--	--	--	--	--	15.8	17.2	18.7	20.1	--	--
Min:	--	--	--	--	--	--	0.00	12.4	14.3	19.4	--	--
Max:	--	--	--	--	--	--	19.4	21.3	21.3	21.6	--	--
AC-FT:	--	--	--	--	--	--	812.6	1057	1112	119.8	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 1564

TOTAL AC-FT: 3102

Annual Summary for Water District 67 Weiser River 342212 - D - BACON VALLEY DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--
2	--	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--
3	--	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	0.00 ^m	--	--
4	--	--	--	--	--	--	0.00 ⁱ	10.4 ^m	5.10 ⁱ	--	--	--
5	--	--	--	--	--	--	0.00 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
6	--	--	--	--	--	--	7.94 ^m	10.4 ⁱ	5.10 ⁱ	--	--	--
7	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
8	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
9	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
10	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
11	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
12	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
13	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	5.10 ⁱ	--	--	--
14	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	9.20 ^m	--	--	--
15	--	--	--	--	--	--	7.94 ⁱ	10.4 ⁱ	9.20 ⁱ	--	--	--
16	--	--	--	--	--	--	7.94 ⁱ	0.03 ^m	9.20 ⁱ	--	--	--
17	--	--	--	--	--	--	7.94 ⁱ	0.03 ⁱ	9.20 ⁱ	--	--	--
18	--	--	--	--	--	--	7.94 ⁱ	0.03 ⁱ	9.20 ⁱ	--	--	--
19	--	--	--	--	--	--	0.00 ^m	0.03 ⁱ	9.20 ⁱ	--	--	--
20	--	--	--	--	--	--	6.46 ^m	0.03 ⁱ	9.20 ⁱ	--	--	--
21	--	--	--	--	--	0.00 ^m	6.46 ⁱ	0.03 ⁱ	9.20 ⁱ	--	--	--
22	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	0.03 ⁱ	9.20 ⁱ	--	--	--
23	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	0.03 ⁱ	9.20 ⁱ	--	--	--
24	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ^m	9.20 ⁱ	--	--	--
25	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
26	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
27	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
28	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
29	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
30	--	--	--	--	--	0.00 ⁱ	6.46 ⁱ	5.10 ⁱ	9.20 ⁱ	--	--	--
31	--	--	--	--	--	--	6.46 ⁱ	5.10 ⁱ	--	--	--	--
Total:	--	--	--	--	--	0.00	180.7	185.2	222.7	18.4	--	--
Mean:	--	--	--	--	--	0.00	5.83	5.97	7.42	6.13	--	--
Min:	--	--	--	--	--	0.00	0.00	0.03	5.10	0.00	--	--
Max:	--	--	--	--	--	0.00	7.94	10.4	9.20	9.20	--	--
AC-FT:	--	--	--	--	--	0.00	358.5	367.4	441.7	36.5	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 607.1

TOTAL AC-FT: 1204

Annual Summary for Water District 67 Weiser River 342213 - D - MIDDLE FORK DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	61.4 ^m	66.7 ⁱ	67.4 ⁱ	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ^m	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	61.4 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ^m	66.7 ⁱ	67.4 ⁱ	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ^m	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	77.2 ⁱ	66.7 ⁱ	67.4 ⁱ	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ^m	60.1 ^m	67.4 ⁱ	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	67.4 ⁱ	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	82.3 ^m	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ^m	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	60.1 ⁱ	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	67.4 ^m	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	71.5 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ^m	68.1 ⁱ	67.4 ⁱ	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	68.1 ⁱ	67.4 ⁱ	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	70.8 ⁱ	77.9 ⁱ	66.7 ^m	67.4 ⁱ	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	77.9 ⁱ	66.7 ⁱ	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	708.0	2259	2164	1947	1228	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	23.6	72.9	69.8	64.9	68.2	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	70.8	61.4	60.1	67.4	--	--
Max:	0.00	0.00	0.00	0.00	0.00	70.8	77.9	77.9	67.4	82.3	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	1404	4482	4292	3862	2435	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 8307

TOTAL AC-FT: 16477

Annual Summary for Water District 67 Weiser River 342214 - D - HAUN DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	--	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	0.35 ^m	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	--	0.35	--	--	--	--	--	--
Mean:	--	--	--	--	--	0.35	--	--	--	--	--	--
Min:	--	--	--	--	--	0.35	--	--	--	--	--	--
Max:	--	--	--	--	--	0.35	--	--	--	--	--	--
AC-FT:	--	--	--	--	--	0.69	--	--	--	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 0.35

TOTAL AC-FT: 0.69

Annual Summary for Water District 67 Weiser River 342594 - D - OSBORN GROOM DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ⁱ	1.23 ⁱ	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ⁱ	1.23 ⁱ	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ⁱ	0.88 ^m	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	2.46 ^m	1.23 ⁱ	--	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ^m	2.46 ⁱ	1.23 ⁱ	--	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	1.23 ⁱ	--	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	2.46 ⁱ	0.41 ^m	--	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	0.57 ^m	0.41 ⁱ	--	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.94 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ^m	0.57 ⁱ	0.41 ⁱ	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ^m	0.88 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	0.41 ⁱ	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	1.23 ^m	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	1.23 ⁱ	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	0.57 ⁱ	1.23 ⁱ	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ^m	1.23 ⁱ	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ⁱ	1.23 ⁱ	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.88 ⁱ	0.88 ⁱ	1.23 ⁱ	1.23 ⁱ	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	0.88 ⁱ	1.23 ⁱ	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	8.80	42.1	43.9	28.7	3.34	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	0.29	1.36	1.42	0.96	1.11	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	0.88	0.57	0.41	0.88	--	--
Max:	0.00	0.00	0.00	0.00	0.00	0.88	1.94	2.46	1.23	1.23	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	17.5	83.6	87.1	56.9	6.62	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 126.9

TOTAL AC-FT: 251.7

Annual Summary for Water District 67 Weiser River 342595 - D - TJ GLENN DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ⁱ	4.50 ⁱ	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ⁱ	4.50 ⁱ	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ⁱ	3.40 ^m	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.39 ^m	3.46 ⁱ	3.40 ⁱ	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ^m	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	3.46 ⁱ	3.40 ⁱ	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.39 ⁱ	2.80 ^m	3.40 ⁱ	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.62 ^m	2.80 ⁱ	3.40 ⁱ	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.62 ⁱ	2.80 ⁱ	2.87 ^m	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	4.09 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.02 ^m	3.62 ⁱ	2.80 ⁱ	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ^m	3.02 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	2.80 ⁱ	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	4.50 ^m	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	4.50 ⁱ	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.62 ⁱ	4.50 ⁱ	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ^m	4.50 ⁱ	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ⁱ	4.50 ⁱ	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	3.31 ⁱ	3.02 ⁱ	3.46 ⁱ	4.50 ⁱ	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	3.02 ⁱ	3.46 ⁱ	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	33.1	110.1	107.0	103.4	59.5	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	1.10	3.55	3.45	3.45	3.50	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	3.02	3.02	2.80	2.87	--	--
Max:	0.00	0.00	0.00	0.00	0.00	3.31	4.09	3.62	4.50	4.50	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	65.7	218.3	212.3	205.2	118.0	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 413.1

TOTAL AC-FT: 819.3

Annual Summary for Water District 67 Weiser River 342597 - D - EAST FORK DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
2	--	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
3	--	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
4	--	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
5	--	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.31 ^m	9.13 ⁱ	12.1 ⁱ	--	--
6	--	--	--	--	--	0.00 ⁱ	9.84 ^m	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
7	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
8	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
9	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
10	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
11	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
12	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
13	--	--	--	--	--	0.00 ⁱ	9.84 ⁱ	4.31 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--
14	--	--	--	--	--	0.00 ⁱ	6.66 ^m	7.74 ^m	9.13 ⁱ	12.1 ⁱ	--	--
15	--	--	--	--	--	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ^m	12.1 ⁱ	--	--
16	--	--	--	--	0.00 ^m	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	12.1 ⁱ	--	--
17	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	0.00 ^m	--	--
18	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
19	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
20	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
21	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
22	--	--	--	--	0.00 ⁱ	0.00 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
23	--	--	--	--	0.00 ⁱ	11.1 ^m	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
24	--	--	--	--	0.00 ⁱ	11.1 ⁱ	6.66 ⁱ	7.74 ⁱ	11.4 ⁱ	--	--	--
25	--	--	--	--	0.00 ⁱ	11.1 ⁱ	6.66 ⁱ	7.74 ⁱ	12.1 ^m	--	--	--
26	--	--	--	--	0.00 ⁱ	11.1 ⁱ	6.66 ⁱ	7.74 ⁱ	12.1 ⁱ	--	--	--
27	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ^m	7.74 ⁱ	12.1 ⁱ	--	--	--
28	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ^m	12.1 ⁱ	--	--	--
29	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--	--
30	--	--	--	--	0.00 ⁱ	11.1 ⁱ	4.67 ⁱ	9.13 ⁱ	12.1 ⁱ	--	--	--
31	--	--	--	--	0.00 ⁱ	--	4.67 ⁱ	9.13 ⁱ	--	--	--	--
Total:	--	--	--	--	0.00	88.8	244.2	202.4	314.4	193.6	--	--
Mean:	--	--	--	--	0.00	2.96	7.88	6.53	10.5	11.4	--	--
Min:	--	--	--	--	0.00	0.00	4.67	4.31	9.13	0.00	--	--
Max:	--	--	--	--	0.00	11.1	11.1	9.13	12.1	12.1	--	--
AC-FT:	--	--	--	--	0.00	176.1	484.3	401.4	623.7	384.0	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 1043

TOTAL AC-FT: 2069

Annual Summary for Water District 67 Weiser River
342600 - D - MARY LOU

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342604 - D - RIDENOUR DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342605 - D - RON FORD

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342606 - D - TIM BUMGARDNER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342608 - D - REX JONES

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342613 - D - POORMAN

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342614 - D - DOTSON DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
342615 - D - HUBBARD DITCH**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
342616 - D - BEMIS DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 342617 - D - WIGGINS MAIN

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	--	--	--	--	--
2	--	--	--	--	--	--	--	--	--	--	--	--
3	--	--	--	--	--	--	--	--	--	--	--	--
4	--	--	--	--	--	--	--	--	--	--	--	--
5	--	--	--	--	--	--	--	--	--	--	--	--
6	--	--	--	--	--	--	--	--	--	--	--	--
7	--	--	--	--	--	--	--	--	--	--	--	--
8	--	--	--	--	--	--	--	--	--	--	--	--
9	--	--	--	--	--	--	--	--	--	--	--	--
10	--	--	--	--	--	--	--	--	--	--	--	--
11	--	--	--	--	--	--	--	--	--	--	--	--
12	--	--	--	--	--	--	--	--	--	--	--	--
13	--	--	--	--	--	--	--	--	--	--	--	--
14	--	--	--	--	--	--	--	--	--	--	--	--
15	--	--	--	--	--	--	--	--	--	--	--	--
16	--	--	--	--	--	--	--	--	--	--	--	--
17	--	--	--	--	0.00 ^m	--	--	--	--	--	--	--
18	--	--	--	--	--	--	--	--	--	--	--	--
19	--	--	--	--	--	--	--	--	--	--	--	--
20	--	--	--	--	--	--	--	--	--	--	--	--
21	--	--	--	--	--	--	--	--	--	--	--	--
22	--	--	--	--	--	--	--	--	--	--	--	--
23	--	--	--	--	--	--	--	--	--	--	--	--
24	--	--	--	--	--	--	--	--	--	--	--	--
25	--	--	--	--	--	--	--	--	--	--	--	--
26	--	--	--	--	--	--	--	--	--	--	--	--
27	--	--	--	--	--	--	--	--	--	--	--	--
28	--	--	--	--	--	--	--	--	--	--	--	--
29	--	--	--	--	--	--	--	--	--	--	--	--
30	--	--	--	--	--	--	--	--	--	--	--	--
31	--	--	--	--	--	--	--	--	--	--	--	--
Total:	--	--	--	--	0.00	--	--	--	--	--	--	--
Mean:	--	--	--	--	0.00	--	--	--	--	--	--	--
Min:	--	--	--	--	0.00	--	--	--	--	--	--	--
Max:	--	--	--	--	0.00	--	--	--	--	--	--	--
AC-FT:	--	--	--	--	0.00	--	--	--	--	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 0.00

TOTAL AC-FT: 0.00

Annual Summary for Water District 67 Weiser River
342618 - D - FORD FARRENS

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 342624 - D - CAMBRIDGE DITCH FLOWMETER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	0.31 ⁱ	1.19 ⁱ	2.04 ⁱ	1.50 ⁱ	1.07 ⁱ	0.07 ⁱ	--	--
2	--	--	--	--	0.34 ⁱ	1.22 ⁱ	2.07 ⁱ	1.62 ⁱ	1.03 ⁱ	0.03 ⁱ	--	--
3	--	--	--	--	0.37 ⁱ	1.25 ⁱ	2.10 ⁱ	1.73 ⁱ	1.00 ⁱ	0.00 ^m	--	--
4	--	--	--	--	0.40 ⁱ	1.27 ⁱ	2.12 ⁱ	1.85 ⁱ	0.97 ⁱ	--	--	--
5	--	--	--	--	0.42 ⁱ	1.30 ⁱ	2.15 ⁱ	1.97 ^m	0.93 ⁱ	--	--	--
6	--	--	--	--	0.45 ⁱ	1.33 ⁱ	2.18 ^m	1.93 ⁱ	0.90 ⁱ	--	--	--
7	--	--	--	--	0.48 ⁱ	1.36 ⁱ	2.18 ⁱ	1.90 ⁱ	0.87 ⁱ	--	--	--
8	--	--	--	--	0.51 ⁱ	1.39 ⁱ	2.18 ⁱ	1.87 ⁱ	0.83 ⁱ	--	--	--
9	--	--	--	--	0.54 ⁱ	1.42 ⁱ	2.18 ⁱ	1.83 ⁱ	0.80 ⁱ	--	--	--
10	--	--	--	--	0.57 ⁱ	1.44 ⁱ	2.18 ⁱ	1.80 ⁱ	0.77 ⁱ	--	--	--
11	--	--	--	--	0.59 ⁱ	1.47 ⁱ	2.18 ⁱ	1.77 ⁱ	0.73 ⁱ	--	--	--
12	--	--	--	--	0.62 ⁱ	1.50 ⁱ	2.18 ⁱ	1.73 ⁱ	0.70 ⁱ	--	--	--
13	--	--	--	--	0.65 ⁱ	1.53 ⁱ	2.18 ⁱ	1.70 ⁱ	0.67 ⁱ	--	--	--
14	--	--	--	--	0.68 ⁱ	1.56 ⁱ	2.18 ⁱ	1.67 ⁱ	0.63 ⁱ	--	--	--
15	--	--	--	--	0.71 ⁱ	1.59 ⁱ	2.18 ⁱ	1.63 ⁱ	0.60 ⁱ	--	--	--
16	--	--	--	--	0.74 ⁱ	1.61 ⁱ	2.18 ⁱ	1.60 ⁱ	0.57 ⁱ	--	--	--
17	--	--	--	--	0.76 ⁱ	1.64 ⁱ	2.18 ⁱ	1.57 ⁱ	0.53 ⁱ	--	--	--
18	--	--	--	--	0.79 ⁱ	1.67 ⁱ	2.18 ⁱ	1.53 ⁱ	0.50 ⁱ	--	--	--
19	--	--	--	--	0.82 ⁱ	1.70 ⁱ	0.00 ^m	1.50 ⁱ	0.47 ⁱ	--	--	--
20	--	--	--	0.00 ^m	0.85 ⁱ	1.73 ⁱ	0.12 ⁱ	1.47 ⁱ	0.43 ⁱ	--	--	--
21	--	--	--	0.03 ⁱ	0.88 ⁱ	1.76 ⁱ	0.23 ⁱ	1.43 ⁱ	0.40 ⁱ	--	--	--
22	--	--	--	0.06 ⁱ	0.91 ⁱ	1.78 ⁱ	0.35 ⁱ	1.40 ⁱ	0.37 ⁱ	--	--	--
23	--	--	--	0.08 ⁱ	0.93 ⁱ	1.81 ⁱ	0.46 ⁱ	1.37 ⁱ	0.33 ⁱ	--	--	--
24	--	--	--	0.11 ⁱ	0.96 ⁱ	1.84 ⁱ	0.58 ⁱ	1.33 ⁱ	0.30 ⁱ	--	--	--
25	--	--	--	0.14 ⁱ	0.99 ⁱ	1.87 ⁱ	0.69 ⁱ	1.30 ⁱ	0.27 ⁱ	--	--	--
26	--	--	--	0.17 ⁱ	1.02 ⁱ	1.90 ⁱ	0.81 ⁱ	1.27 ⁱ	0.23 ⁱ	--	--	--
27	--	--	--	0.20 ⁱ	1.05 ⁱ	1.93 ⁱ	0.92 ⁱ	1.23 ⁱ	0.20 ⁱ	--	--	--
28	--	--	--	0.23 ⁱ	1.08 ⁱ	1.95 ⁱ	1.04 ⁱ	1.20 ⁱ	0.17 ⁱ	--	--	--
29	--	--	--	0.25 ⁱ	1.10 ⁱ	1.98 ⁱ	1.16 ⁱ	1.17 ⁱ	0.13 ⁱ	--	--	--
30	--	--	--	0.28 ⁱ	1.13 ⁱ	2.01 ⁱ	1.27 ⁱ	1.13 ⁱ	0.10 ⁱ	--	--	--
31	--	--	--	--	1.16 ⁱ	--	1.39 ⁱ	1.10 ⁱ	--	--	--	--
Total:	--	--	--	1.55	22.8	48.0	47.8	48.1	17.5	0.10	--	--
Mean:	--	--	--	0.14	0.74	1.60	1.54	1.55	0.58	0.03	--	--
Min:	--	--	--	0.00	0.31	1.19	0.00	1.10	0.10	0.00	--	--
Max:	--	--	--	0.28	1.16	2.01	2.18	1.97	1.07	0.07	--	--
AC-FT:	--	--	--	3.07	45.2	95.2	94.9	95.4	34.7	0.20	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 185.9

TOTAL AC-FT: 368.7

Annual Summary for Water District 67 Weiser River
342990 - D - L DERIE

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
342994 - D - LOWER PARADIS**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
342995 - D - UPPER PARADIS**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343001 - D - LOWER HARVEY

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343002 - D - CAMP WOODINGTON

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343003 - D - UPPER HARVEY

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343004 - D - SMITH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343005 - D - HOOVER DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343006 - D - J BALDERSON

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
343007 - D - LAPIN LANE

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 343009 - D - HILL DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ^m	--	--	--	--	--	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	--	--	--	--	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--
Min:	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--
Max:	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 0.00

TOTAL AC-FT: 0.00

Annual Summary for Water District 67 Weiser River
361695 - D - MINK ADVENT GULCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
362874 - D - HANSEN AND WIEBE

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
362875 - D - NOAH LOWER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
368975 - D - NOAH WEST PINE PUMP

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
368976 - D - HANSEN WEST PINE**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
369012 - D - NOAH UPPER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
369030 - D - GORDYS PLACE

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 372795 - D - YANTIS UPPER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	2.33 ^m	--	--	--	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ^m	--	--	--	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ⁱ	--	--	--	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ⁱ	--	--	--	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ⁱ	--	--	--	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ⁱ	--	--	--	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.53 ⁱ	--	--	--	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ^m	--	--	--	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.00 ⁱ	--	--	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ^m	--	--	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.18 ⁱ	--	--	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ^m	--	--	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	--	--	--	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	--	--	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	0.00	13.8	--	--	--	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	0.00	0.51	--	--	--	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	0.00	--	--	--	--	--
Max:	0.00	0.00	0.00	0.00	0.00	0.00	2.33	--	--	--	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	0.00	27.3	--	--	--	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 13.8

TOTAL AC-FT: 27.3

Annual Summary for Water District 67 Weiser River 372868 - D - GALLOWAY CANAL

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	115.1 ^m	184.4 ^m	181.3 ^m	178.3 ^m	144.0 ^m	144.3 ^m	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	119.4 ^m	184.5 ^m	182.3 ^m	178.3 ^m	144.6 ^m	144.3 ^m	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	129.9 ^m	184.5 ^m	184.6 ^m	178.3 ^m	144.7 ^m	144.3 ^m	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	134.6 ^m	184.5 ^m	184.5 ^m	178.6 ^m	144.7 ^m	144.3 ^m	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	139.8 ^m	184.4 ^m	184.5 ^m	178.6 ^m	144.3 ^m	144.3 ^m	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.3 ^m	184.1 ^m	184.5 ^m	178.4 ^m	144.4 ^m	144.2 ^m	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.3 ^m	184.2 ^m	184.5 ^m	178.5 ^m	144.4 ^m	143.0 ^m	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.3 ^m	184.5 ^m	184.5 ^m	178.5 ^m	144.5 ^m	136.0 ^m	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.4 ^m	184.7 ^m	184.6 ^m	178.5 ^m	144.4 ^m	139.7 ^m	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.3 ^m	184.5 ^m	184.6 ^m	178.4 ^m	144.4 ^m	136.0 ^m	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.4 ^m	184.2 ^m	184.6 ^m	178.4 ^m	144.3 ^m	139.7 ^m	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.6 ^m	184.5 ^m	184.6 ^m	178.4 ^m	144.4 ^m	139.7 ^m	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.5 ^m	184.8 ^m	184.5 ^m	178.4 ^m	144.4 ^m	--	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	144.5 ^m	184.6 ^m	184.5 ^m	178.2 ^m	144.3 ^m	--	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	147.3 ^m	184.6 ^m	184.6 ^m	176.3 ^m	144.5 ^m	--	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	157.4 ^m	184.6 ^m	182.4 ^m	166.2 ^m	144.5 ^m	--	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	169.3 ^m	184.7 ^m	172.3 ^m	162.1 ^m	144.5 ^m	--	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	169.3 ^m	184.6 ^m	178.3 ^m	174.2 ^m	144.4 ^m	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	175.8 ^m	184.5 ^m	169.5 ^m	178.5 ^m	144.4 ^m	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	182.1 ^m	184.7 ^m	179.8 ^m	178.6 ^m	144.4 ^m	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	184.7 ^m	184.4 ^m	174.5 ^m	169.6 ^m	144.4 ^m	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	184.5 ^m	184.6 ^m	178.7 ^m	164.4 ^m	144.5 ^m	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	184.6 ^m	184.2 ^m	178.4 ^m	164.2 ^m	144.4 ^m	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	184.4 ^m	184.4 ^m	178.4 ^m	164.3 ^m	144.5 ^m	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	101.0 ^m	184.5 ^m	183.5 ^m	178.4 ^m	164.3 ^m	144.3 ^m	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	105.5 ^m	184.5 ^m	182.9 ^m	178.3 ^m	164.2 ^m	144.4 ^m	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	105.5 ^m	184.6 ^m	184.4 ^m	178.4 ^m	164.2 ^m	144.3 ^m	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	105.6 ^m	184.4 ^m	184.9 ^m	178.3 ^m	166.3 ^m	144.6 ^m	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	105.5 ^m	184.5 ^m	184.3 ^m	178.4 ^m	158.9 ^m	144.5 ^m	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	108.4 ^m	184.5 ^m	184.4 ^m	178.4 ^m	145.2 ^m	144.3 ^m	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	184.6 ^m	--	178.4 ^m	144.2 ^m	--	--	--	--
Total:	0.00	0.00	0.00	631.5	4969	5532	5603	5303	4332	1699	--	--
Mean:	0.00	0.00	0.00	21.1	160.3	184.4	180.8	171.1	144.4	141.7	--	--
Min:	0.00	0.00	0.00	0.00	115.1	182.9	169.5	144.2	144.0	136.0	--	--
Max:	0.00	0.00	0.00	108.4	184.7	184.9	184.6	178.6	144.7	144.3	--	--
AC-FT:	0.00	0.00	0.00	1252	9856	10972	11114	10519	8593	3371	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 28072

TOTAL AC-FT: 55681

**Annual Summary for Water District 67 Weiser River
373084 - D - HANSEN UPPER**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
373085 - D - HANSEN LOWER**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

**Annual Summary for Water District 67 Weiser River
373727 - D - WIGGINS UPPER**

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
377819 - D - MINK UPPER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
377820 - D - MINK LOWER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
379191 - D - NOAH AMIDON AND HAUXWELL

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
380709 - D - RIPPENS DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
380971 - D - OLD BUMGARNER PCME

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
381025 - D - HORSE FLAT

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 388424 - D - GLENDALE DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
2	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
3	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
4	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
5	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ^m	0.83 ⁱ	2.65 ⁱ	--	--
6	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
7	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
8	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
9	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
10	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
11	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
12	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
13	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.43 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--
14	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ^m	2.70 ^m	0.83 ⁱ	2.65 ⁱ	--	--
15	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ^m	2.65 ⁱ	--	--
16	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	2.65 ⁱ	--	--
17	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	0.00 ^m	--	--
18	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
19	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
20	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
21	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ^m	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
22	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
23	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
24	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.48 ⁱ	2.70 ⁱ	1.65 ⁱ	--	--	--
25	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.48 ⁱ	2.70 ⁱ	2.65 ^m	--	--	--
26	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.48 ⁱ	2.70 ⁱ	2.65 ⁱ	--	--	--
27	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ^m	2.70 ⁱ	2.65 ⁱ	--	--	--
28	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ^m	2.65 ⁱ	--	--	--
29	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--	--
30	0.00 ⁱ	--	0.00 ⁱ	0.00 ⁱ	0.00 ⁱ	1.03 ⁱ	0.79 ⁱ	0.83 ⁱ	2.65 ⁱ	--	--	--
31	0.00 ⁱ	--	0.00 ⁱ	--	0.00 ⁱ	--	0.79 ⁱ	0.83 ⁱ	--	--	--	--
Total:	0.00	0.00	0.00	0.00	0.00	10.3	23.6	48.2	44.0	42.4	--	--
Mean:	0.00	0.00	0.00	0.00	0.00	0.34	0.76	1.55	1.47	2.49	--	--
Min:	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.43	0.83	0.00	--	--
Max:	0.00	0.00	0.00	0.00	0.00	1.03	1.03	2.70	2.65	2.65	--	--
AC-FT:	0.00	0.00	0.00	0.00	0.00	20.4	46.8	95.5	87.3	84.1	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 168.5

TOTAL AC-FT: 334.1

Annual Summary for Water District 67 Weiser River
430022 - D - HANSEN PUMP

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River 441242 - D - SUNNYSIDE DITCH

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Day	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	--	--	--	--	--	--	--	52.6 ^m	37.5 ^m	23.6 ^m	--	--
2	--	--	--	--	--	--	--	52.4 ^m	42.8 ^m	24.0 ^m	--	--
3	--	--	--	--	--	--	52.4 ^m	52.7 ^m	42.2 ^m	24.3 ^m	--	--
4	--	--	--	--	--	--	50.8 ^m	53.2 ^m	43.7 ^m	23.6 ^m	--	--
5	--	--	--	--	--	--	50.2 ^m	46.3 ^m	49.1 ^m	23.6 ^m	--	--
6	--	--	--	--	--	--	48.7 ^m	46.8 ^m	44.1 ^m	23.6 ^m	--	--
7	--	--	--	--	--	--	49.2 ^m	42.7 ^m	35.6 ^m	23.6 ^m	--	--
8	--	--	--	--	--	--	45.4 ^m	43.4 ^m	31.9 ^m	22.8 ^m	--	--
9	--	--	--	--	--	--	39.9 ^m	37.7 ^m	32.0 ^m	22.5 ^m	--	--
10	--	--	--	--	--	--	39.6 ^m	36.8 ^m	28.1 ^m	0.00 ^m	--	--
11	--	--	--	--	--	--	39.7 ^m	37.0 ^m	25.5 ^m	0.00 ^m	--	--
12	--	--	--	--	--	--	40.1 ^m	38.1 ^m	25.9 ^m	--	--	--
13	--	--	--	--	--	--	37.1 ^m	40.0 ^m	24.7 ^m	--	--	--
14	--	--	--	--	--	--	42.3 ^m	40.0 ^m	24.7 ^m	--	--	--
15	--	--	--	--	--	--	40.2 ^m	39.7 ^m	24.7 ^m	--	--	--
16	--	--	--	--	--	--	40.3 ^m	39.0 ^m	24.9 ^m	--	--	--
17	--	--	--	--	--	--	43.9 ^m	41.8 ^m	25.3 ^m	--	--	--
18	--	--	--	--	--	--	40.4 ^m	39.6 ^m	24.7 ^m	--	--	--
19	--	--	--	--	--	--	43.5 ^m	40.2 ^m	24.7 ^m	--	--	--
20	--	--	--	--	--	--	43.6 ^m	32.5 ^m	24.5 ^m	--	--	--
21	--	--	--	--	--	--	45.4 ^m	29.9 ^m	24.5 ^m	--	--	--
22	--	--	--	--	--	--	55.4 ^m	24.9 ^m	24.5 ^m	--	--	--
23	--	--	--	--	--	--	55.8 ^m	0.00 ^m	24.6 ^m	--	--	--
24	--	--	--	--	--	--	53.3 ^m	0.00 ^m	24.0 ^m	--	--	--
25	--	--	--	--	--	--	53.6 ^m	28.0 ^m	23.9 ^m	--	--	--
26	--	--	--	--	--	--	53.8 ^m	27.4 ^m	23.9 ^m	--	--	--
27	--	--	--	--	--	--	51.1 ^m	31.6 ^m	23.8 ^m	--	--	--
28	--	--	--	--	--	--	50.9 ^m	31.4 ^m	23.8 ^m	--	--	--
29	--	--	--	--	--	--	51.6 ^m	36.3 ^m	23.7 ^m	--	--	--
30	--	--	--	--	--	--	52.1 ^m	36.2 ^m	23.7 ^m	--	--	--
31	--	--	--	--	--	--	52.7 ^m	36.0 ^m	--	--	--	--
Total:	--	--	--	--	--	--	1362	1134	877.2	211.8	--	--
Mean:	--	--	--	--	--	--	47.0	36.6	29.2	19.3	--	--
Min:	--	--	--	--	--	--	37.1	0.00	23.7	0.00	--	--
Max:	--	--	--	--	--	--	55.8	53.2	49.1	24.3	--	--
AC-FT:	--	--	--	--	--	--	2703	2250	1739	420.1	--	--

CALENDAR YEAR 01/01/2023 - 12/31/2023

TOTAL CFS: 3586

TOTAL AC-FT: 7113

Annual Summary for Water District 67 Weiser River
491185 - D - WIGGINS LOWER

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified

Annual Summary for Water District 67 Weiser River
491434 - D - SCHWARTZ

DISCHARGE, CUBIC FEET PER SECOND, CALENDAR YEAR 01/01/2023 - 12/31/2023

c - Calculated, e - Estimated, i - Interpolated, m - Measured and n - Not Specified