

RECEIVED

AUG 28 2025

DEPT. OF WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/3/2025

Water right number: 97-4091

JAMES HEIDENREICH  
19404 S NEVADA ST  
SPANGLE WA 99031

Telephone Number: (509) 991-6949

(509) 666-5828

ANN HEIDENREICH  
19404 S NEVADA ST  
SPANGLE WA 99031

Telephone Number: (509) 991-6949

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

change Jim Heidenreich's cell phone number.

3. Give a brief explanation as to why you disagree with these portions:

we need to attend your Sept. meeting  
✓ to make this decision.

\_\_\_ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Aug 19, 2025 SIGNATURE: Ann Heidenreich James Heidenreich  
Please print your name: Ann Heidenreich James Heidenreich

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800

we plan on attending the Sept. 8  
meeting at 2:00 pm. at the Inn at  
Priest Lake.

SCANNED

AUG 28 2025