

Form 42217 Rev. 6/22

RECEIVED

SEP 02 2025

IDWR / NORTH

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
**STATEMENT OF COMPLETION**  
FOR SUBMITTING PROOF OF BENEFICIAL USE

FOR OFFICE USE ONLY  
Amt. of Fee \$ 50  
Receipt No. N0455810  
Received By RW  
Date Received 9/3/25

The Idaho Department of Water Resources (Department) considers this form a statement that the permit holder(s) applied water to beneficial use and completed development of a water right to the extent described below. This form must be accompanied by an examination fee, when necessary, or by a completed Beneficial Use Field Report prepared by a certified water right examiner (CWRE). Please refer to the instructions and fee schedule for this form. If ownership of the permit has changed, complete a Notice of Change in Water Right Ownership form. If you wish to relinquish your permit because you have not established the authorized water use and are not applying for an extension, please notify the Department in writing.

1. Permit No. 98-08021 Name of Permit Holder(s) 91 LIGHTS, LLC & IDL  
Telephone No. 208-597-5152 Email LOU@COYOTEPARK.COM  
Mailing Address 217 CEDAR ST #191 City SANDPOINT State ID Zip 83864

2. Source of Water UNNAMED STREAM If Ground Water (well), Date Drilled mo. \_\_\_\_ / yr. \_\_\_\_  
Drilling Permit/Tag No. \_\_\_\_ Drilling Company's Name \_\_\_\_

3. Extent of use(s) completed as authorized by the water right permit:

Domestic (No. households) \_\_\_\_ Irrigation (No. acres) \_\_\_\_ Stockwater (No. and stock type) \_\_\_\_  
Other POWER - HYDRO ELECTRIC GENERATION

4. Total diversion rate or volume (storage only) for which proof is submitted 0.95 cfs OR \_\_\_\_ af  
If the total developed water use is 5 acres of irrigation or less, is stockwater storage of 14.6 acre-feet or less, or has a diversion rate of less than 0.24 cfs, attach a map of the place of use and point of diversion and photographs showing beneficial use.

5. Describe the diversion and delivery system from the water source to the use (pump, lift, irrigation method, etc.)

5' DIAMETER DRYWELL ON SIDE OF CREEK WITH 4" DIAMETER SCHEDULE 40 PVC PIPE, PENSTOCK CONTINUES N 2600 LF TO HOME HYDRO TURBINE.

6. Permit condition compliance. Refer to the permit approval conditions and check all the items required, then check "Yes" or "No" to indicate whether the required items were established, submitted, and/or installed:

Required? Yes No (If "Yes", attach required data, evidence of compliance, or evidence of installation)

☐ ☐ Ground water level data, pumping information, or other diversion data

☐ ☐ Mitigation plan

☐ ☐ Lockable controlling works

☒ ☒ Measuring device

☐ ☐ Fish screen

☒ ☒ Other requirements of the water right permit POWER CURVE FOR 12 MONTHS TYPICAL

☐ ☐ Reasonably Anticipated Future Needs ("RAFN") Municipal use

If RAFN Municipal use, additional increment of beneficial use developed? ☐ Yes (attach CWRE report) ☐ No

7. Fee Enclosed \$ 50.00 or ☐ CWRE field report attached or ☐ No fee required  
See fee schedule on page 3 of the instructions. Proof statements filed without an appropriate fee are incomplete.

8. Person to contact to accompany a Department representative during the field examination of the water system:

Name: LOU MUNILLA Telephone No. (208) 597-5152 Email LOU@COYOTEPARK.COM  
Mailing Address 217 CEDAR ST #191 City SANDPOINT State ID Zip 83864

The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted and applied to beneficial use. I understand that any undeveloped portion of the permit is relinquished to the State of Idaho.

L Munilla LOUIS MUNILLA, MANAGER 9/1/25  
SIGNATURE OF PERMIT HOLDER\* PRINTED NAME AND TITLE DATE

\*Attach power of attorney if completing on behalf of permit holder.

9/1/2025

## Idaho Department of Water Resources

### RE: Statement of Completion and proof of beneficial use for Permit #98-08021

To Whom It May Concern:

Total diversion rate calculation was as follow:

1. Turbine being used is manufactured by Home Hydro/ Hydro Induction Power
2. Their "Flow Through Nozzles in GPM at Various Heads" table is located on their website [homehydro.com](http://homehydro.com) and provided for reference below.

 homehydro / Nozzle Chart ~

| FLOW THROUGH NOZZLES IN GPM AT VARIOUS HEADS |     |      |       |      |       |      |       |            |      |      |      |      |                       |
|----------------------------------------------|-----|------|-------|------|-------|------|-------|------------|------|------|------|------|-----------------------|
| Feet                                         | Psi | 1/8" | 3/16" | 1/4" | 5/16" | 3/8" | 7/16" | 1/2"       | 5/8" | 3/4" | 7/8" | 1.0" | RPM for<br>4" Turbine |
| 5                                            | 2.2 | -    | -     | -    | -     | 6.18 | 8.4   | 11         | 17.1 | 24.7 | 33.6 | 43.9 | 460                   |
| 10                                           | 4.3 | -    | -     | 3.88 | 6.05  | 8.75 | 11.6  | 15.6       | 24.2 | 35   | 47.6 | 62.1 | 550                   |
| 15                                           | 6.5 | -    | 2.68  | 4.76 | 7.4   | 10.7 | 14.6  | 19         | 29.7 | 42.8 | 58.2 | 76   | 800                   |
| 20                                           | 8.7 | 1.37 | 3.09  | 5.49 | 8.56  | 12.4 | 16.8  | 22         | 34.3 | 49.4 | 67.3 | 87.8 | 925                   |
| 30                                           | 13  | 1.68 | 3.78  | 6.72 | 10.5  | 15.1 | 20.6  | 26.9       | 42   | 60.5 | 82.4 | 107  | 1140                  |
| 40                                           | 17  | 1.94 | 4.37  | 7.76 | 12.1  | 17.5 | 23.8  | 31.1       | 48.5 | 69.9 | 95.1 | 124  | 1310                  |
| 50                                           | 22  | 2.17 | 4.88  | 8.86 | 13.6  | 19.5 | 26.6  | 34.7       | 54.3 | 78.1 | 106  | 139  | 1470                  |
| 60                                           | 26  | 2.38 | 5.35  | 9.51 | 14.8  | 21.4 | 29.1  | 38         | 59.4 | 85.6 | 117  | 152  | 1600                  |
| 80                                           | 35  | 2.75 | 6.18  | 11   | 17.1  | 24.7 | 33.6  | 43.9       | 68.6 | 98.8 | 135  | 176  | 1850                  |
| 100                                          | 43  | 3.07 | 6.91  | 12.3 | 19.2  | 27.8 | 36.6  | 49.1       | 76.7 | 111  | 150  | 196  | 2070                  |
| 120                                          | 52  | 3.36 | 7.56  | 13.4 | 21    | 30.3 | 41.2  | 53.8       | 84.1 | 121  | 165  | 215  | 2270                  |
| 150                                          | 65  | 3.76 | 8.95  | 15   | 23.5  | 33.8 | 46    | 60.1       | 93.9 | 135  | 184  | 241  | 2540                  |
| 200                                          | 87  | 4.34 | 9.77  | 17.4 | 27.1  | 39.1 | 53.2  | 69.4       | 109  | 156  | 213  | 278  | 2930                  |
| 250                                          | 108 | 4.86 | 10.9  | 19.9 | 30.3  | 43.6 | 59.4  | 77.6       | 121  | 175  | 238  | 311  | 3270                  |
| 300                                          | 130 | 5.32 | 12    | 21.3 | 33.2  | 47.8 | 65.1  | 85.1       | 133  | 191  | 261  | 340  | 3590                  |
| 400                                          | 173 | 6.14 | 13.8  | 24.5 | 38.3  | 55.2 | 75.2  | 98.2       | 154  | 221  | 301  | 393  | 4140                  |
| HARRIS OR TURGO                              |     |      |       |      |       |      |       | TURGO ONLY |      |      |      |      |                       |


Our static head is approximately 300 ft and we have pressure gauges on the system that when at full capacity record 125 PSI. Ours is a two nozzle turbine and we have 1/4" nozzles, therefore, the max flowrate at spring runoff would be  $21.3 \text{ gpm} \times 2 = 42.6 \text{ gpm}$ . Converting this to CFS equates to  $42.6 / 7.481 / 60 = 0.095 \text{ CFS}$

Pictures of our water diversion system are below:

Drywell on side of creek for intake to penstock




4" PVC pipe in drywell with screen over it to ensure sediment doesn't enter pipe. In picture the screen is full of debris, needs to be cleaned.



Turbine with catch basin to collect water to spillway back into fall creek




Piping to reduce 4" penstock to 1" hoses for each of the 2 nozzles on the turbine



Valve on 4" penstock prior to y's to bush down to 2" pipes



6" spillway from turbine catch basin to bring water to fall creek



If you have any questions, please contact Luis Munilla at 208-597-5152

I CAN EMAIL DIGITAL PICTURES IF NECESSARY.

L. Munilla

### Power curve for typical 12 month power generation

NOTE: this "unnamed stream" is not a year round stream. We have found it to vary in output between the months of August to December.

The following values are averages of the 5 year study period:

| Month | Average Power Produced,<br>watts/hr |
|-------|-------------------------------------|
| Jan   | 900                                 |
| Feb   | 1250                                |
| Mar   | 1250                                |
| Apr   | 1250                                |
| May   | 1100                                |
| Jun   | 900                                 |
| Jul   | 600                                 |
| Aug   | 100                                 |
| Sep   | 0                                   |
| Oct   | 0                                   |
| Nov   | 300                                 |
| Dec   | 600                                 |

If you have any questions, please contact Luis Munilla at 208-597-5152



## Power curve for typical 12 month power generation

NOTE: this "unnamed stream" is not a year round stream. We have found it to vary in output between the months of August to December.

The following values are averages of the 5 year study period:

| Month | Average Power Produced, watts/hr |   | 2020 | 2021 | 2022 | 2023 | 2024  | 2025 |
|-------|----------------------------------|---|------|------|------|------|-------|------|
| Jan   | 900                              | x |      | 900  | 900  | 900  | 900   | 900  |
| Feb   | 1250                             | x |      | 1250 | 1250 | 1250 | 1250  | 1250 |
| Mar   | 1250                             | x |      | 1250 | 1250 | 1250 | 1250  | 1250 |
| Apr   | 1250                             | x |      | 1250 | 1250 | 1250 | 1250  | 1250 |
| May   | 1100                             | x |      | 1100 | 1100 | 1100 | 1100  | 1100 |
| Jun   | 900                              | x |      | 900  | 850  | 900  | 900   | 950  |
| Jul   | 600                              | x |      | 600  | 500  | 600  | 600   | 700  |
| Aug   | 100                              | x |      | 100  | 50   | 100  | 100   | 150  |
| Sep   | 0                                |   | 0    | 0    | 0    | 0    | 0 x   |      |
| Oct   | 0                                |   | 0    | 0    | 0    | 0    | 0 x   |      |
| Nov   | 300                              |   | 300  | 300  | 300  | 300  | 300 x |      |
| Dec   | 600                              |   | 600  | 600  | 600  | 600  | 600 x |      |

NOTE: This turbine is very consistent, this is why the averages for each month are the same each year. The head of the system is the same, the flow rate of the stream is the generally the same.

RECEIVED

SEP 04 2025

DEPT. OF WATER RESOURCES



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098  
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: [idwrinfo@idwr.idaho.gov](mailto:idwrinfo@idwr.idaho.gov) • Website: [idwr.idaho.gov](http://idwr.idaho.gov)

Governor Brad Little

Director Mathew Weaver

October 02, 2025

91 LIGHTS LLC  
217 CEDAR ST PMB  
191 SANDPOINT ID 83864-1410

STATE OF IDAHO DEPT OF LANDS  
PO BOX 83720  
BOISE ID 83720-0050

**PROOF ACKNOWLEDGEMENT LETTER**

**RE: Permit No. 98-8021**

Dear Permit Holder(s):

The Department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the Department to conduct a field examination to determine and confirm the use being made of the water.

**Please be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the Department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any Department office or at the Department's website at [www.idwr.idaho.gov](http://www.idwr.idaho.gov).**

If you have any questions concerning the field examination, please contact the Northern Region Office of the Department located in Coeur d'Alene at (208) 762-2800.

Sincerely,

*Julie Adams*

Julie Adams  
Technical Records Specialist 1

Enclosure(s)

c: BRIAN DOMKE



0006141691



**STATE OF IDAHO**

*Office of the secretary of state, Phil McGrane*

**CHANGE OF BUSINESS MAILING ADDRESS**

Idaho Secretary of State

PO Box 83720

Boise, ID 83720-0080

(208) 334-2301

Filing Fee: \$0.00

*For Office Use Only*

**-FILED-**

File #: 0006141691

Date Filed: 3/4/2025 2:21:00 PM

The entity name and address for which the mailing address is being changed:

The name of the business entity is:

91 LIGHTS, LLC

The file number of this entity on the records of the Idaho

0000615047

Secretary of State is:

New Address

217 CEDAR ST PMB 191

SANDPOINT, ID 83864-1410

Signature:

Luis Munilla

Sign Here

03/04/2025

Date

Job Title: Owner

B0994-1905 03/04/2025 2:21 PM Received by Office of the Idaho Secretary of State

# Memo

To: Water Right Permit 98-08021

From: Julie Adams

Date: 10/01/2025

Re: Statement of Completion (Proof)

---

On September 2, 2025, the Permit Holder submitted Proof for permit 98-08021 at the Northern Regional office with a \$50 license exam fee. Natalie sent me a copy of the Proof by email on September 3, 2025.

The copy of the Proof stated the total diversion rate for which the proof is submitted was 0.95 CFS, but the supporting documentation received with the Proof states 0.095 CFS. Per email from Natalie on September 4, 2025 at 9:10 am, the Permit Holder stated that the diversion rate on the Proof is a typo and that the total cfs is 0.095.

## Julianna Adams

---

**From:** Steading, Natalie  
**Sent:** Tuesday, September 30, 2025 12:40 PM  
**To:** Julianna Adams  
**Subject:** RE: 98-8021, Statement of Completion  
**Attachments:** 98-8021 Statement.pdf

Hey Julie,

I could have sworn I had sent this, but it was in my ownership changes I'm working on. I am so sorry; I do have the original in the mailbox for you now

---

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Tuesday, September 30, 2025 7:04 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Richman, Michelle <[Michelle.Richman@idwr.idaho.gov](mailto:Michelle.Richman@idwr.idaho.gov)>; Hersley, Jean <[Jean.Hersley@idwr.idaho.gov](mailto:Jean.Hersley@idwr.idaho.gov)>; Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion  
**Importance:** High

Hello Natalie

Do you still have the original copy of the attached Statement of Completion for permit 98-8021? I haven't received it yet.

Thank you,

 IDAHO DEPARTMENT OF  
**WATER RESOURCES**  
**Julie Adams | Technical Records Specialist I**  
322 E Front St, PO Box 83720, Boise, ID 83720  
(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

---

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Thursday, September 25, 2025 2:13 PM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Richman, Michelle <[Michelle.Richman@idwr.idaho.gov](mailto:Michelle.Richman@idwr.idaho.gov)>; Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Hello Natalie

Have you sent the original copy of the proof for permit 98-8021? I haven't received it yet.

Thank you,



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

**Julie Adams | Technical Records Specialist I**

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Wednesday, September 10, 2025 10:34 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Okay, thank you so much.

Thank you,



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

**Julie Adams | Technical Records Specialist I**

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Sent:** Wednesday, September 10, 2025 10:32 AM  
**To:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Not yet but it will be out this mornings mail

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Wednesday, September 10, 2025 9:30 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

The proof shows 0.95 cfs, but if his only using 0.095 then the fee would be \$50. Have you put the original copy of the proof in the mail to me?

Thank you,



IDAHO DEPARTMENT OF  
**WATER RESOURCES**

**Julie Adams | Technical Records Specialist I**

322 E Front St, PO Box 83720, Boise, ID 83720

(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Sent:** Wednesday, September 10, 2025 10:16 AM

## Julianna Adams

---

**From:** Steading, Natalie  
**Sent:** Friday, September 5, 2025 5:59 PM  
**To:** Julianna Adams  
**Subject:** FW: Permit 98-08021 Power Curve Chart

---

**From:** Lou Munilla <lou@coyotepak.com>  
**Sent:** Thursday, September 4, 2025 11:33 AM  
**To:** Northern Info <northerninfo@idwr.idaho.gov>  
**Subject:** Permit 98-08021 Power Curve Chart

**CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.**

---

To Whom it may concern,

Here is the power curve data by month for the evaluation period. Also, I realized that the type appeared on the hand written document that I submitted, not my write up that I have in digital form, but at least my math is provided there so you can be sure that we are only using at maximum power generation 40 gallons per minute.

Thanks.

**Lou Munilla, PE**  
**Owner**  
CoyotePak Construction  
c. 208-597-5152

**To:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

No, he said it's only .095 (which I think we would round up to .1?) so he still under the limit for the additional fee. Unless I'm missing something, which I'm will to admit could be the case

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Wednesday, September 10, 2025 9:09 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Hello Natalie

Has the additional fee been received for permit 98-08021?

Thank you,

 IDAHO DEPARTMENT OF  
**WATER RESOURCES**  
**Julie Adams | Technical Records Specialist I**  
322 E Front St, PO Box 83720, Boise, ID 83720  
(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Thursday, September 4, 2025 10:16 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

I would just wait until the corrected proof is received.

Did he say what the correct cfs is? The permit is approved for 0.83 cfs, so an additional fee may still be needed if they are using 0.21 or over.

Thank you,

 IDAHO DEPARTMENT OF  
**WATER RESOURCES**  
**Julie Adams | Technical Records Specialist I**  
322 E Front St, PO Box 83720, Boise, ID 83720  
(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Sent:** Thursday, September 4, 2025 9:10 AM  
**To:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Good morning,

I got a hold of Lou and he said he will email over the monthly numbers. He also said he made a typo when filing out the form and the total cfs is 0.095 (not 0.95) and he'll email a corrected Completion form as well. Do I need to note or correct anything on the original?

**From:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Sent:** Thursday, September 4, 2025 7:01 AM  
**To:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Cc:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** RE: 98-8021, Statement of Completion

Hello Natalie

You can go ahead and contact them. Can you please also let them know that we will need a copy of the monthly power generation figures from the development period of September 2, 2020 to September 1, 2025, not just an average of the five year period.

Thank you,

 IDAHO DEPARTMENT OF  
**WATER RESOURCES**  
**Julie Adams | Technical Records Specialist I**  
322 E Front St, PO Box 83720, Boise, ID 83720  
(208) 287-4945 | [www.idwr.idaho.gov](http://www.idwr.idaho.gov)

**From:** Steading, Natalie <[Natalie.Steading@idwr.idaho.gov](mailto:Natalie.Steading@idwr.idaho.gov)>  
**Sent:** Wednesday, September 3, 2025 3:41 PM  
**To:** Julianna Adams <[julie.adams@idwr.idaho.gov](mailto:julie.adams@idwr.idaho.gov)>  
**Subject:** 98-8021, Statement of Completion

Hey Julie,

They have 0.95 cfs listed but only paid \$50. Do you want me to keep the physical document here and contact them about the remaining fee?

*Natalie Steading*  
Idaho Dept. of Water Resources, Northern  
7600 N Mineral Drive, Ste 100  
Coeur d'Alene ID 83815  
Ph: (208) 762-2800  
Fax: (208) 762-2819