

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 13-8360

RECEIVED

SEP 26 2025

DEPT. OF WATER RESOURCES
EASTERN REGION

Priority: May 22, 2024

Maximum Diversion Rate: 0.04 CFS

Maximum Diversion Volume: 0.6 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 13-8360

GILBERT O HOLYOAK FAMILY TRUST C/O CAROLYN FORSGREN
710 E ONEIDA ST PRESTON ID 83263-1376

requests the permit be changed as follows:

Source : SPRING

Tributary: KING CREEK

Beneficial Use

DOMESTIC

Period of Use

01/01 to 12/31

Rate of Diversion

0.04 CFS

Location of Point(s) of Diversion

SPRING NW¼ SE¼ NE¼, Sec. 8, Twp 12S, Rge 40E, B.M. FRANKLIN County

Place of Use: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12S	40E	8			X	X													

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 23 day of September, 2025.

Gilbert O. Holyoak Family Trust
(Signature) *Carolyn H. Forsgren*

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 13-8360

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by CH _____ # E051173 _____ Date 9/6/2025 _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 13-8360 with the following:

Conditions of Approval

1. Domestic use is for one home and does not include lawn, garden, landscape, or other types of irrigation.
2. The quantity of water under this right shall not exceed 13,000 gallons per day.
3. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 11.
4. Upon specific notification by the Department, the right holder shall install a lockable device of a type acceptable to the Department in a manner that will provide the watermaster suitable control of the diversion.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 1st day of October, 2025.



BLAKE JORDAN
Water Resources Supervisor