

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14462

RECEIVED

JAN 30 2025

DEPT. OF WATER RESOURCES
EASTERN REGION

Priority: March 02, 2018

Maximum Diversion Rate: 1.05 CFS

Maximum Diversion Volume: 39.7 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-14462

HK CONTRACTORS INC PO BOX 51450 IDAHO FALLS ID 83405-1450

requests the permit be changed as follows:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
INDUSTRIAL	03/01 to 11/30	1.05 CFS	39.7 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ SW¼, Sec. 33, Twp 03N, Rge 38E, B.M. BONNEVILLE County

Place of Use: INDUSTRIAL

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	38E	33												X			X		0.0

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 30th day of January, 20 25.


(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 25-14462

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by MPettis # E050621 _____ Date 1/30/2025 _____

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 25-14462 with the following:

Conditions of Approval

1. Industrial use is for gravel wash facility and concrete batch plant.
2. Use of water under this right shall be non-consumptive.
3. Use of water under this right may be regulated by a watermaster with responsibility for the distribution of water among appropriators within a water district. At the time of this approval, this water right is within State Water District No. 120.
4. A lockable device subject to the approval of the Department shall be maintained on the diverting works in a manner that will provide the watermaster suitable control of the diversion.
5. Prior to diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion, in accordance with Department specifications.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 10th day of November, 2025.



Blake Jordan
Water Resources Program Manager