

IDAHO DEPARTMENT OF WATER RESOURCES

11/10/2025

Proof Report

BEFORE SPLIT**Water Right 61-10747**

Owner Type **Name and Address**
 Current Owner KATHRYN R SHARP
 3955 AIR BASE RD
 MOUNTAIN HOME, ID 83647
 (208) 587-5538

Current Owner FORREST D SHARP
 3955 AIR BASE RD
 MOUNTAIN HOME, ID 83647
 (208) 587-5538

Priority Date: 7/17/1973**Basis:** Decreed**Status:** Active

Source
 GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
STOCKWATER	1/01	12/31	0.070 CFS	
DOMESTIC	1/01	12/31	0.040 CFS	
	<u>Total Diversion</u>		0.110 CFS	

Source and Point(s) of Diversion:

GROUND WATER NWNE Sec. 33, Twp 03S, Rge 06E, ELMORE County

Place Of Use:

DOMESTIC within ELMORE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	06E	33			X														

STOCKWATER within ELMORE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	06E	33			X														

Conditions of Approval:

1. N13 THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED

IDAHO DEPARTMENT OF WATER RESOURCES

11/10/2025

Proof Report

2. N11 13,000 GALLONS PER DAY.
THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.
3. THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE: 61-10746, 61-10748, 61-12534 AND 61-
12535
4. Split into 61-12535. The actual Diversion Rate for the Stockwater after the split
is 0.06825 CFS.

Comments:

1 DMansfield 10/21/2025 Split Right
Split into 61-12535. The actual Diversion Rate for the Stockwater after the split is 0.06825 CFS.

2 DMansfield 10/21/2025 POU
Updated Shape for WaterUseCode 04

Dates and Other Information:

Decreed Date: 1/30/1998
Civil Case Number: 39576
Judicial District: FIFTH
State or Federal: S
Owner Name Connector: AND
Water District Number: EXC
Mitigation Plan: False

Combined Use Limits:

N/A

SubCase:

N/A

Water Supply Bank:

N/A

State of Idaho
Department of Water Resources

Water Right

61-10747

Stockwater Before Split



0 0.045 0.09 0.18 Miles

- Place Of Use Boundary
- Point of Diversion
- State Outline
- Townships
- PLS Sections
- Quarter Quarters



IDAHO DEPARTMENT OF WATER RESOURCES

11/12/2025

Proof Report

AFTER SPLIT**Water Right 61-10747**

Owner Type **Name and Address**
 Current Owner KATHRYN R SHARP
 3955 AIR BASE RD
 MOUNTAIN HOME, ID 83647
 (208) 587-5538

Current Owner FORREST D SHARP
 3955 AIR BASE RD
 MOUNTAIN HOME, ID 83647
 (208) 587-5538

Priority Date: 7/17/1973**Basis:** Decreed**Status:** Active

Source
 GROUND WATER

Tributary

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Volume</u>
STOCKWATER	1/01	12/31	0.067 CFS	
DOMESTIC	1/01	12/31	0.040 CFS	
	<u>Total Diversion</u>		0.110 CFS	

Source and Point(s) of Diversion:

GROUND WATER NWNE Sec. 33, Twp 03S, Rge 06E, ELMORE County

Place Of Use:

DOMESTIC within ELMORE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	06E	33			X														

STOCKWATER within ELMORE County

			NE				NW				SW				SE				Totals
Twp	Rng	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03S	06E	33			X														

Conditions of Approval:

1. N13 THE QUANTITY OF WATER UNDER THIS RIGHT SHALL NOT EXCEED

IDAHO DEPARTMENT OF WATER RESOURCES
Proof Report

11/12/2025

2. N11 13,000 GALLONS PER DAY.
THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT IS NOT A
DETERMINATION OF HISTORICAL BENEFICIAL USE.
3. THE FOLLOWING RIGHTS ARE ALSO DIVERTED THROUGH POINT OF
DIVERSION DESCRIBED ABOVE: 61-10746, 61-10748, 61-12534 AND 61-
12535
4. Split into 61-12535 and 61-12538. The actual Diversion Rate for the
Stockwater after the split is 0.0678 CFS.

Comments:

- | | | | |
|--|------------|------------|-------------|
| 1 | DMansfield | 10/21/2025 | POU |
| Updated Shape for WaterUseCode 04 | | | |
| 2 | DMansfield | 11/12/2025 | Split Right |
| Split into 61-12535. The actual Diversion Rate for the Stockwater after the split is 0.0682 CFS. | | | |
| 3 | DMansfield | 11/12/2025 | Split Right |
| Split into 61-12538. The actual Diversion Rate for the Stockwater after the split is 0.0678 CFS. | | | |
| 4 | DMansfield | 11/12/2025 | POU |
| Updated Shape for WaterUseCode 04 | | | |

Dates and Other Information:

Decreed Date: 1/30/1998
Civil Case Number: 39576
Judicial District: FIFTH
State or Federal: S
Owner Name Connector: AND
Water District Number: EXC
Mitigation Plan: False

Combined Use Limits:

N/A

SubCase:

N/A

Water Supply Bank:


N/A

State of Idaho
Department of Water Resources

Water Right

61-10747

Stockwater After Split



0 0.045 0.09 0.18 Miles

-  Place Of Use Boundary
-  Point of Diversion
-  State Outline
-  Townships
-  PLS Sections
-  Quarter Quarters

