

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 15-7406

RECEIVED

DEC 04 2025

DEPT. OF WATER RESOURCES
EASTERN REGION

Priority: April 03, 2015

Maximum Diversion Rate: 1.72 CFS

Maximum Diversion Volume: 298.8 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 15-7406

SHAYNA AND LUKE WALDRON
4450 W 4500 S
MALAD CITY ID 83252-6643

requests the permit be changed as follows:

Source : GROUND WATER

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	1.70 CFS	297.5 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	1.3 AF

Location of Point(s) of Diversion

GROUND WATER SE¼ NE¼, Sec. 22, Twp 15S, Rge 35E, B.M. ONEIDA County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	35E	22	20.0			17.0									23.0				60.0
15S	35E	23							25.0										25.0

Total Acres: 85.0

Place of Use: STOCKWATER

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	35E	22	X			X									X				
15S	35E	23							X										

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 1st day of December, 2025.

Luke D. Waldron
(Signature)

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 15-7406

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = \$100 Received by M. J. H. # E051219 Date 10/20/2025

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 15-7406 with the following:

Conditions of Approval

1. Rights 15-7275 and 15-7406 when combined shall not exceed the irrigation of 140.0 acres.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the place of use.
3. Prior to the diversion and use of water under this right, the right holder shall install and maintain acceptable measuring device(s) at the authorized point(s) of diversion in accordance with Department specifications, or shall obtain an approved variance from the Department to determine the amount of water diverted from power records or to maintain an existing measuring device.
4. The quantity of water under this right for stockwater use shall not exceed 13,000 gallons per day.
5. This right does not grant any right-of-way or easement across the land of another.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 22nd day of December, 20 25.



Blake Jordan
Water Resources Program Manager