

08/06/2025
RECEIVED
SEP 29 2025

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail, **DEPT. OF WATER RESOURCES**

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 10/3/2025

Water right number: 97-7274
STATE OF IDAHO
IDAHO WATER RESOURCE BOARD
CYNTHIA BRIDGE CLARK
PO BOX 83720
BOISE ID 83720-0098
Telephone Number: (208) 287-4800

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
See attached.
3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 9/29/25 SIGNATURE: 
Please print your name: Ann Yribar, Deputy Attorney General

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR DALENE, ID 83815-7763, (208) 762-2800

SCANNED
SEP 29 2025

Upon further finding and order of the director that gaging stations are required to maintain the approved minimum flows under this right, such measuring devices shall be permanently installed and maintained as specified by the director.