

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No: 65-24402
Exam Date: 02/25/2026

1. Current Owner:
ALEXIS RIMLINGER 30 PLATEAU RD LOWMAN ID 83637-7090 OR
NICOLE RIMLINGER 30 PLATEAU RD LOWMAN ID 83637-7090
2. Accompanied by: In office
Phone No:
Address:
Relationship to permit Holder:

3. **SOURCE:**
UNNAMED STREAM

Tributary
SOUTH FORK PAYETTE RIVER

Method of Determination: application and permit

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

2. Other water rights with the same point-of-diversion: NO Overlap

Water Right No.	Source	Purpose of Use	Basis

Comments: NA

C. DIVERSION AND DELIVERY SYSTEM

1. **LOCATION OF POINT(S) OF DIVERSION:**

UNNAMED STREAM SW¼ SE¼, Sec. 27, Twp 09N, Rge 08E, B.M. BOISE County

Method of Determination: Application, permit and ArcPro

PLACE OF USE: DOMESTIC

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
09N	08E	27															X		

Method of Determination: application, permit ArcPro and Boise County

3.

Delivery System Diagram Attached (required). Indicate all major components and distances between components.
 Indicate weir size/pipe as applicable.

Map Attached Showing Location(s) of point(s) of diversion and place(s) of use (required). Scale must be
 1:24,000 or greater.

Aerial Photo Attached (required for irrigation of 10+ acres).

Photo of Diversion and System Attached

4.

Well or Diversion ID No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

F. VOLUME CALCULATIONS

1. Volume Calculations for irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses: domestic use indoor use only. 0.6 af per administrative memo #22.

G. NARRATIVE/REMARKS/COMMENTS: The Department received the statement of completion for this permit on January 15, 2026. ArcPro and Boise County show dwelling on property. There are no overlapping rights. An email and letter were sent regarding the installation of the fish screen and asking if any irrigation was taking place. Response received on February 24, 2026. In-house use only and the fish screen is installed. Volume will be added as 0.6 afa.

Added condition X60. Condition X01 should be changed to WB5 to limit the use to in-home only. Condition 121 should be updated to 103.

Have conditions of permit approval been met? ☒ Yes ☐ No

H. RECOMMENDATIONS

1. Recommended Amounts

<u>Beneficial Use</u>	<u>Period of Use</u>	<u>Rate of Diversion</u>	<u>Rate of Volume</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF

Totals: 0.04 CFS 0.6 AF

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None

I. AUTHENTICATION Jean Hersley - Technical Records Specialist 2

Field Examiner's Name Jean Hersley Date 2-25-26
 Reviewer [Signature] Date 2/27/26



Boise county shows dwelling on property and lists permit holder as current owner.

Project Map Insert Analysis View Edit Imagery Share WREdit Help Graphics Feature Layer Labeling Data

Clipboard Navigate Layer Selection Inquiry Labeling Offline

Contents

Drawing Order

- Map
- Water Permit POD
- Water Permit POU
- Graphics Layer 2
- Application POD
- SpatialData
- Parcels
- PLSS
- Township/Range
- Sections
- QQ
- Application POU
- Imagery
 - Graphics Layer
 - 2023 (0.6 meter)
 - 2021 (0.6 meter)
 - 2019 (0.6 meter)
 - 2017 (1 meter)
 - 2015 (1 meter)
 - 2013 (0.5 meter)
 - 2011 (1 meter)

Map

1:856 115.4930100°W 44.0833213°N

Selected Features: 3

Pop-up

Parcels (1)

RIMLINGER ALEXIS; RIMLINGER NICOLE

Parcels - RIMLINGER ALEXIS; RIMLINGER NICOLE


ID	18645068
UPDATED	10/14/2025
PIN	RPOS7010000050
OWNER	RIMLINGER ALEXIS; RIMLINGER NICOLE
ADDRESS1	803 N LACRESTA AVE
ADDRESS2	
CITY	CALDWELL
STATE	ID
ZIPCODE	83605-0000
P_ADDRESS	30 PLATEAU RD
P_ZIPCODE	83637-0000
SUB_NAME	PAVETTE PLATEAU
LEGAL1	T9N R8E SEC 27
LEGAL2	PAVETTE PLATEAU SUB 1
LEGAL3	LOT 5
LEGAL4	
LEGAL5	
LEGAL6	<Null>
ACRES	1.2
COUNTY	Boise
SOURCE	<Null>
YEAR_BUILT	2022

1 of 1 115.4932043°W 44.0834106°N Catalog Pop-up

ArcPro shows dwelling on property and lists permit holder as current owners.

State of Idaho
Department of Water Resources
Attachment to Water Right
65-24402
(DOMESTIC)

This map depicts the DOMESTIC place of use boundary for this water right at the time of this approval and is attached to the approval document solely for illustrative purposes.



- | | |
|-----------------------|------------------|
| Point of Diversion | Townships |
| Place Of Use Boundary | Sections |
| State Outline | Quarter Quarters |



0 0.04 0.09 0.14 0.18 Miles



Imagery: 2023 Aerial Photography
Prepared By Hersley, Jean

Hersley, Jean

From: nicole rimlinger <rimlingernicole18@gmail.com>
Sent: Tuesday, February 24, 2026 6:51 PM
To: Hersley, Jean
Subject: Yes I have a screen in the outlet and we only use it for dishes and shower we don't irrigate sorry so late I had change of address so I got this letter late my sincerely Nicole Rimlinger.

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Nicole rimlinger



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

February 18, 2026

NICOLE RIMLINGER
ALEXIS RIMLINGER
803 N LACRESTA AVE
CALDWELL ID 83605

RE: Proof of Beneficial Use Water Permit 65-24402

Dear Permit Holder,

The Department of Water Resources (Department) received your Statement of completion for Submitting Beneficial Use for water permit 65-24402. The Department is in the process of reviewing your permit for licensing. There is some clarification that is needed before we can continue.

Permit 65-24402 is for domestic use. Typically, a ½ acre of irrigation is allowed with domestic use. Are you irrigating a lawn, garden or trees with this permit? It is difficult to tell with aerial imagery because of all the trees on the property.

Also, a fish screen of ¼ inch or smaller is required to be installed and maintained at the point of diversion. Is there a fish screen installed?

Please respond with 7 days if you are irrigating and if a fish screen has been installed. You can send your response to the address above or respond by email to file@idwr.idaho.gov, attn: Jean.

Please contact me at (208) 287-4942 if you have any questions. Thank you.

Sincerely,

Jean Hersley
Technical Records Specialist II



IDAHO DEPARTMENT OF
WATER RESOURCES

322 E Front Street, Suite 648, Boise ID 83702 • PO Box 83720, Boise ID 83720-0098
Phone: 208-287-4800 • Fax: 208-287-6700 • Email: idwrinfo@idwr.idaho.gov • Website: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

February 6, 2026

NICOLE RIMLINGER
ALEXIS RIMLINGER
30 PLATEAU RD
LOWMAN ID 83637

RE: Proof of Beneficial Use Water Permit 65-24402

The Department of Water Resources (Department) received your Statement of Completion for Submitting Beneficial Use for water permit 65-24402. The Department is in the process of reviewing your permit for licensing. Clarification is needed before we can continue.


Permit 65-24402 is for domestic use. Typically, a ½ acre of irrigation is allowed with domestic use. Are you irrigating a lawn, garden or trees with this permit? It is difficult to tell with aerial imagery because of all the trees on the property.

Also, a fish screen of ¼ inch or smaller is required to be installed and maintained at the point of diversion. Is there a fish screen installed?

Please respond within 7 days if you are irrigating and a fish screen has been installed. You can send your response to the address above or respond to the email that was sent on January 23, 2026 from jean.hersley@idwr.idaho.gov.

Please contact me at (208) 287-4942 if you have any questions. Thank you.

Sincerely,



Jean Hersley

Technical Records Specialist II

Hersley, Jean

From: Hersley, Jean
Sent: Friday, January 23, 2026 8:45 AM
To: rimlingernicole18@gmail.com
Subject: water right permit 65-24402

The Department of Water Resources is in the process of reviewing your permit for licensing. We need clarification to continue.

Are you irrigating any lawn or garden with this permit? Imagery suggests that you are NOT. In most cases, you can irrigate up to a ½ acre with a domestic right.

Please let me know within 7 days if you are using this permit for any outside irrigation. If the Department does not hear from you within 7 days, your permit will be licensed without any outside irrigation. Thank you.



*Jean Hersley
Technical Records Specialist II
Idaho Dept Water Resources
(208) 287-4942*

