

RECEIVED

FEB 20 2026

RECEIVED

FEB 23 2026

DWR / NORTH

STATE OF IDAHO

90317

DWR / NORTH

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

No. 85-15894

1. Applicants

Daniel and Crystal Hudson
15133 Buckaroo lane
Lewiston, ID 83501
2087911777
crystal.proproperty@gmail.com

2. Representatives

Submitter is one of the applicants

3. Source of Water Supply

Source : GROUND WATER

4. Location of Point(s) of Diversion

POD #	Source	Tributary Of	Diversion Type	Township	Range	Section	Govt Lot	QQQ/QQ/Q	County
1	GROUND WATER			35N	05W	27		/NW/NW	NEZ PERCE

5. Water will be used for the following purposes:

Purposes	Season	Rate	Volume	Description
DOMESTIC	01/01 to 12/31	0.20 cfs	0.00 afa	Domestic in home use and exterior use including lawn and watering horses

6. Total quantity to be appropriated is (a) 0.2 cfs and/or 0 afa

7. Proposed Diverting Works:

POD No :1
Description: SUBMERSIBLE WELL PUMP, 5 HORSE.
Drill Date :2/1/2023
Metal Tag :D0094644
Drilled By :Stuivenga Vessey Drilling
Drilled For :Daniel and Crystal Hudson
Drilling Permit :908721
GeothermalWater :False

8. Description of Place Of Use:

DOMESTIC							
Township	Range	Section	QQ	Q	County	Govt Lot	Acres
35N	05W	27	NW	NW	NEZ PERCE		

9. Describe any other water rights used for the same purposes as described above. Include water delivered by a municipality, canal company, or irrigation district. If this application is for domestic purposes, do you intend to use this water, water from another source, or both, to irrigate your lawn, garden, and/or landscaping.

None

10. Land Ownership

- ☐ Who owns the land to be irrigated or place of use? Applicant
- ☐ Who owns the land at the point of diversion? Applicant

11. Describe your proposal in narrative form, and provide additional explanation for any of the items above. Attach additional pages if necessary.

I already have a well but I want to tie a water right to it to establish a priority date to it. We already have well and pump and are already connected to the house.

12. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum is 1 year).

Received
2.20.26

T125027

\$100.00

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

1. WELL TAG NO. D D0094694- D0094644

Drilling Permit No. 908721

Water right or Injection well # _____

2. OWNER: Daniel Hudson

Name _____

Address 601 Bryden Ave

City Lewiston State ID Zip 83501

3. WELL LOCATION:

Twp. 35 North ☒ or South ☐ Rge. 5 East ☐ or West ☒

Sec. 27 10 acres 1/4 NW 1/4 NW 1/4 NW 1/4

Gov't Lot _____ County _____

Lat. 46 21.216 (Deg. and Decimal minutes)

Long. 116 57.518 (Deg. and Decimal minutes)

Address of Well Site 15133 Buckaroo Ln

City Lewiston

(Give at least name of road - Distance to Road or Landmark)

Lot _____ Blk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation ☐ Thermal ☐ Injection

☐ Other _____

5. TYPE OF WORK:

☒ New well ☐ Replacement well ☐ Modify existing well

☐ Abandonment ☐ Other _____

6. DRILL METHOD:

☒ Air Rotary ☐ Mud Rotary ☐ Cable ☐ Other _____

7. SEALING PROCEDURES:

Seal material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method/procedure
Cement	0	416	10 yrd	Pumped

8. CASING/LINER:

Diameter (nominal)	From (ft)	To (ft)	Gauge/Schedule	Material	Casing Liner	Threaded	Welded
8	+2	398	.250	STEEL	☒	☐	☒
4 1/2	-200	800	SCH	40 PVC	☐	☒	☐
					☐	☐	☐
					☐	☐	☐

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 396'

9. PERFORATIONS/SCREENS:

Perforations ☒ Y ☐ N Method Saw Cut

Manufactured screen ☐ Y ☒ N Type _____

Method of installation _____

From (ft)	To (ft)	Slot size	Number/ft	Diameter (nominal)	Material	Gauge or Schedule
720	800	1/8x6	90	4 1/2	PVC	SCH 40

Length of Headpipe _____ Length of Tailpipe _____

Packer ☐ Y ☒ N Type _____

10. FILTER PACK:

Filter Material	From (ft)	To (ft)	Quantity (lbs or ft ³)	Placement method

11. FLOWING ARTESIAN:

Flowing Artesian? ☐ Y ☒ N Artesian Pressure (PSIG) _____

Describe control device _____

12. STATIC WATER LEVEL and WELL TESTS:

Depth first water encountered (ft) 416 Static water level (ft) 380

Water temp. (°F) 52 Bottom hole temp. (°F) _____

Describe access port Well Cap

Well test:	Discharge or yield (gpm)	Test duration (minutes)	Test method:	Pump	Bailer	Air	Flowing artesian
Drawdown (feet)							
420	25	120		☐	☐	☒	☐
				☐	☐	☐	☐

Water quality test or comments: _____

13. LITHOLOGIC LOG and/or repairs or abandonment:

Bore Dia. (in)	From (ft)	To (ft)	Remarks, lithology or description of repairs or abandonment, water temp.	Water	
				Y	N
12	0	3	DIRT		X
12	3	27	FRACTURED BROWN BASALT		X
12	27	39	FRACTURE GREY BASALT		X
12	39	64	HARD GREY BASALT		X
12	64	137	MEDIUM HARD BROWN BASALT		X
12	137	145	FRACTURED GREY BASALT	X	
12	145	205	MEDIUM HARD GREY BASALT		X
12	205	335	HARD GREY BASALT		X
12	335	345	MEDIUM GREY BASALT		X
12	345	367	TAN CLAY WITH BASALTS		X
12	367	378	GREY BASALT GREEN SHALE		X
12	378	398	MEDIUM HARD GREY BASALT		X
8	398	416	MEDIUM HARD GREY BASALT		X
8	416	421	FRACTURED GREY BASALT	X	
8	421	475	MEDIUM HARD GREY BASALT		X
8	475	481	SOFT RED BASALT		X
8	481	655	MEDIUM HARD BASALT		X
8	655	684	MEDIUM GREY BASALT		X
8	684	743	MEDIUM HARD GREY BASALT		X
8	743	768	MEDIUM GREY BASALT		X
8	768	800	MEDIUM HARD GREY BASALT		X

RECEIVED

OCT 30 2023

IDWR/NORTH

Completed Depth (Measurable): 800

Date Started: 01/02/2023 Date Completed: 02/01/2023

14. DRILLER'S CERTIFICATION:

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Stuivenga Vessey Drilling Co. No. 545

*Principal Driller [Signature] Date 02/02/2023

*Driller [Signature] Date 02/02/2023

*Operator II _____ Date _____

Operator I [Signature] Date 02/02/2023

* Signature of Principal Driller and rig operator are required.


State of Idaho
Department of Water Resources

Application

85-15894
(DOMESTIC)

AttachmentDescription

05W



Pod



Place Of Use Boundary



Quarter Quarters



Townships



0

0.04

0.09

0.14

0.18

Miles





IDAHO DEPARTMENT OF
WATER RESOURCES

Northern Region • 7600 N Mineral Drive, Suite 100 • Coeur D'Alene, ID 83815-7763
Phone: 208-762-2800 • Fax: 208-762-2819 • Email: northerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

March 10, 2026

DANIEL HUDSON
15133 BUCKAROO LN
LEWISTON, ID 83501-7055

CRYSTAL HUDSON
15133 BUCKAROO LN
LEWISTON, ID 83501-7055

RE: Application for Permit No. 85-15894

Dear Applicant(s):

The Department of Water Resources has received your water right application. Please refer to the number referenced above in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the LEWISTON TRIBUNE, TIMES NEWS, IDAHO STATESMAN, POST REGISTER on 3/19/2026 and 3/26/2026. Protests to this application may be submitted for a period ending ten (10) days after the second publication.

If the application is protested, you will be sent a copy of each protest. All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, the Department will process your application and notify you of any action taken on the application. If your application is approved, the Department will send you a copy of the permit.

Please contact this office if you have any questions regarding the application.

Sincerely,

Kristina Hammond
Administrative Assistant 1

Kristina Hammond

From: Kristina Hammond
Sent: Tuesday, March 10, 2026 11:45 AM
To: Sujata Connell; Jenna Fortier
Subject: WR 85-15894 application for permit

Dear Interested Party:

The Department of Water Resources (Department) is notifying you of an application for permit that may be of interest to you. A full description concerning property location may be found at:

<https://research.idwr.idaho.gov/apps/waterrights/wrapapplicationresults/>.

Daniel and Crystal Hudson have filed an application for permit 85-15894

If you desire to file a formal protest against approval of the application, a written protest along with the \$25 protest fee for each application protested must be received by April 6, 2026. Notice of Protest forms are available on our website, www.idwr.idaho.gov.

Please contact the Department's Northern office at (208) 762-2800 if you have any questions regarding the application

Kris Hammond | Administrative Assistant 1

Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2800



IDAHO DEPARTMENT OF
WATER RESOURCES

Kristina Hammond

From: Kristina Hammond
Sent: Tuesday, March 10, 2026 11:46 AM
To: allisonl@nezperce.org
Subject: WR 85-15894 application for permit.

Dear Interested Party:

The Department of Water Resources (Department) is notifying you of an application for permit that may be of interest to you. A full description concerning property location may be found at:

<https://research.idwr.idaho.gov/apps/waterrights/wrapapplicationresults/>.

Daniel and Crystal Hudson have filed an application for permit 85-15894

If you desire to file a formal protest against approval of the application, a written protest along with the \$25 protest fee for each application protested must be received by April 6, 2026. Notice of Protest forms are available on our website, www.idwr.idaho.gov.

Please contact the Department's Northern office at (208) 762-2800 if you have any questions regarding the application

Kris Hammond | Administrative Assistant 1

Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2800



Kristina Hammond

From: Kristina Hammond
Sent: Tuesday, March 10, 2026 11:53 AM
To: legals@lmtribune.com
Subject: Please post for WR 85-15894
Attachments: WR 85-15894 APPLICATION FOR PERMIT- LEGAL NOTICE.docx

Dear Legal Notice Department:

Please publish the enclosed legal notice on the dates 3/19/2026 AND 3/26/2026. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 4/6/2026. Your cooperation is appreciated.

Kris Hammond | Administrative Assistant 1

Idaho Department of Water Resources
Northern Regional Office
7600 N Mineral Drive, Suite 100
Coeur d'Alene, ID 83815-7763
Phone (208) 762-2800



MEMORANDUM

February 23, 2026

Application for Permit: 85-15894

Author: LBates *jsb 2/23/2025*

Subject: Comment/Analysis

Original online filed application contemplates ground water source use for Domestic use for 1 home with a maximum diversion rate of 0.20 cfs designated on the application. Priority date was established as 2/20/2026 based on date the \$100.00 filing fee was received.

I reached out by phone and email to discuss the Department's standard diversion rate allowance for 1 home domestic use, equaling 0.04 cfs, and requested the applicant declare by email whether they would like to explain the need for 0.20 cfs which may include additional uses OR declare by email response that the Department may reduce the rate to reflect 0.04 cfs = Department standard for the requested domestic water use.

The applicant responded on 2/23/2026 authorizing the Department to reduce the diversion rate to reflect 0.04 cfs. I made changes to AdHoc on 2/23/2026 and no advancement of priority is necessitated based on the reduction in rate.

From: Bates, Luke <Luke.Bates@idwr.idaho.gov>
Sent: Monday, February 23, 2026 2:48 PM
To: crystal.propproperty@gmail.com <crystal.propproperty@gmail.com>
Subject: IDWR Application 85-15894

Crystal & Daniel Hudson,

Thank you for speaking with me by phone today regarding online filed Application for Permit 85-15894. As discussed, the Department's standard allowance for Domestic use 1 home is equivalent to 0.04 cfs (18-20) gpm. Your well log shows approximately 25 gpm at time of construction and the 5 hp pump likely achieves just under 20 gpm if the pump were hung at a depth of 785 ft and assuming 45 PSI operating pressure.

The application as filed designates a diversion rate of 0.20 cfs (90 gpm). This is larger than the department standard and IDWR requests you respond to this email providing one of two following declarations:

1. Provide additional water system information explaining why 0.20 cfs (90 gpm) is needed; this may include additional irrigation acreage beyond the ? acre included under the domestic use you've applied for or additional water uses that would enable a larger diversion rate
OR
2. Acknowledge that the 0.04 cfs diversion rate for domestic use 1 home, including ? acre irrigation and minimal stock use for 2 horses is adequate and you authorize IDWR staff to reduce the diversion rate from 0.20 cfs to reflect 0.04 cfs prior to the statutory two-week advertisement cycle.

I've attached a 2-pg PDF that explains the application-permit-license process for education of the entire water right filing process for your reference.

Please do respond to this email request for information within 7 business days.

Thank you,



Luke Bates – Sr Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
208-762-2817
7600 N Mineral Dr Suite 100 Coeur D Alene ID 83815-7763

Bates, Luke

From: Bates, Luke
Sent: Monday, February 23, 2026 3:37 PM
To: 'Crystal Hudson'
Subject: RE: IDWR Application 85-15894

Crystal Hudson,

Thank you for the response – I will add a copy of this correspondence to the application file, reduce the diversion rate to reflect 0.04 cfs for Domestic use, and being the advertisement review. IDWR shall mail a correspondence letter to you notifying of which news paper and which two consecutive weeks it shall run for the public comment period prior to that occurring. No action required by you at this time.

Thank you,
Luke Bates – Sr Water Resource Agent
Idaho Department of Water Resources
Northern Regional Office
208-762-2817
7600 N Mineral Dr Suite 100 Coeur D Alene ID 83815-7763

From: Crystal Hudson <crystal.proproperty@gmail.com>
Sent: Monday, February 23, 2026 3:18 PM
To: Bates, Luke <Luke.Bates@idwr.idaho.gov>
Subject: Re: IDWR Application 85-15894

CAUTION: This email originated outside the State of Idaho network. Verify links and attachments BEFORE you click or open, even if you recognize and/or trust the sender. Contact your agency service desk with any concerns.

Yes, acknowledging #2 is correct. Thank you. 😊



IDAHO DEPARTMENT OF
WATER RESOURCES



Crystal Hudson
 **PRO-PROPERTY
MANAGEMENT, LLC**
📞 208-413-6723