

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 67-15256

RECEIVED

APR 06 2026

WATER RESOURCES
WESTERN REGION

Priority: March 20, 2018

Maximum Diversion Rate: 0.97 CFS

Maximum Diversion Volume: 334.0 AF

The owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 67-15256

BRYAN PECHT PO BOX 67 MIDVALE ID 83645-0067 OR

MARIE PECHT PO BOX 67 MIDVALE ID 83645-0067

requests the permit be changed as follows:

Source : GROUND WATER

Beneficial Use

IRRIGATION

Period of Use

03/01 to 10/31

Rate of Diversion

0.97 CFS

Annual Volume

334.0 AF

Location of Point(s) of Diversion

GROUND WATER NE¼ SW¼, Sec. 21, Twp 13N, Rge 03W, B.M. WASHINGTON County

Place of Use: IRRIGATION

Twp	Rng	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13N	03W	21								33.0	31.0	2.4	0.1	16.0		1.0			83.5

Total Acres: 83.5

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed this 1 day of April, 2026.


(Signature)

CA# 1145

State of Idaho
Department of Water Resources
Application for Amendment
(For Licensing Purposes)
Water Right No. 67-15256

FOR DEPARTMENT USE ONLY

Preliminary check by MB Fee = \$100 Received by MB # W053023 Date 4/6/26

ACTION OF THE DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources hereby approves the above Application for Amendment for Permit No. 67-15256 with the following:

Conditions of Approval

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the place of use.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
3. When ordered by the Director, the right holder shall provide mitigation acceptable to the Director to offset depletion of lower Snake River flows needed for migrating anadromous fish. The amount of water required for mitigation, which is to be released into the Snake River or a tributary for this purpose, will be determined by the Director based upon the reduction in flow caused by the use of water pursuant to this right. Any order of the Director issued in accordance with this paragraph shall be in conformance with applicable rules allowing the right holder due process as the need for mitigation and the amount of mitigation are determined.

This amendment is issued pursuant to the provisions of Idaho Code § 42-211.

Signed this 24th day of April, 2026.



Storms, Scott
Water Rights Supervisor



IDAHO DEPARTMENT OF
WATER RESOURCES

Western Region • 2735 W Airport Way • Boise, ID 83705-5082

Phone: 208-334-2190 • Fax: 208-334-2348 • Email: westerninfo@idwr.idaho.gov • Web: idwr.idaho.gov

Governor Brad Little

Director Mathew Weaver

March 27, 2026

BRYAN OR MARIE PECHT
PO BOX 67
MIDVALE ID 83645-0067

RE: Water Right Permit No. 67-15256

Dear Mr. and Mrs. Pecht:

The Department of Water Resources is reviewing the permit referenced above prior to issuing water right license. By issuing a license, the Department confirms the extent of development that has been established in compliance with the terms of the permit.

The examiner who verified your water use reported that certain elements of the permit have been developed differently than described on your permit. Changes that do not increase the authorized use of water under the permit can be requested and approved in accordance with Idaho Code § 42-211. Before license can be issued, your permit must be amended to depict your water use as it was actually developed.

Based on the examiner's report, the following elements were developed differently than described on your permit:

☐ Point of Diversion

☒ Place of Use

☐ Other

There were 33 acres of irrigation found in the SENW and 2.4 acres in the NWSW. The original permit allowed 30 acres in the SENW and 2.0 acres in the NWSW. The original permit allowed for up to 199 acres to be developed, however at the time of the exam 83.5 acres were found developed. The place of use needs amended to move 3 acres to the SENW and 0.4 acres to the NWSW.

Please note, the township, range and section lines used by the Department do not align with the Washington County tax lot lines or the observable fencelines on the aerial photography. The Department has made every effort to accurately reflect an accurate measurement of your acres despite these misalignments.

The enclosed Application for Amendment form depicts the elements of the water right as they will appear on the license when issued. Please review the amendment form carefully. If you concur with the information presented, please sign and return the form with the filing fee of **\$100.00** within fourteen **(14) days**.

If you have any questions, please call me at 208-605-4623.

Sincerely,

A handwritten signature in black ink that reads "Allen Bradbury". The signature is written in a cursive style with a large, sweeping "A" and a long, horizontal stroke for the "B".

Allen Bradbury
Water Resource Agent, Senior

Enclosure: Application for Amendment

cc: